

No. HKTEC2206559601

Date: 03 Jan 2023

Page 1 of 8

The following sample(s) was/were submitted and identified on behalf of the clients as : LITHIUM MANGANESE DIOXIDE COIN CELL

SGS Job No. :	5155368 - HK
Colour :	SILVERY
Item No Given by Client :	CR927, CR1025, CR1130, CR1220, CR1225, CR1216, CR1616,
	CR1620, CR1625, CR1632, CR2016, CR2025, CR2032, CR2330, CR2354,
	CR2430, CR2450, CR2477
Manufacturer :	
Country of Origin :	CHINA
Country of Destination :	EUROPE, USA
Date of Sample Received :	14 Dec 2022
Testing Period :	14 Dec 2022 - 21 Dec 2022
Test Requested :	Selected test(s) as requested by client.
Test Method :	Please refer to next page(s).
Test Results :	Please refer to next page(s).
Conclusion :	The submitted battery sample does not exceed the limit mentioned in Directive 2006/66/EC and its Article 4 amendment of Directive 2013/56/EU.
	The submitted battery sample complies with the Mercury content requirements of the US Mercury - Containing Battery Management Act Public Law No 104-142 (1996).
	Based on the performed tests on submitted samples, the results comply with Canada Consumer Product Safety Act(S.C. 2010, c. 21) , Mercury Regulations (SOR/2014-254).

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document tas and obligations under the transaction documents. This document cannot be reproduced except in full, within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



No. HKTEC2206559601

Date: 03 Jan 2023

Page 2 of 8

Signed for and on behalf of SGS Hong Kong Limited.

Chan Chun Kit, Dickson Manager EET

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



No. HKTEC2206559601 Date: 0

Date: 03 Jan 2023

Page 3 of 8

Test Results :

Test Part Description :

Specimen No.	SGS Sample ID	Description
1	HKT22-065596.001	Metal part
2	HKT22-065596.002	Core part
3	HKT22-065596.003	Button cell

Remarks :

(1) 1 mg/kg = 1 ppm = 0.0001%
(2) MDL = Method Detection Limit
(3) ND = Not Detected (< MDL)
(4) "-" = Not Regulated

Directive 2006/66/EC and its Article 4 amendment of Directive 2013/56/EU– Heavy Metals Content in Batteries and Accumulators

Test Method : Acid digestion method-CTS-EC-109-1. Analysis was performed by ICP-OES/ICP-MS/AAS. (Decision Rule: please refer to appendix 1: Category 1)

<u>Test Item(s)</u>	<u>Limit</u>	<u>Unit</u>	MDL	<u>003</u>
Lead (Pb)	-	%	0.0010	ND
Cadmium (Cd)	0.0020	%	0.0010	ND
Mercury (Hg)	0.0005	%	0.0001	ND
Conclusion				PASS

Notes :

(1) Results shown are of total weight of the battery sample.

(2) According to the directive 2006/66/EC and its Article 4 amendment of Directive 2013/56/EU, all types of battery shall include the chemical symbol Lead when containing more than 0.004% of Pb.

US Public law104-142

Test Method : Acid digestion method-CTS-EC-109-1. Analysis was performed by ICP-MS/AAS. (Decision Rule: please refer to appendix 1: Category 1)

<u>Test Item(s)</u>	<u>Limit</u>	<u>Unit</u>	MDL	<u>003</u>
Mercury (Hg)	25	mg/cell	0.1	ND
Conclusion				PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx, Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document to some attention from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Notes :

No. HKTEC2206559601 Date: 03

601 Date: 03 Jan 2023 Page 4 of 8

1. According to US Mercury-containing Battery Management Act, Public Law No.104-142(1996) SEC 203 the limitation on mercury content in alkaline-manganese

- button cell shall be 25 milligrams per button cell
- 2. MDL(Method Detection Limit) = 0.1mg/kg
 3. Results shown are of total weight of the battery sample

Canada Consumer Product Safety Act (S.C. 2010, c. 21), SOR/2014-254- Mercury (Hg)

Test Method : With reference to SGS in-house method - CTS-EC-109-02, analysis was performed by ICP-MS. (Decision Rule: please refer to appendix 1: Category 1)

<u>Test Item(s)</u>	<u>Limit</u>	<u>Unit</u>	MDL	<u>001</u>	<u>002</u>
Mercury (Hg)	5	mg/kg	0.1	ND	ND
Conclusion				PASS	PASS

RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU

Test Method : With reference to SGS in-house method-CTS-EC-109-1, IEC62321-7-2:2017, IEC62321-6:2015 and IEC62321-8:2017, analyzed by ICP-OES, UV-Vis and GC-MS.

<u>Test Item(s)</u>	<u>Limit</u>	<u>Unit</u>	MDL	<u>003</u>
Cadmium (Cd)	100	mg/kg	10	ND
Lead (Pb)	1,000	mg/kg	10	ND
Mercury (Hg)	1,000	mg/kg	1	ND
Hexavalent Chromium (Cr(VI))	1,000	mg/kg	8	ND
Sum of PBBs	1,000	mg/kg	-	ND
Monobromobiphenyl	-	mg/kg	5	ND
Dibromobiphenyl	-	mg/kg	5	ND
Tribromobiphenyl	-	mg/kg	5	ND
Tetrabromobiphenyl	-	mg/kg	5	ND
Pentabromobiphenyl	-	mg/kg	5	ND
Hexabromobiphenyl	-	mg/kg	5	ND
Heptabromobiphenyl	-	mg/kg	5	ND
Octabromobiphenyl	-	mg/kg	5	ND
Nonabromobiphenyl	-	mg/kg	5	ND
Decabromobiphenyl	-	mg/kg	5	ND
Sum of PBDEs	1,000	mg/kg	-	ND
Monobromodiphenyl ether	-	mg/kg	5	ND
Dibromodiphenyl ether	-	mg/kg	5	ND
Tribromodiphenyl ether	-	mg/kg	5	ND

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions and <a href="http://wwwwwwwww

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report	No. HKTEC2206559601		Date: 03 Jan 2023		Page 5 of 8
<u>Test Item(s)</u>	<u>Limit</u>	<u>Unit</u>	MDL	<u>003</u>	
Tetrabromodiphenyl ether	-	mg/kg	5	ND	
Pentabromodiphenyl ether	-	mg/kg	5	ND	
Hexabromodiphenyl ether	-	mg/kg	5	ND	
Heptabromodiphenyl ether	-	mg/kg	5	ND	
Octabromodiphenyl ether	-	mg/kg	5	ND	
Nonabromodiphenyl ether	-	mg/kg	5	ND	
Decabromodiphenyl ether	-	mg/kg	5	ND	
Dibutyl phthalate (DBP)	1,000	mg/kg	50	ND	
Butyl benzyl phthalate (BBP)	1,000	mg/kg	50	ND	
Bis (2-ethylhexyl) phthalate (DEHP)	1,000	mg/kg	50	ND	
Diisobutyl Phthalates (DIBP)	1,000	mg/kg	50	ND	

Notes :

(1) Quoted limit is referred to RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU According to the document of Frequently Asked Questions on RoHS and WEEE published from European Commission in May 2005, the battery does not apply to RoHS Directive.

(2) The measurement report of the expanded uncertainty with confident level 95% by coverage factor k=2, is 20% for each analyte of for Cd, Pb, Hg and Cr(VI).

(3) The measurement report of the expanded uncertainty with confident level 95% by coverage factor k=2, is 30% for each analyte of for PBBs and PBDEs.

(4) The measurement report of the expanded uncertainty with confident level 95% by coverage factor k=2, is 25% for each analyte of for DBP, BBP, DEHP and DIBP.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/terms-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



No. HKTEC2206559601

Date: 03 Jan 2023

Page 6 of 8

Appendix 1

Category	Decision Rule Statement
1	 The decision rule for conformity reporting is based on the non-binary statement with guard band (is equal to the expanded measurement uncertainty with a 95% coverage probability, w = U95) in ILAC-G8:09/2019 Clause 4.2.3. A. "Pass - the measured value is within (or below / above) the acceptance limit, where the acceptance limit is below / above to the guard band." or "Pass - The measured values were observed in tolerance at the points tested. The specific false accept risk is up to 2.5%.". B. "Conditional Pass - The measured values were observed in tolerance at the points tested. However, a portion of the expanded measurement uncertainty intervals about one or more measured values exceeded / out of tolerance. When the measured result is close to the tolerance, the specific false accept risk is up to 50%.". C. "Conditional Fail - One or more measured values were observed out of tolerance at the points tested. However, a portion of the expanded measurement uncertainty intervals about one or more measured values exceeded / out of tolerance. When the measured result is close to the tolerance, the specific false accept risk is up to 50%.". C. "Conditional Fail - One or more measured values were observed out of tolerance at the points tested. However, a portion of the expanded measurement uncertainty intervals about one or more measured values were in tolerance. When the measured result is close to the tolerance, the specific false reject risk is up to 50%.". D. "Fail - the measured value is out of (or below / above) the tolerance limit added / subtracted to the guard band." or "Fail - One or more measured values were observed out of tolerance at the points tested. the points tested". The specific false reject risk is up to 2.5%.
2	The decision rule for conformity reporting is based on BS EN 1811:2011+A1:2015: Reference test method for release of nickel from all post assemblies which are inserted into pierced parts of the human body and articles intended to come into direct and prolonged contact with the skin in Section 9.2 interpretation of results.
3	The decision rule for conformity reporting is based on the general consideration of simple acceptance as stated in ISO/IEC Guide 98-3: "Uncertainty of measurement - Part 3: Guide to the expression of uncertainty in measurement (GUM 1995)", and more specifically for analytical measurements to the EURACHEM/CITAC Guide 2012 "Quantifying Uncertainty in Analytical Measurement ".
4	The decision rule for conformity reporting is according to the IEC 62321-7-1 Edition 1.0 2015- 09 Section 7: Table 1-(comparison to standard and interpretation of result)
5	The decision rule for conformity reporting is according to the IEC 62321-3-1 Edition 1.0 2013- 06 Annex A.3 interpretation of result.
6	The decision rule for conformity reporting is according to the GB/T 26125-2011 Annex A to H
7	The decision rule for conformity reporting is according to the requested specification or standard (ASTM F963-17 section 4.3.5)
8	The decision rule for conformity reporting is according to the requested specification or standard (AS/NZS ISO 8124 Part 3 section 4.2)
Remark	If the decision rule is not feasible to be used and the uncertainty of the result is able to be provided, the uncertainty range of the result will be shown in the report. Otherwise, only result will be shown in the report.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Sample photo:



No. HKTEC2206559601

Date: 03 Jan 2023

Page 7 of 8



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document to aconcerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.







SGS authenticate the photo on original report only

*** End of Report ***

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.