

TEST REPORT

Report No.	<u> </u>
Applicant	.X
Address	
Manufacturer	Ļ
Sample Name	
Sample Model	
Test Requested	

 Test Conclusion
 :

 Date of Receipt sample
 :

 Testing period
 :

 Date of Issue
 :

 Test Result
 :

 Note
 :

WTF23F05107689C

Mid Ocean Brands B.V.

7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong

111587

300D RPET sports travel bag

MO2053

- Determination of Lead content in the submitted sample in accordance with REACH regulation Annex XVII Entries 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628
- Determination of Cadmium content in the submitted sample in accordance with REACH regulation Annex XVII Entries 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011, No. 835/2012 and (EU) 2016/217
- Determination of specified Phthalates content according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005
- 4) Determine the specified AZO Colorants contents in the submitted sample in according to the Entries 43 in Annex XVII of the REACH Regulation (EC) No.1907/2006 and the Amendment Regulation (EC) No.552/ 2009 & No.126/ 2013 (previously restricted under Directive 2002/61/EC).
- 5) As requested by the applicant, to test Colour Fastness to Rubbing in the submitted sample.

Refer to next page (s)

2023-05-18 🖉

2023-05-18 to 2023-05-23

2023-05-24

Refer to next page (s)

As specified by client, only test the designated sample.

Prepared By:

Waltek Testing Group (Foshan) Co., Ltd.

Address: No.13-19, 2/F., 2nd Building, Sunlink International Machinery City, Chencun, Shunde District, Foshan, Guangdong, China Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Signed for and on behalf of Waltek Testing Group (Foshan) Co., Ltd.

Swing Liang

Swing.Liang

Waltek Testing Group (Foshan) Co., Ltd. http://www.waltek.com.cn

1/10



1 × 1 × 1

Sample photo:



Waltek Testing Group (Foshan) Co., Ltd. http://www.waltek.com.cn

2/10

15

Report No.: WTF23F05107689C

Test Results:

1) Lead (Pb)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Tool Kam	LOQ	A A	Results (mg/kg)		Limit
Test Item	(mg/kg)	No.1+No.2	No.3	No.4	(mg/kg)
Lead(Pb)	2	ND*	ND	ND.	500
Conclusion	NUT TUT	Pass	Pass	Pass	Set State

Talle leave which we	LOQ	Results	(mg/kg)	Limit
Test Item	(mg/kg)	No.5+No.6+No.10	No.7+No.8+No.9	(mg/kg)
Lead(Pb)	2	26*	43*	500
Conclusion	et untite untite	Pass	Pass	Jet Jet .

Test Item	LOQ	Results	Results (mg/kg)		
	(mg/kg)	No.11	No.12	(mg/kg)	
Lead(Pb)	2	ND	ND ND N	500	
Conclusion	14 NY - 04 1	Pass	Pass	et	

Test Item	LOQ	Results	(mg/kg)	Limit
	(mg/kg)	No.13	No.14	(mg/kg)
Lead(Pb)	2	ND	ND,	500
Conclusion	in and and	Pass	Pass	et

Test Item	LOQ	Results	(mg/kg)	Limit
	(mg/kg)	No.15	No.16	(mg/kg)
Lead(Pb)	2	ND S	Jun 17 Jun 17	500
Conclusion	NIT MANY	Pass	Pass	1

Note:

(1) mg/kg = milligram per kilogram

(2) ND = Not Detected (lower than LOQ)

- (3) LOQ = Limit of quantitation
- (4) Limit of Lead was quoted from REACH regulation Annex XVII Item 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628.
- (5) "*" = Results are calculated by the minimum weight of mixed components.

Waltek Testing Group (Foshan) Co., Ltd. http://www.waltek.com.cn



6

N

Report No.: WTF23F05107689C

2) Cadmium (Cd)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Test Item	LOQ	Results	(mg/kg)
l'est item	(mg/kg)	No.5+No.6+No.10	No.7+No.8+No.9
Cadmium(Cd)	2	ND*	ND*
Conclusion	1 - 1	Pass	Pass

to a liter of the second	LOQ Results (mg		ng/kg)
Test Item	(mg/kg)	No.11	No.12
Cadmium(Cd)	2	ND	At ND Street
Conclusion		Pass	Pass

Tost Itom	LOQ	Results	(mg/kg)
Test Item	(mg/kg)	No.14	No.16
Cadmium(Cd)	2 5 4	ND	ND ST
Conclusion		Pass	Pass

Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)

(3) LOQ = Limit of quantitation

(4) Limit of Cadmium according to REACH regulation Annex XVII Item 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011 and No. 835/2012 and (EU) 2016/217.

Category	Limit (mg/kg)
Wet paint	100
Surface coating	1000
Plastic	100
Metal parts of jewellery and hair accessories	100

(5) "*" = Results are calculated by the minimum weight of mixed components.



3) Phthalates

Test Method: With reference to EN14372:2004, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test Items	LOQ	Re:	Limit		
	(%)	No.11	No.12	(%)	
Benzyl butyl phthalate (BBP)	0.005	St ND St	ND	The All a	
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	ND	ND	sum of four	
Dibutyl phthalate (DBP)	0.005	ND	ND	phthalates < 0.1	
Diisobutyl phthalate (DIBP)	0.005	ND	ND ND	- me me	
Diisodecyl phthalate (DIDP)	0.01	ND	ND	et unifer all'iter	
Diisononyl phthalate (DINP)	0.01	ND	ND	sum of three phthalates < 0.1	
Di-n-octyl phthalate (DNOP)	0.005	ND S	ND		
Conclusion	the the	Pass	Pass	S. A. S	

Note:

DBP= Dibutyl phthalate DINP= Di-isononyl phthalate DIBP= Diisobutyl phthalate BBP= Benzyl butyl phthalate DNOP= Di-n-octyl phthalate DEHP= Bis-(2-ethylhexyl)- phthalate DIDP= Di-isodecyl phthalate

- (1) % = percentage by weight
- (2) ND = Not Detected or lower than limit of quantitation

(3) LOQ = Limit of quantitation

(4) "<" = less than

(5) The above limit was quoted according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005 (formerly known as Directive 2005/84/EC) for phthalate content in toys and child care articles. G



4) AZO

Test Method: With reference to BS EN ISO 14362-1: 2017 and BS EN ISO 14362-3: 2017, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS)

No.	Aminos Substances	CAS No.		Result (r	ng/kg) 🔬
NO.	Amines Substances	CAS NO.	(mg/kg)	No.1+No.2	No.4
1	4-Aminobiphenyl	92-67-1	30	ND*	ND
2	Benzidine	92-87-5	_<30	ND*	ND
3	4-chloro-o-Toluidine	95-69-2	30	ND*	ND
4	2-Naphthylamine	91-59-8	^{ره} 30 ر	ND*	JO ND J
5	o-Aminoazotoluene	97-56-3	30	ND*	ND
6,0	2-Amino-4-nitrotoluene	99-55-8	30	ND*	ND
7	p-Chloroaniline	106-47-8	30	ND*	ND of
8	2,4-diaminoanisol	615-05-4	30	ND*	ND
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND*	ND
10	3,3'-Dichlorobenzidine	91-94-1	ر 30 ر	ND*	JND 4
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND*	ND
12	3,3'-Dimethylbenzidine	119-93-7	30	ND*	M ND
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND*	ND
14	p-cresinin	120-71-8	30	ND*	ND
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND*	ND ND
16	4,4'-Oxydianiline	101-80-4	30	ND*	ND
17	4,4'-Thiodianiline	139-65-1	30	ND*	ND
18	o-Toluidine	95-53-4	30	ND*	AND AN
19	2,4-Toluylendiamine	95-80-7	30	ND*	ND S
20	2,4,5 – Trimethylaniline	137-17-7	30	ND*	ND
21	o-anisidine	90-04-0	30	ND*	ND ND
22	4-aminoazobenzene	60-09-3	30	ND*	ND
23	2,4-Xylidin	95-68-1	30	ND*	ND
24	2,6-Xylidin	87-62-7	30	ND*	ND
ale -	Conclusion		s A	Pass	Pass

Note:

- ND = Not Detected or lower than limit of quantitation
- mg/kg=Milligram per kilogram
- Limit of quantitation (mg/kg): Each 5mg/kg
- The CAS-numbers 97-56-3 and 99-55-8 are further reduced to CAS-numbers 95-53-4 and 95-80-7.
- AZO colorants that are able to form 4-aminoazobenzene, generate under the condition of this method aniline and 1,4-phenylenediamine. The presence of these colorants cannot be reliably ascertained without additional information, e.g. the chemical structure of the colorant used.
- The CAS-numbers 95-68-1 and 87-62-7 are not proscribed under REACH Regulation (EC) No 1907/2006
- "*" = Results are calculated by the minimum weight of mixed components.

Waltek Testing Group (Foshan) Co., Ltd. http://www.waltek.com.cn



121

Report No.: WTF23F05107689C

5) Colour Fastness to Rubbing

Colour Fastne	ess to Rubbing	A St	THE NUTE WIT	when when	m m	
(ISO 105-X12: 2016; Size of rubbing finger: 16mm diameter.)						
when when	m. m. n	No.1	No.2	No.4	Client's Limit	
Length	Dry staining	<u>4-5</u>	4-5	4-5	2-3	
	Wet staining	4-5	4-5	4-5	2-3	
Width	Dry staining		UTER - NUT	n H	2-3	
	Wet staining	when - when	211	1 A-	2-3	
Conclusion		Pass	Pass	Pass	r m- m	

Note:

(1) Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.

Description for Specimen:

Specimen No.	Specimen Description		
in with which which	Black main fabric		
2	Black lining		
3	Black rim fabric		
white 4 out on the one	Black webbing		
5 st	Silvery metal buckle with black coating		
6	Silvery metal buckle with black coating		
St. 7 million	Silvery metal buckle with black coating		
8	Silvery metal buckle with black coating		
9.0	Silvery metal rivet with black coating		
10	Silvery metal buckle with black coating		
11	Silvery thermal insulation material		
12	Black plastic shell		
13	Black drawstring		
14	Black plastic zipper tooth		
15 M	Black zipper fabric		
16 Silvery metal zipper head with black coating			

Waltek Testing Group (Foshan) Co., Ltd. http://www.waltek.com.cn

7/10



10

シン

Photograph of parts tested:



Waltek Testing Group (Foshan) Co., Ltd. http://www.waltek.com.cn

8/10



~ いっこう ン





Remarks:

- 1. The results shown in this test report refer only to the sample(s) tested;
- 2. This test report cannot be reproduced, except in full, without prior written permission of the company;
- 3. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver;
- 4. The Applicant name and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which Waltek hasn't verified;
- 5. If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.
- 6. The sample material information (Model No. information) is provided by client, not verified by test laboratory. The samples of reference Model No. are not tested. Test laboratory not responsible for the accuracy, appropriateness, completeness and authenticity of the information provided by client.

===== End of Report ======