

# **TEST REPORT**

Report No. ..... : WTF23F05110065C

Applicant .....: Mid Ocean Brands B.V.

Address ...... : 7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan,

Kowloon, Hong Kong

Manufacturer..... 114697

Sample Name ...... 21 Inch polycotton umbrella

Sample Model ..... : MO2092

Test Conclusion ...... : Refer to next page (s)

Date of Receipt sample .....: 2023-05-22

**Testing period**...... 2023-05-22 to 2023-05-26

**Date of Issue** ..... 2023-05-29

Test Result ...... : Refer to next page (s)

#### Prepared By:

### Waltek Testing Group (Foshan) Co., Ltd.

Address: No.13-19, 2/F., 2nd Building, Sunlink International Machinery City, Chencun, Shunde District, Foshan, Guangdong, China
Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Signed for and on behalf of Waltek Testing Group (Foshan) Co., Ltd.

Swing.Liang





Test Requested .....:

- Determination of Lead content in the submitted sample in accordance with REACH regulation Annex XVII Entries 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628
- Determination of Cadmium content in the submitted sample in accordance with REACH regulation Annex XVII Entries 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011, No. 835/2012 and (EU) 2016/217
- Determination of specified Phthalates content according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005
- 4) Determination of specified Polycyclic Aromatic Hydrocarbons (PAHs) content in submitted sample in accordance with Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013.
- 5) Determine the specified AZO Colorants contents in the submitted sample in according to the Entries 43 in Annex XVII of the REACH Regulation (EC) No.1907/2006 and the Amendment Regulation (EC) No.552/ 2009 & No.126/ 2013 (previously restricted under Directive 2002/61/EC).
- 6) As specified by client, determination of the released formaldehyde content in submitted sample
- 7) As requested by the applicant, to test Colour Fastness to Rubbing in the submitted sample.



## Sample photo:





### **Test Results:**

#### 1) Lead (Pb)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

- TEX STEX	LOQ	in muri mur	Limit		
Test Item	(mg/kg)	No.1	No.2	No.3	(mg/kg)
Lead(Pb)	2	ND	ND	ND ND	500
Conclusion	L N-	Pass	Pass	Pass	10 -0

15 - 15 Et - 15 Et	LOQ	Results (mg/kg)				
Test Item	(mg/kg)	No.4+No.5	No.6+No.7+No.8	No.9	(mg/kg)	
Lead(Pb)	2	ND*	ND*	- ND	500	
Conclusion	<i>√</i>	Pass	Pass	Pass	711 - 21	

The state of the	LOQ	Results (mg/kg)				
Test Item	(mg/kg)	No.10+No.11+No.12	No.13+No.14	(mg/kg)		
Lead(Pb)	2	ND*	ND*	500		
Conclusion		Pass	Pass	- 100 - 1		

Test Item	LOQ	Results (mg/kg)		
	(mg/kg)	No.15+No.16+No.17	No.18+No.19+No.20	(mg/kg)
Lead(Pb)	2	13*	ND*	500
Conclusion		Pass	Pass	

Test Item	LOQ	Results	Limit	
	(mg/kg)	No.21	No.22	(mg/kg)
Lead(Pb)	2	ND	28	500
Conclusion	1 - At 1	Pass	Pass	

#### Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Lead was quoted from REACH regulation Annex XVII Item 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628.
- (5) "\*" = Results are calculated by the minimum weight of mixed components.



#### 2) Cadmium (Cd)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Took Home	LOQ	Results (mg/kg)			
Test Item	(mg/kg)	No.4+No.5	No.6+No.7+No.8	No.9	
Cadmium(Cd)	(2)	ND*	ND*	ND	
Conclusion	nur -nu	Pass	Pass	Pass	

Tool How	LOQ	CER SEX STEX ON	Results (mg/kg)	
Test Item	(mg/kg)	No.10+No.11+No.12	No.13+No.14	No.22
Cadmium(Cd)	2	ND*	ND*	ND
Conclusion	100 - 100	Pass	Pass	Pass

#### Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Cadmium according to REACH regulation Annex XVII Item 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011 and No. 835/2012 and (EU) 2016/217.

Category	Limit (mg/kg)
Wet paint	100
Surface coating	1000
Plastic	100
Metal parts of jewellery and hair accessories	100

(5) "\*" = Results are calculated by the minimum weight of mixed components.



### 3) Phthalates

Test Method: With reference to EN14372:2004, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test Items	LOQ	Resi	Limit	
me my my my	(%)	No.6+No.7+No.8	No.9	(%)
Benzyl butyl phthalate (BBP)	0.005	ND*	ND THE	WILLER MULTER WA
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	ND*	ND	sum of four
Dibutyl phthalate (DBP)	0.005	ND*	ND ND	phthalates < 0.1
Diisobutyl phthalate (DIBP)	0.005	ND*	ND ND	THE MITER MITER
Diisodecyl phthalate (DIDP)	0.01	ND*	ND	L at at
Diisononyl phthalate (DINP)	0.01	ND*	ND WILL	sum of three phthalates < 0.1
Di-n-octyl phthalate (DNOP)	0.005	ND*	ND	printialates < 0.1
Conclusion	+ <del></del> e+	Pass	Pass	21, 21, 24,

MULTER WALTER WALTER	LOQ		Results (%)		
Test Items	(%)	No.10+No.11 +No.12	No.22	The (%)	
Benzyl butyl phthalate (BBP)	0.005	ND*	ND	the fift of	
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	ND*	White ND	sum of four	
Dibutyl phthalate (DBP)	0.005	ND*	ND	phthalates < 0.1	
Diisobutyl phthalate (DIBP)	0.005	ND*	0.081	at at at	
Diisodecyl phthalate (DIDP)	0.01	ND*	ND	The Anna A	
Diisononyl phthalate (DINP)	0.01	ND*	ND ND	sum of three phthalates < 0.1	
Di-n-octyl phthalate (DNOP)	0.005	ND*	ND	primalates < 0.1	
Conclusion	30,	Pass	Pass	mile unit	



#### Note:

DBP= Dibutyl phthalate

BBP= Benzyl butyl phthalate

DEHP= Bis-(2-ethylhexyl)- phthalate

DIDP= Di-isodecyl phthalate

DIDP= Di-isodecyl phthalate

DIBP= Diisobutyl phthalate

(1) % = percentage by weight

(2) ND = Not Detected or lower than limit of quantitation

(3) LOQ = Limit of quantitation

(4) "<" = less than

(5) The above limit was quoted according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005 (formerly known as Directive 2005/84/EC) for phthalate content in toys and child care articles.

(6) "\*" = Results are calculated by the minimum weight of mixed components.





#### 4) Polycyclic Aromatic Hydrocarbons (PAHs)

Test Method: With reference to AFPS GS 2019:01 PAK method, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS).

Tank Home the till still si	116.4	Res	ults	1.00*	at make
Test Items	Unit	No.1	No.9	LOQ	Limit
Benzo(a)anthracene (BaA)	mg/kg	ND	ND	0.2	1.0
Chrysene (CHR)	mg/kg	ND	ND	0.2	1.0
Benzo[b]fluoranthene (BbFA)	mg/kg	ND	ND	0.2	1.0
Benzo[k]fluoranthene (BkFA)	mg/kg	ND	ND	0.2	1.0
Benzo(a)pyrene (BaP)	mg/kg	ND	ND	0.2	1.0
Dibenzo[a,h]anthracene (DBAhA)	mg/kg	ND	ND	0.2	1.0
Benzo[j]fluoranthene (BjFA)	mg/kg	ND ND	ND	0.2	1.0
Benzo[e]Pyrene (BeP)	mg/kg	ND	ND	0.2	1.0
Conclusion	18 JE	Pass	Pass	mr mr.	7/12 - 7/1

#### Note:

- (1) ND = Not Detected or lower than limit of quantitation
- (2) mg/kg=milligram per kilogram=ppm
- (3) LOQ = Limit of quantitation
- (4) As per Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013, Articles shall not be placed on the market for supply to the general public, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 1 mg/kg (0,0001 % by weight of this component) of any of the listed PAHs.
- (5) As per Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013, Toys, including activity toys, and childcare articles, shall not be placed on the market, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 0,5 mg/kg (0,00005 % by weight of this component) of any of the listed PAHs.



5) AZO

Test Method: With reference to BS EN ISO 14362-1: 2017 and BS EN ISO 14362-3: 2017, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS)

No.	Aminos Substances	CAS No.	Limit	Result	(mg/kg)
NO.	Amines Substances	CAS NO.	(mg/kg)	No.2	No.3
1	4-Aminobiphenyl	92-67-1	30	ND	ND
2	Benzidine	92-87-5	30	ND	ND
3	4-chloro-o-Toluidine	95-69-2	30	ND	ND
4	2-Naphthylamine	91-59-8	30	ND	ND
5	o-Aminoazotoluene	97-56-3	30	ND	ND
6	2-Amino-4-nitrotoluene	99-55-8	30	ND	ND ND
7	p-Chloroaniline	106-47-8	30	ND	- ND
8	2,4-diaminoanisol	615-05-4	30	ND	ND
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND	ND
10	3,3'-Dichlorobenzidine	91-94-1	30	ND	ND
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND	ND
12	3,3'-Dimethylbenzidine	119-93-7	30	ND	ND.
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND	ND
14	p-cresinin	120-71-8	30	ND	ND
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND	ND ND
16	4,4'-Oxydianiline	101-80-4	30	ND W	ND
17	4,4'-Thiodianiline	139-65-1	30	ND	ND
18	o-Toluidine	95-53-4	30	W ND W	ND
19	2,4-Toluylendiamine	95-80-7	30	ND A	ND
20	2,4,5 – Trimethylaniline	137-17-7	30	ND	ND
21	o-anisidine	90-04-0	30	ND O	ND
22	4-aminoazobenzene	60-09-3	30	ND	ND
23	2,4-Xylidin	95-68-1	30	ND	ND
24	2,6-Xylidin	87-62-7	30	AND AN	ND
(E)	Conclusion	-	J J.	Pass	Pass

#### Note:

- ND = Not Detected or lower than limit of quantitation
- mg/kg=Milligram per kilogram
- Limit of quantitation (mg/kg): Each 5mg/kg
- The CAS-numbers 97-56-3 and 99-55-8 are further reduced to CAS-numbers 95-53-4 and 95-80-7.
- AZO colorants that are able to form 4-aminoazobenzene, generate under the condition of this method aniline and 1,4-phenylenediamine. The presence of these colorants cannot be reliably ascertained without additional information, e.g. the chemical structure of the colorant used.
- The CAS-numbers 95-68-1 and 87-62-7 are not proscribed under REACH Regulation (EC) No 1907/2006



#### 6) Formaldehyde

Test Method: With reference to EN717-3:1996, analysis was performed by UV-VIS

Test Item	**************************************	Result	Very Marie M	Client's Limit
	Unit	No.1	MDL	
Formaldehyde (CH <sub>2</sub> O)	mg/kg	76 mi	10	80
Conclusion	Muria Muri M	Pass	t 78t - 58	F LIER

#### Note:

- ND = Not Detected or lower than limit of quantitation
- mg/kg =milligram per kilogram=ppm
- LOQ = Limit of quantitation

### 7) Colour Fastness to Rubbing

Colour Fastness to Rubbing						
(ISO 105-X12: 2016; Size of rubbing finger: 16mm diameter.)						
L St	LET JET JET N	No.2	No.3	Client's Limit		
Length	Dry staining	4-5	4	2-3		
	Wet staining	4-5	4-5	2-3		
Width	Dry staining	2 / 75/		2-3		
	Wet staining	AL THE LIP	10° 3	2-3		
Conclusion	THE STATE OF THE S	Pass	Pass	J. J. J. J.		

### Note:

(1) Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.




### **Description for Specimen:**

Specimen No.	Specimen Description		
at all telt the st	Brown wood handle		
nt unt 2 mm and and	Black main fabric		
TEX STEEL 3 STEEL WITE WITE	Black webbing		
4 4 4	Black plastic hook(VELCRO)		
white with the same	Black plastic loop(VELCRO)		
the 16th miles and	Black plastic strip		
7	Black plastic bobbin		
MITTER MILE 8 MILE WALL WALL	Black plastic shell		
at 10th 9 at 10th 10th	Black plastic button		
10	Black plastic bobbin		
NITER INTER WALLER WAS NOT	Black plastic shell		
12	Black plastic screw		
white whi 13 whe was you	Silvery metal shell with black coating		
THE THE 14 STEE SEE STATE OF THE SEE	Silvery metal screw whit black coating		
15	Silvery metal strip		
Market 16 Market 14	Silvery metal spring		
17 July 17	Silvery metal strip		
18	Silvery metal rivet		
19	Silvery metal strip		
20	Silvery metal tube		
21	White elastic band		
22	Black plastic strip		



Photograph of parts tested:









#### Remarks:

- 1. The results shown in this test report refer only to the sample(s) tested;
- 2. This test report cannot be reproduced, except in full, without prior written permission of the company;
- 3. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver;
- 4. The Applicant name and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which Waltek hasn't verified;
- 5. If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.
- 6. The sample material information (Model No. information) is provided by client, not verified by test laboratory. The samples of reference Model No. are not tested. Test laboratory not responsible for the accuracy, appropriateness, completeness and authenticity of the information provided by client.

===== End of Report =====

