

Test Report

Report No. : AGC05443230614-001

Double wall recycled S/S 304 mug,

SAMPLE NAME : Double wall recycled stainless steel 304 bottle,

Double wall recycled S/S 304 bottle

MODEL NAME : MO6934, MO6938, MO6944

APPLICANT: MID OCEAN BRANDS B.V

STANDARD(S) : Please refer to the following page(s).

DATE OF ISSUE : Jul. 17, 2023

Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd.





Applicant : MID OCEAN BRANDS B.V

Address : 7/F, Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong.

Test Site : 6/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community, Hangcheng Street,

Bao'an District, Shenzhen, Guangdong, China

Report on the submitted sample(s) said to be:

Sample Name : Double wall recycled S/S 304 mug, Double wall recycled stainless steel 304 bottle,

Double wall recycled S/S 304 bottle

Model : MO6934, MO6938, MO6944

Vendor code : 114276
Country of Origin : CHINA
Country of Destination : EUROPE
Sample Received Date : Jun. 27, 2023

Testing Period : Jun. 27, 2023 to Jul. 17, 2023

Test Requested : Selected test(s) as requested by client.

Approved by : Jessie lians

Liangdan, Jessie.Liang

Report No.: AGC05443230614-001

Technical Director



- Peroxide value

- Specific Migration of Organotin (measured as Tin)

Conclusion Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63 Pass - Lead(Pb) Content Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23 Pass -Cadmium(Cd) Content Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52 **Pass** - Phthalates Content Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50 **Pass** - Polycyclic-aromatic Hydrocarbons (PAHs) Content Regulation 1935/2004/EC and Technical Guide on Metals and alloys used in food contact materials of Council of Europe Resolution CM/Res(2013)9 Pass - Specific migration of Heavy metal Regulation 1935/2004/EC, Regulation(EU) No 10/2011 and its amendment Regulation (EU) 2020/1245 and Regulation (EU) 2018/213 and Council of Europe Resolution AP (2004)5 - Overall migration **Pass** - Bisphenol A(BPA) content Pass - Specific migration of Bisphenol A(BPA) Pass - Specific migration of Primary aromatic amines **Pass** - Specific migration of Heavy metals Pass DM-4B-COM-003-v01 -Volatile Organic Matter **Pass**

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Pass

Pass

Report No.: AGC05443230614-001



Report Revise Record

Report No.: AGC05443230614-001

Report Version	Issued Date	Valid Version	Notes
/	Jul. 17, 2023	Valid	Initial release



The photo of the sample





The photo of AGC05443230614-001 is for use only with the original report.

Test Point Description

Test point	Test point description
1-1	S/S bottle body(MO6944)
1-2	Rivet(MO6944)
1-3	Black plastic hanger(MO6944)+Black seal ring(MO6944)+Transparent seal ring(MO6944)
1-4	Black plastic lid(MO6944)+Transparent PE straw(MO6944)+Transparent PS lid(MO6934)
1-5	Black/blue/green coating(MO6944)
1-6	Black seal ring(MO6944)
1-7	Transparent seal ring(MO6944)
1-8	Black plastic lid(MO6944)
1-9	Transparent PE straw(MO6944)
1-10	Transparent PS lid(MO6934)



Note: N.D.=Not Detected (less than method detection limit), MDL = Method Detection Limit, 1mg/kg=0.0001%

Test result of Volatile Organic Matter on specimen test point 1-6 and test point 1-7 were resubmitted sample on Jul.10, 2023.

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63

- Lead(Pb) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

Test Item(s)	Unit Limit	Limit	MDI	Test Result(s)		
Test Item(s)	Unit	Limit	MDL	1-1	1-2	1-3
Lead(Pb)	mg/kg	500	10	N.D.	N.D.	N.D.
Con	Conformity	Conformity	Conformity			

Tost Itam(s)	Unit	Limit	MDL	Test Result(s)	
Test Item(s)	Omi	LIIIII	MDL	1-4	1-5
Lead(Pb)	mg/kg	500	10	N.D.	N.D.
Co	Conformity	Conformity			

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-3,1-4,1-5

2. The results of the following test points was submitted on Jul. 10, 2023:1-5

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23

-Cadmium(Cd) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

Tost Itam(s)	Unit Limit		Limit MDL		Test Result(s)	
Test Item(s)	Onit	Lilliit	MDL	1-3	1-4	1-5
Cadmium(Cd)	mg/kg	100	10	N.D.	N.D.	N.D.
Conclusion				Conformity	Conformity	Conformity

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-3,1-4,1-5



Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52

- Phthalates Content

Test Methods and Equipment: EN 14372:2004; GC-MS

Test Itams(s)	Unit	Limit MDL	Test Result(s)			
Test Item(s)	Unit	Limit	MDL	1-3	1-4	1-5
Diisobutyl phthalate (DIBP) CAS:84-69-5	%	0.1	0.01	N.D.	N.D.	N.D.
Dibutyl phthalate (DBP) CAS:84-74-2	%	0.1	0.01	N.D.	N.D.	N.D.
Butylbenzyl phthalate (BBP) CAS:85-68-7	%	0.1	0.01	N.D.	N.D.	N.D.
Di-(2-ethylhexyl) Phthalate (DEHP) CAS:117-81-7	%	0.1	0.01	N.D.	N.D.	N.D.
Di-n-octyl phthalate (DNOP) CAS:117-84-0	%	/	0.01	N.D.	N.D.	N.D.
Di-isononyl phthalate (DINP) CAS:28553-12-0, 68515-48-0	%	/	0.01	N.D.	N.D.	N.D.
Di-isodecyl phthalate(DIDP) CAS:26761-40-0, 68515-49-1	%	/	0.01	N.D.	N.D.	N.D.
Sum of DIBP +DBP+BBP+DEHP	%	0.1	/	N.D.	N.D.	N.D.
Sum of DNOP+DINP+DIDP	%	0.1	/	N.D.	N.D.	N.D.
Con	clusion			Conformity	Conformity	Conformity

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-3,1-4,1-5

Limit requirements of Phthalates

Toys and childcare articles	Each of DEHP, DBP, BBP, DIBP is less than 0.1% or the sum of DEHP+DBP+BBP+DIBP is less than 0.1%
Toys and childcare articles which can be placed in the mouth by children	The sum of DINP+DIDP+DNOP is less than 0.1%

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Report No.: AGC05443230614-001



Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50

- Polycyclic-aromatic Hydrocarbons (PAHs) Content

Test Methods and Equipment: Afps GS 2019:01 PAK; GC-MS

Toot Itom(s)	Unit	Limit	MDL	Test Result(s)		
Test Item(s)	Omi	LIIIII	MIDL	1-3	1-4	1-5
Benzo[a]pyrene(BaP)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Benzo[e]pyrene(BeP)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Benzo[a]anthracene(BaA)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Benzo[b]fluoranthene(BbF)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Benzo[j]fluoranthene(BjFA)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Benzo[k]fluoranthene(BkF)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Chrysene(CHR)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Dibenzo[a,h]anthracene(DBA)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Con	Conclusion					

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-3,1-4,1-5

Limit requirements of Polycyclic-aromatic Hydrocarbons (PAHs) (Unit: mg/kg)

Items	CAS No.	Extender oils or used for the production of tyres or parts of tyres	Any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity	Toys, including activity toys, and childcare articles, any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity
Benzo[a]pyrene(BaP)	50-32-8	≤1	≤ 1	≤ 0.5
Benzo[e]pyrene(BeP)	192-97-2	/	≤ 1	≤ 0.5
Benzo[a]anthracene(BaA)	56-55-3	/	≤ 1	≤ 0.5
Benzo[b]fluoranthene(BbF)	205-99-2	/	≤ 1	≤ 0.5
Benzo[j]fluoranthene(BjFA)	205-82-3	/	≤ 1	≤ 0.5
Benzo[k]fluoranthene(BkF)	207-08-9	/	≤ 1	≤ 0.5
Chrysene(CHR)	218-01-9	/	≤ 1	≤ 0.5
Dibenzo[a,h]anthracene(DBA)	53-70-3	/	≤ 1	≤ 0.5
Sum of BaP+ BeP+ BaA+ BbF+ BjFA+ BkF+ CHR+ DBA	/	≤ 10	/	/

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Report No.: AGC05443230614-001



- Specific migration of heavy metal:

Report No.: AGC05443230614-001


Test Method: With reference to EDQM Technical Guide on Metals and alloys used in food contact materials 2013.

Unit: mg/kg

			Test Result(s)	Omt. mg
Test Item(s)	Test condition/ Equipment	MDL	1 st + 2 nd extractives	Limit
	Equipment		1-1	
Barium (Ba)		0.1	N.D.	8.4
Copper (Cu)		0.1	N.D.	28
Iron (Fe)		0.1	N.D.	280
Tin (Sn)		0.1	N.D.	700
Chromium (Cr)		0.01	N.D.	1.75
Manganese (Mn)		0.1	N.D.	12.6
Zinc (Zn)		0.1	N.D.	35
Aluminium (Al)		0.1	N.D.	35
Lithium (Li)		0.01	N.D.	0.336
Beryllium (Be)		0.005	N.D.	0.07
Vanadium (V)	Artificial tap water, 70°C, 2h	0.005	N.D.	0.07
Nickel (Ni)	ICP-OES	0.01	N.D.	0.98
Cobalt (Co)		0.01	N.D.	0.14
Arsenic (As)		0.002	N.D.	0.014
Molybdenum (Mo)		0.01	N.D.	0.84
Silver (Ag)		0.01	N.D.	0.56
Cadmium (Cd)		0.002	N.D.	0.035
Antimony (Sb)		0.01	N.D.	0.28
Mercury (Hg)		0.002	N.D.	0.021
Thallium (Tl)		0.0001	N.D.	0.0007
Lead (Pb)		0.01	N.D.	0.07
Conclusion		/	Conformity	/



			Test Result(s)	7443230014 00
Test Item(s)	Test condition/ Equipment	MDL	3 rd extractives	Limit
	Equipment		1-1	
Barium (Ba)		0.1	N.D.	1.2
Copper (Cu)		0.1	N.D.	4
Iron (Fe)		0.1	N.D.	40
Tin (Sn)		0.1	N.D.	100
Chromium (Cr)		0.01	N.D.	0.25
Manganese (Mn)		0.1	N.D.	1.8
Zinc (Zn)		0.1	N.D.	5
Aluminium (Al)		0.1	N.D.	5
Lithium (Li)		0.01	N.D.	0.048
Beryllium (Be)		0.005	N.D.	0.01
Vanadium (V)	Artificial tap water,	0.005	N.D.	0.01
Nickel (Ni)	70°C, 2h ICP-OES	0.01	N.D.	0.14
Cobalt (Co)		0.01	N.D.	0.02
Arsenic (As)		0.002	N.D.	0.002
Molybdenum (Mo)		0.01	N.D.	0.12
Silver (Ag)		0.01	N.D.	0.08
Cadmium (Cd)		0.002	N.D.	0.005
Antimony (Sb)		0.01	N.D.	0.04
Mercury (Hg)		0.002	N.D.	0.003
Thallium (Tl)		0.0001	N.D.	0.0001
Lead (Pb)		0.01	N.D.	0.01
Conclusion		/	Conformity	/





	Test 1		
Test point	Overall migra	Conclusion	
_	3% Acetic acid, 70°C,2h	50% Ethanol, 70°C,2h	
1-6	N.D.	N.D.	Conformity
1-7	N.D.	N.D.	Conformity
Limit	10	10	/
MDL	5	5	/

		Test	Conclusion		
Т	est point	Overall migra			
		3% Acetic acid, 70°C,2h	50% Ethanol, 70°C,2h		
	1 st migration	N.D.	N.D.		
1-8	2 nd migration	N.D.	N.D.	Conformity	
	3 rd migration	N.D.	N.D.		
	1 st migration	N.D.	N.D.		
1-9	2 nd migration	N.D.	N.D.	Conformity	
	3 rd migration	N.D.	N.D.		
	1 st migration	N.D.	N.D.		
1-10	2 nd migration	N.D.	N.D.	Conformity	
	3 rd migration	N.D.	N.D.		
	Limit	10	10	/	
	MDL	5	5	/	



- Bisphenol A(BPA) content

2.0F.0.0.0(2.1.1) volutes					
Test Item	Bisphenol A (BPA)				
Limit(Client's Requirement) (mg/kg)	Absent				
MDL(mg/kg)	0.1				
Test Method/ Instrument	EPA 3540C:1996& EPA 8321B:2007/ LC-MS-MS				

Report No.: AGC05443230614-001

Tost point	Test Result (mg/kg)	Conclusion
Test point	Bisphenol A (BPA)	Conclusion
1-6	N.D.	Conformity
1-7	N.D.	Conformity

Test Item	Bisphenol A (BPA)	
Limit(mg/kg)	Absent	
MDL(mg/kg)	0.1	
Test Method/Instrument	EPA 3540C:1996& EPA 8321B:2007/ LC-MS-MS	

Tost maint	Test Result (mg/kg)	Conclusion
Test point	Bisphenol A (BPA)	Conclusion
1-8	N.D.	Conformity
1-9	N.D.	Conformity
1-10	N.D.	Conformity

- Specific migration of Bisphenol A(BPA)


	Test Result	
Test point	Specific migration of Bisphenol A(BPA)/ (mg/kg)	Conclusion
	3% Acetic acid, 70°C,2h	
1-6	N.D.	Conformity
1-7	N.D.	Conformity
Limit(Client's Requirement)	0.05	/
MDL	0.02	/



- Specific migration of Primary aromatic amines


Report No.: AGC05443230614-001

Test Item(s)	MDL (mg/kg)	Limit (mg/kg)
4-Aminobiphenyl	0.002	N.D.
Benzidine	0.002	N.D.
4-Chloro-o-Toluidine	0.002	N.D.
2-Naphthylamine	0.002	N.D.
4-amino-2',3-dimethylazobenzene	0.002	N.D.
5-Nitro-o-toluidine	0.002	N.D.
4-Chloroaniline	0.002	N.D.
4-Methoxy-m-phenylenediamine	0.002	N.D.
4,4'-Diaminodiphenylmethane	0.002	N.D.
3,3'-Dichlorobenzidine	0.002	N.D.
3,3'-Dimethoxybenzidine	0.002	N.D.
3,3'-Dimethybenzidine	0.002	N.D.
4,4'-Methylenedi-o-toluidine	0.002	N.D.
6-methoxy-m-toluidine	0.002	N.D.
4,4'-methylenebis[2-chloroaniline]	0.002	N.D.
4,4'-Oxydianiline	0.002	N.D.
4,4'-Thiodianiline	0.002	N.D.
2-Aminotoluene	0.002	N.D.
4-methyl-m-phenylenediamine	0.002	N.D.
2,4,5-Trimethylaniline	0.002	N.D.
2-Methoxyaniline	0.002	N.D.
4-Aminoazobenzene	0.002	N.D.
1,3 phenylenediamine	0.002	N.D.
Total of other primary aromatic amines	0.01	0.01






		Test Result (mg/kg)		
Test Item(s)	1-8	1-9	1-10	
	3% Acetic acid 70°C, 2h	3% Acetic acid 70°C, 2h	3% Acetic acid 70°C, 2h	
4-Aminobiphenyl	N.D.	N.D.	N.D.	
Benzidine	N.D.	N.D.	N.D.	
4-Chloro-o-Toluidine	N.D.	N.D.	N.D.	
2-Naphthylamine	N.D.	N.D.	N.D.	
4-amino-2',3-dimethylazobenzene	N.D.	N.D.	N.D.	
5-Nitro-o-toluidine	N.D.	N.D.	N.D.	
4-Chloroaniline	N.D.	N.D.	N.D.	
4-Methoxy-m-phenylenediamine	N.D.	N.D.	N.D.	
4,4'-Diaminodiphenylmethane	N.D.	N.D.	N.D.	
3,3'-Dichlorobenzidine	N.D.	N.D.	N.D.	
3,3'-Dimethoxybenzidine	N.D.	N.D.	N.D.	
3,3'-Dimethybenzidine	N.D.	N.D.	N.D.	
4,4'-Methylenedi-o-toluidine	N.D.	N.D.	N.D.	
6-methoxy-m-toluidine	N.D.	N.D.	N.D.	
4,4'-methylenebis[2-chloroaniline]	N.D.	N.D.	N.D.	
4,4'-Oxydianiline	N.D.	N.D.	N.D.	
4,4'-Thiodianiline	N.D.	N.D.	N.D.	
2-Aminotoluene	N.D.	N.D.	N.D.	
4-methyl-m-phenylenediamine	N.D.	N.D.	N.D.	
2,4,5-Trimethylaniline	N.D.	N.D.	N.D.	
2-Methoxyaniline	N.D.	N.D.	N.D.	
4-Aminoazobenzene	N.D.	N.D.	N.D.	
1,3 phenylenediamine	N.D.	N.D.	N.D.	
Total of other primary aromatic amines	N.D.	N.D.	N.D.	
Conclusion	Conformity	Conformity	Conformity	





-Specific migration of Heavy metals

Test Item(s)	Test condition/ Equipment	MDL (mg/kg)	Test Result(s) (mg/kg) 1-8			Limit (mg/kg)
	Barium (Ba)		0.1	N.D.	N.D.	N.D.
Cobalt (Co)		0.01	N.D.	N.D.	N.D.	0.05
Copper (Cu)		0.25	N.D.	N.D.	N.D.	5
Iron (Fe)		0.25	N.D.	N.D.	N.D.	48
Lithium (Li)		0.1	N.D.	N.D.	N.D.	0.6
Manganese (Mn)		0.1	N.D.	N.D.	N.D.	0.6
Zinc (Zn)		0.25	N.D.	N.D.	N.D.	5
Aluminum (Al)		0.1	N.D.	N.D.	N.D.	1
Europium (Eu)		0.01	N.D.	N.D.	N.D.	/
Gadolinium (Gd)		0.01	N.D.	N.D.	N.D.	/
Lanthanum (La)		0.01	N.D.	N.D.	N.D.	/
Terbium (Tb)		0.01	N.D.	N.D.	N.D.	/
Sum(Eu+Gd+La+Tb)	3% Acetic acid/	/	N.D.	N.D.	N.D.	0.05
Antimony (Sb)	70°C, 2h/ ICP-OES/ IC	0.01	N.D.	N.D.	N.D.	0.04
Arsenic (As)		0.01	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)		0.002	N.D.	N.D.	N.D.	N.D.
Chromium (Cr)		0.01	N.D.	N.D.	N.D.	N.D.
Lead (Pb)		0.01	N.D.	N.D.	N.D.	N.D.
Mercury (Hg)		0.01	N.D.	N.D.	N.D.	N.D.
Nickel (Ni)		0.01	N.D.	N.D.	N.D.	0.02
Conclusion		/		Conformity		/
Ammonium (NH ₄ ⁺)		0.10	N.D.	N.D.	N.D.	/
Calcium (Ca)		0.01	0.083	N.D.	N.D.	/
Magnesium (Mg)		0.01	0.012	N.D.	N.D.	/
Potassium (K)		0.01	0.030	N.D.	N.D.	/
Sodium (Na)		0.01	0.038	N.D.	N.D.	/





	To a live a	MDL (mg/kg)	Test Result(s) (mg/kg) 1-9			Limit (mg/kg)
Test Item(s)	Test condition/ Equipment					
		(g/g/	1 st migration	2 nd	3 rd migration	(g/g/
Barium (Ba)		0.1	N.D.	migration N.D.	N.D.	1
Cobalt (Co)		0.01	N.D.	N.D.	N.D.	0.05
Copper (Cu)		0.25	N.D.	N.D.	N.D.	5
Iron (Fe)		0.25	N.D.	N.D.	N.D.	48
Lithium (Li)		0.1	N.D.	N.D.	N.D.	0.6
Manganese (Mn)		0.1	N.D.	N.D.	N.D.	0.6
Zinc (Zn)		0.25	N.D.	N.D.	N.D.	5
Aluminum (Al)		0.1	N.D.	N.D.	N.D.	1
Europium (Eu)		0.01	N.D.	N.D.	N.D.	/
Gadolinium (Gd)		0.01	N.D.	N.D.	N.D.	/
Lanthanum (La)		0.01	N.D.	N.D.	N.D.	/
Terbium (Tb)		0.01	N.D.	N.D.	N.D.	/
Sum(Eu+Gd+La+Tb)	3% Acetic acid/	/	N.D.	N.D.	N.D.	0.05
Antimony (Sb)	70°C, 2h/ ICP-OES/ IC	0.01	N.D.	N.D.	N.D.	0.04
Arsenic (As)		0.01	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)		0.002	N.D.	N.D.	N.D.	N.D.
Chromium (Cr)		0.01	N.D.	N.D.	N.D.	N.D.
Lead (Pb)		0.01	N.D.	N.D.	N.D.	N.D.
Mercury (Hg)		0.01	N.D.	N.D.	N.D.	N.D.
Nickel (Ni)		0.01	N.D.	N.D.	N.D.	0.02
Conclusion		/		Conformity		/
Ammonium (NH ₄ ⁺)		0.10	N.D.	N.D.	N.D.	/
Calcium (Ca)		0.01	0.079	N.D.	0.052	/
Magnesium (Mg)		0.01	0.017	N.D.	N.D.	/
Potassium (K)		0.01	0.024	N.D.	N.D.	/
Sodium (Na)		0.01	0.048	N.D.	N.D.	/



	Test condition/ Equipment	MDL (mg/kg)	Test Result(s) (mg/kg)			
Test Item(s)			1 st migration	1-10 2 nd migration	3 rd migration	Limit (mg/kg)
Barium (Ba)		0.1	N.D.	N.D.	N.D.	1
Cobalt (Co)		0.01	N.D.	N.D.	N.D.	0.05
Copper (Cu)		0.25	N.D.	N.D.	N.D.	5
Iron (Fe)		0.25	N.D.	N.D.	N.D.	48
Lithium (Li)		0.1	N.D.	N.D.	N.D.	0.6
Manganese (Mn)		0.1	N.D.	N.D.	N.D.	0.6
Zinc (Zn)		0.25	N.D.	N.D.	N.D.	5
Aluminum (Al)		0.1	N.D.	N.D.	N.D.	1
Europium (Eu)		0.01	N.D.	N.D.	N.D.	/
Gadolinium (Gd)		0.01	N.D.	N.D.	N.D.	/
Lanthanum (La)		0.01	N.D.	N.D.	N.D.	/
Terbium (Tb)		0.01	N.D.	N.D.	N.D.	/
Sum(Eu+Gd+La+Tb)	3% Acetic acid/ 70°C, 2h/	/	N.D.	N.D.	N.D.	0.05
Antimony (Sb)	ICP-OES/ IC	0.01	N.D.	N.D.	N.D.	0.04
Arsenic (As)		0.01	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)		0.002	N.D.	N.D.	N.D.	N.D.
Chromium (Cr)		0.01	N.D.	N.D.	N.D.	N.D.
Lead (Pb)		0.01	N.D.	N.D.	N.D.	N.D.
Mercury (Hg)		0.01	N.D.	N.D.	N.D.	N.D.
Nickel (Ni)		0.01	N.D.	N.D.	N.D.	0.02
Conclusion		/	Conformity			/
Ammonium (NH ₄ ⁺)		0.10	N.D.	N.D.	N.D.	/
Calcium (Ca)		0.01	0.107	0.253	0.054	/
Magnesium (Mg)		0.01	0.011	N.D.	N.D.	/
Potassium (K)		0.01	0.031	N.D.	N.D.	/
Sodium (Na)		0.01	0.033	0.012	N.D.	/



Unit: %

Test item(s)	Test Condition	MDL	Resul	I ::4	
			1-6	1-7	Limit
Volatile Organic Matter	200°C, 4h	0.1	0.15	0.18	0.5
Conclusion		/	Conformity	Conformity	/


- Peroxide value

Unit: %

Togt Itom	MDI	Resi	T ::4	
Test Item	MDL	1-6	1-7	Limit
Peroxide value	0.2	N.D.	N.D.	Absent
Conclusion	/	Conformity	Conformity	/


- Specific Migration of Organotin (measured as Tin)

	Test Result	
Test point	Specific Migration of Organotin (measured as Tin)/ (mg/kg)	Conclusion
	3% Acetic acid, 70°C,2h	
1-6	N.D.	Conformity
1-7	N.D.	Conformity
Limit	0.1	/
MDL	0.01	/







Test Flow Chart of Heavy Metal Content




Test Flow Chart of Phthalates







Test Flow Chart of Polycyclic-aromatic Hydrocarbons (PAHs)





Conditions of Issuance of Test Reports

- 1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").
- 2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
- 3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
- 9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

*** End of Report ***