

Test Report

Report No. : AGC05443230611-001

MO6960 500 ml Tritan RenewTM bottle,

SAMPLE NAME : MO6961 650 ml Tritan RenewTM bottle,

MO6962 800 ml Tritan RenewTM bottle

MODEL NAME : MO6960 / MO6961 / MO6962

APPLICANT: MID OCEAN BRANDS B.V

STANDARD(S) : Please refer to the following page(s).

DATE OF ISSUE : Jul. 05, 2023

Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd.





Applicant : MID OCEAN BRANDS B.V

Address : 7/F, Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong.

Test Site : 6/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community, Hangcheng Street,

Report No.: AGC05443230611-001

Bao'an District, Shenzhen, Guangdong, China

Report on the submitted sample(s) said to be:

Sample Name : MO6960 500 ml Tritan RenewTM bottle,

MO6961 650 ml Tritan RenewTM bottle, MO6962 800 ml Tritan RenewTM bottle

Model : MO6960 / MO6961 / MO6962

Vendor code : 114276
Country of Origin : CHINA
Country of Destination : EUROPE
Sample receiving state : Normal
Sample Received Date : Jun. 15, 2023

Testing Period : Jun. 15, 2023 to Jul. 04, 2023

Test Requested : Selected test(s) as requested by client.

Approved by: Approved by: Mengushua Approved by: Jossie Lians

Qinlianzhi, Reed Huangguohua Liangdan, Jessie.Liang

Laboratory Supervisor Vice Laboratory Manager Technical Director



DM-4B-COM-003-v01 for: - Volatile Organic Matter

- Colour fastness to rubbing

- Specific Migration of Organotin (measured as Tin)

- Peroxide value

Report No.: AGC05443230611-001 Conclusion **Test Requested:** Mechanical dishwashing safe test Pass Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23 Pass -Cadmium(Cd) Content Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63 **Pass** - Lead(Pb) Content Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52 Pass - Phthalates Content Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50 **Pass** - Polycyclic-aromatic Hydrocarbons (PAHs) Content Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 43 **Pass** - Aromatic Amines Azodyes (AZO) Content Regulation 1935/2004/EC, Regulation(EU) No 10/2011 and its amendment Regulation (EU) 2020/1245 and Regulation (EU) 2018/213 and Council of Europe Resolution AP(2004)5: - Overall Migration Pass - Bisphenol A(BPA) content Pass - Specific migration of Bisphenol A(BPA) Pass - Specific migration of Primary aromatic amines Pass - Specific migration of Heavy metals Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Pass

Pass

Pass

Pass



Report Revise Record

Report Version	Issued Date	Valid Version	Notes
/	Jul. 05, 2023	Valid	Initial release



The photo of the sample







The photo of AGC05443230611-001 is for use only with the original report.

Test Point Description

Test point	Test point description
1-1	Black bottle body-Tritan(MO6961)+Transparent straw-PE(MO6961)+Transparnet nozzle-PS(MO6961)
1-2	White seal dot-silicone(MO6961)
1-3	Black lid main part-PP(MO6961)+Grey plastic lid-PP(MO6960)+Black plastic buckle-ABS(MO6960)
1-4	Hanger(MO6960)+Small string(MO6960)
1-5	Hanger(MO6960)
1-6	Small string(MO6960)
1-7	Black bottle body-Tritan(MO6961)
1-8	Transparent straw-PE(MO6961)
1-9	Transparnet nozzle-PS(MO6961)
1-10	Black lid main part-PP(MO6961)
1-11	Grey plastic lid-PP(MO6960)



Note: N.D.=Not Detected (less than method detection limit), MDL = Method Detection Limit, 1 mg/kg = 0.0001% mg/dm²= milligrams per decimeter squared

Mechanical dishwashing safe test

Test Sample: Blue cup (MO6960)

Test Result of mechanical dishwashing safe test:

Requirements:For dishwasher safe test, if there is no noticeable change in appearance (e.g. color, size and shape) and function, it should be "PASS"

Sample No.:1 (Blue)

Test method: Refer BS EN 12875 -1-2005

Washing temperature: 60°C Number of cycle: 10 cycles

Number of tested sample: 2 pc(s). Number of control sample: 1 pc(s).

For all tested plastic or metal articles:

No visible change of color, gloss and clouding was found on the tested samples after wash.

No visible deposit or iridescent layer was found on the tested samples after wash.

No visible swelling, deformation, cracking, crazing or delamination was found on the tested samples after wash.

Mechanical dishwashing safe test

Test Sample: Black cup (MO6961)

Test Result of mechanical dishwashing safe test:

Requirements:For dishwasher safe test, if there is no noticeable change in appearance (e.g. color, size and shape) and function, it should be "PASS"

Sample No.:1 (Black)

Test method: Refer BS EN 12875 -1-2005

Washing temperature: 60°C Number of cycle: 10 cycles

Number of tested sample: 2 pc(s). Number of control sample: 1 pc(s).

For all tested plastic or metal articles:

No visible change of color, gloss and clouding was found on the tested samples after wash.

No visible deposit or iridescent layer was found on the tested samples after wash.

No visible swelling, deformation, cracking, crazing or delamination was found on the tested samples after wash.



Mechanical dishwashing safe test

Test Sample: Transparent cup (MO6962)

Test Result of mechanical dishwashing safe test:

Requirements: For dishwasher safe test, if there is no noticeable change in appearance (e.g. color, size and shape) and function, it should be "PASS"

Report No.: AGC05443230611-001

Sample No.:1 (Transparent)

Test method: Refer BS EN 12875 -1-2005

Washing temperature: 60°C Number of cycle: 10 cycles

Number of tested sample: 2 pc(s). Number of control sample: 1 pc(s).

For all tested plastic or metal articles:

No visible change of color, gloss and clouding was found on the tested samples after wash.

No visible deposit or iridescent layer was found on the tested samples after wash.

No visible swelling, deformation, cracking, crazing or delamination was found on the tested samples after wash.

Note

Test result (Test Sample: Transparent cup (MO6962)) was resubmitted sample on Jun. 28, 2023.

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23

-Cadmium(Cd) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

Test Item(s)	Unit	Limit	MDL	Test Result(s)		
rest item(s)	Unit	LIIIII	MIDL	1-1	1-2	1-3
Cadmium(Cd)	mg/kg	100	10	N.D.	N.D.	N.D.
Conclusion			Conformity	Conformity	Conformity	

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-1,1-3

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63

- Lead(Pb) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

Tost Itom(s)	Unit Limit		MDL	Test Result(s)	
Test Item(s)	Ollit	LIIIII	MDL	1-1	1-2
Lead(Pb)	mg/kg	500	10	N.D.	N.D.
Со	Conformity	Conformity			

Tost Itam(s)	Unit Limit		MDI	Test Result(s)	
Test Item(s)	Onit	Limit	MDL	1-3	1-4
Lead(Pb)	mg/kg	500	10	N.D.	N.D.
Co	Conformity	Conformity			

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-1,1-3,1-4

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

 ${\bf Attestation\ of\ Global\ Compliance (Shenzhen) Co.,\ Ltd}$

 ${\bf Attestation\ of\ Global\ Compliance (Shenzhen) Std\ \&\ Tech\ Co.,\ Ltd}$



Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52

- Phthalates Content

Test Methods and Equipment: EN 14372:2004; GC-MS

Tost Itams(s)	Unit	Limit	MDL	Test Result(s)		
Test Item(s)	Unit	Limit	MDL	1-1	1-2	1-3
Diisobutyl phthalate (DIBP) CAS:84-69-5	%	0.1	0.01	N.D.	N.D.	N.D.
Dibutyl phthalate (DBP) CAS:84-74-2	%	0.1	0.01	N.D.	N.D.	N.D.
Butylbenzyl phthalate (BBP) CAS:85-68-7	%	0.1	0.01	N.D.	N.D.	N.D.
Di-(2-ethylhexyl) Phthalate (DEHP) CAS:117-81-7	%	0.1	0.01	N.D.	N.D.	N.D.
Di-n-octyl phthalate (DNOP) CAS:117-84-0	%	/	0.01	N.D.	N.D.	N.D.
Di-isononyl phthalate (DINP) CAS:28553-12-0, 68515-48-0	%	/	0.01	N.D.	N.D.	N.D.
Di-isodecyl phthalate(DIDP) CAS:26761-40-0, 68515-49-1	%	/	0.01	N.D.	N.D.	N.D.
Sum of DIBP +DBP+BBP+DEHP	%	0.1	/	N.D.	N.D.	N.D.
Sum of DNOP+DINP+DIDP	%	0.1	/	N.D.	N.D.	N.D.
Con	clusion			Conformity	Conformity	Conformity

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-1,1-3

Limit requirements of Phthalates

Toys and childcare articles	Each of DEHP, DBP, BBP, DIBP is less than 0.1% or the sum of DEHP+DBP+BBP+DIBP is less than 0.1%
Toys and childcare articles which can be placed in the mouth by children	The sum of DINP+DIDP+DNOP is less than 0.1%

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50

- Polycyclic-aromatic Hydrocarbons (PAHs) Content

Test Methods and Equipment: Afps GS 2019:01 PAK; GC-MS

Toot Itom(s)	Unit	Limit	MDL	Test Result(s)		
Test Item(s)	Oilit	Liiiit		1-1	1-2	1-3
Benzo[a]pyrene(BaP)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Benzo[e]pyrene(BeP)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Benzo[a]anthracene(BaA)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Benzo[b]fluoranthene(BbF)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Benzo[j]fluoranthene(BjFA)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Benzo[k]fluoranthene(BkF)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Chrysene(CHR)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Dibenzo[a,h]anthracene(DBA)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Con	Conformity	Conformity	Conformity			

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-1,1-3

Limit requirements of Polycyclic-aromatic Hydrocarbons (PAHs) (Unit: mg/kg)

Items	CAS No.	Extender oils or used for the production of tyres or parts of tyres	Any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity	Toys, including activity toys, and childcare articles, any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity
Benzo[a]pyrene(BaP)	50-32-8	≤1	≤ 1	≤ 0.5
Benzo[e]pyrene(BeP)	192-97-2	/	≤ 1	≤ 0.5
Benzo[a]anthracene(BaA)	56-55-3	/	≤ 1	≤ 0.5
Benzo[b]fluoranthene(BbF)	205-99-2	/	≤ 1	≤ 0.5
Benzo[j]fluoranthene(BjFA)	205-82-3	/	≤ 1	≤ 0.5
Benzo[k]fluoranthene(BkF)	207-08-9	/	≤ 1	≤ 0.5
Chrysene(CHR)	218-01-9	/	≤ 1	≤ 0.5
Dibenzo[a,h]anthracene(DBA)	53-70-3	/	≤ 1	≤ 0.5
Sum of BaP+ BeP+ BaA+ BbF+ BjFA+ BkF+ CHR+ DBA	/	≤ 10	/	/

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 43

- Aromatic Amines Azodyes (AZO) Content

Test Methods and Equipment: EN ISO 14362-1:2017; GC-MS

Test Item(s)	Unit	Limit	MDL	Test Result(s)
4-Aminobiphenyl CAS:92-67-1	mg/kg	30	5	N.D.
Benzidine CAS:92-87-5	mg/kg	30	5	N.D.
4-Chloro-o-toluidine CAS:95-69-2	mg/kg	30	5	N.D.
2-Naphthylamine CAS:91-59-8	mg/kg	30	5	N.D.
o-Aminoazotoluene CAS:97-56-3	mg/kg	30	5	N.D.
5-Nitro-o-toluidine CAS:99-55-8	mg/kg	30	5	N.D.
p-Chloroaniline CAS:106-47-8	mg/kg	30	5	N.D.
4-Methoxy-m-phenylenediamine CAS:615-05-4	mg/kg	30	5	N.D.
4,4'-Diaminodiphenylmethane CAS:101-77-9	mg/kg	30	5	N.D.
3,3'-Dichlorobenzidine CAS:91-94-1	mg/kg	30	5	N.D.
3,3'-Dimethoxybenzidine CAS:119-90-4	mg/kg	30	5	N.D.
3,3'-Dimethybenzidine CAS:119-93-7	mg/kg	30	5	N.D.
4,4'-Methylenedi-o-toluidine CAS:838-88-0	mg/kg	30	5	N.D.
p-Cresidine CAS:120-71-8	mg/kg	30	5	N.D.
4,4'-Methylenebis[2-chloroaniline] CAS:101-14-4	mg/kg	30	5	N.D.
4,4'-Oxydianiline CAS:101-80-4	mg/kg	30	5	N.D.
4,4'-Thiodianiline CAS:139-65-1	mg/kg	30	5	N.D.
2-Aminotoluene CAS:95-53-4	mg/kg	30	5	N.D.
2,4-Toluylendiamine CAS:95-80-7	mg/kg	30	5	N.D.
2,4,5-Trimethylaniline CAS:137-17-7	mg/kg	30	5	N.D.
o-Anisidine CAS:90-04-0	mg/kg	30	5	N.D.
4-Aminoazobenzene CAS:60-09-3	mg/kg	30	5	N.D.
	Conclusion			Conformity

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.




1. As specified by client, the submitted samples were mixed to test, the test points: 1-4
Note: 4-aminoazobenzene: The EN ISO 14362-1:2017 or ISO 17234-1:2020 methods will enable further cleavage of 4-aminoazobenzene to aniline and / or 1,4-phenylenediamine. If aniline and / or 1,4-phenylenediamine are detected, 4-aminoazobenzene shall be further determined by EN ISO 14362-3:2017 or ISO 17234-2:2011.

Regulation 1935/2004/EC, Regulation(EU) No 10/2011 and its amendment Regulation (EU) 2020/1245 and Regulation (EU) 2018/213 and Council of Europe Resolution AP(2004)5:

- Overall Migration

	II Migration	Test	result	
Te	st point	Overall migra	tion/ (mg/dm ²)	Conclusion
		3% Acetic acid, 70°C,2h	50% Ethanol, 70°C,2h	
	1 st migration	N.D.	N.D.	
1-7	2 nd migration	N.D.	N.D.	Conformity
	migration	N.D.	N.D.	
	1 st migration	N.D.	N.D.	
1-8	2 nd migration	N.D.	N.D.	Conformity
	migration	N.D.	N.D.	
	migration 2 nd	N.D.	N.D.	
1-9	migration 3 rd	N.D.	N.D.	Conformity
	migration	N.D.	N.D.	
	1 st migration 2 nd	N.D.	N.D.	
1-10	migration 3 rd	N.D.	N.D.	Conformity
	migration 1st	N.D.	N.D.	
	1 st migration 2 nd	N.D.	N.D.	
1-11	migration	N.D.	N.D.	Conformity
	3 rd migration	N.D.	N.D.	
]	Limit	10	10	/
1	MDL	5	5	/





Test point	Test I	Result	
	Overall migration/ (mg/dm²)		Conclusion
	3% Acetic acid, 70°C,2h	50% Ethanol, 70°C,2h	
1-2	N.D.	N.D.	Conformity
Limit	10	10	/
MDL	5	5	/

Regulation 1935/2004/EC, Regulation(EU) No 10/2011 and its amendment Regulation (EU) 2020/1245 and Regulation (EU) 2018/213 and Council of Europe Resolution AP(2004)5:

- Bisphenol A(BPA) content

Test Item	Bisphenol A (BPA)	
Limit(mg/kg)	Prohibited	
MDL(mg/kg)	0.1	
Test Method/Instrument	EPA 3540C:1996& EPA 8321B:2007/ LC-MS-MS	

Total or sind	Test Result (mg/kg)	Construitor
Test point	Bisphenol A (BPA)	Conclusion
1-7	N.D.	Conformity
1-8	N.D.	Conformity
1-9	N.D.	Conformity
1-10	N.D.	Conformity
1-11	N.D.	Conformity

Test Item	Bisphenol A (BPA)
Limit(Client's Requirement) (mg/kg)	Prohibited
MDL(mg/kg)	0.1
Test Method/Instrument	EPA 3540C:1996& EPA 8321B:2007/ LC-MS-MS

Tost point	Test Result (mg/kg)	Conclusion
Test point	Bisphenol A (BPA)	Conclusion
1-2	N.D.	Conformity



Regulation 1935/2004/EC, Regulation(EU) No 10/2011 and its amendment Regulation (EU) 2020/1245 and Regulation (EU) 2018/213 and Council of Europe Resolution AP(2004)5:

- Specific migration of Bisphenol A(BPA)

Test point		Test Result		
		Specific migration of Bisphenol A(BPA)/ (mg/kg)	Conclusion	
		3% Acetic acid, 70°C,2h		
	1 st migration	N.D.	Conformity	
1-7	2 nd migration	N.D.	Conformity	
	3 rd migration	N.D.	Conformity	
Limit		0.05	/	
MDL		0.02	/	


	Test Result	
Test point	Specific migration of Bisphenol A(BPA)/ (mg/kg)	Conclusion
	3% Acetic acid, 70°C,2h	
1-2	N.D.	Conformity
Limit(Client's Requirement)	0.05	/
MDL	0.02	/



Regulation 1935/2004/EC, Regulation(EU) No 10/2011 and its amendment Regulation (EU) 2020/1245 and Regulation (EU) 2018/213 and Council of Europe Resolution AP(2004)5:


- Specific migration of Primary aromatic amines

Test Item(s)	MDL (mg/kg)	Limit (mg/kg)
4-Aminobiphenyl	0.002	N.D.
Benzidine	0.002	N.D.
4-Chloro-o-Toluidine	0.002	N.D.
2-Naphthylamine	0.002	N.D.
4-amino-2',3-dimethylazobenzene	0.002	N.D.
5-Nitro-o-toluidine	0.002	N.D.
4-Chloroaniline	0.002	N.D.
4-Methoxy-m-phenylenediamine	0.002	N.D.
4,4'-Diaminodiphenylmethane	0.002	N.D.
3,3'-Dichlorobenzidine	0.002	N.D.
3,3'-Dimethoxybenzidine	0.002	N.D.
3,3'-Dimethybenzidine	0.002	N.D.
4,4'-Methylenedi-o-toluidine	0.002	N.D.
6-methoxy-m-toluidine	0.002	N.D.
4,4'-methylenebis[2-chloroaniline]	0.002	N.D.
4,4'-Oxydianiline	0.002	N.D.
4,4'-Thiodianiline	0.002	N.D.
2-Aminotoluene	0.002	N.D.
4-methyl-m-phenylenediamine	0.002	N.D.
2,4,5-Trimethylaniline	0.002	N.D.
2-Methoxyaniline	0.002	N.D.
4-Aminoazobenzene	0.002	N.D.
1,3 phenylenediamine	0.002	N.D.
Total of other primary aromatic amines	0.01	0.01






	Test Result (mg/kg)	
Test Item(s)	1-7	
	3% Acetic acid 70°C, 2h	
4-Aminobiphenyl	N.D.	
Benzidine	N.D.	
4-Chloro-o-Toluidine	N.D.	
2-Naphthylamine	N.D.	
4-amino-2',3-dimethylazobenzene	N.D.	
5-Nitro-o-toluidine	N.D.	
4-Chloroaniline	N.D.	
4-Methoxy-m-phenylenediamine	N.D.	
4,4'-Diaminodiphenylmethane	N.D.	
3,3'-Dichlorobenzidine	N.D.	
3,3'-Dimethoxybenzidine	N.D.	
3,3'-Dimethybenzidine	N.D.	
4,4'-Methylenedi-o-toluidine	N.D.	
6-methoxy-m-toluidine	N.D.	
4,4'-methylenebis[2-chloroaniline]	N.D.	
4,4'-Oxydianiline	N.D.	
4,4'-Thiodianiline	N.D.	
2-Aminotoluene	N.D.	
4-methyl-m-phenylenediamine	N.D.	
2,4,5-Trimethylaniline	N.D.	
2-Methoxyaniline	N.D.	
4-Aminoazobenzene	N.D.	_
1,3 phenylenediamine	N.D.	
Total of other primary aromatic amines	N.D.	
Conclusion	Conformity	






	Test Result (mg/kg)	
Test Item(s)	1-8	
	3% Acetic acid 70°C, 2h	
4-Aminobiphenyl	N.D.	
Benzidine	N.D.	
4-Chloro-o-Toluidine	N.D.	
2-Naphthylamine	N.D.	
4-amino-2',3-dimethylazobenzene	N.D.	
5-Nitro-o-toluidine	N.D.	
4-Chloroaniline	N.D.	
4-Methoxy-m-phenylenediamine	N.D.	
4,4'-Diaminodiphenylmethane	N.D.	
3,3'-Dichlorobenzidine	N.D.	
3,3'-Dimethoxybenzidine	N.D.	
3,3'-Dimethybenzidine	N.D.	
4,4'-Methylenedi-o-toluidine	N.D.	
6-methoxy-m-toluidine	N.D.	
4,4'-methylenebis[2-chloroaniline]	N.D.	
4,4'-Oxydianiline	N.D.	
4,4'-Thiodianiline	N.D.	
2-Aminotoluene	N.D.	
4-methyl-m-phenylenediamine	N.D.	
2,4,5-Trimethylaniline	N.D.	
2-Methoxyaniline	N.D.	
4-Aminoazobenzene	N.D.	
1,3 phenylenediamine	N.D.	
Total of other primary aromatic amines	N.D.	
Conclusion	Conformity	






	Test Result (mg/kg)	
Test Item(s)	1-9	
	3% Acetic acid 70°C, 2h	
4-Aminobiphenyl	N.D.	
Benzidine	N.D.	
4-Chloro-o-Toluidine	N.D.	
2-Naphthylamine	N.D.	
4-amino-2',3-dimethylazobenzene	N.D.	
5-Nitro-o-toluidine	N.D.	
4-Chloroaniline	N.D.	
4-Methoxy-m-phenylenediamine	N.D.	
4,4'-Diaminodiphenylmethane	N.D.	
3,3'-Dichlorobenzidine	N.D.	
3,3'-Dimethoxybenzidine	N.D.	
3,3'-Dimethybenzidine	N.D.	
4,4'-Methylenedi-o-toluidine	N.D.	
6-methoxy-m-toluidine	N.D.	
4,4'-methylenebis[2-chloroaniline]	N.D.	
4,4'-Oxydianiline	N.D.	
4,4'-Thiodianiline	N.D.	
2-Aminotoluene	N.D.	
4-methyl-m-phenylenediamine	N.D.	
2,4,5-Trimethylaniline	N.D.	
2-Methoxyaniline	N.D.	
4-Aminoazobenzene	N.D.	
1,3 phenylenediamine	N.D.	
Total of other primary aromatic amines	N.D.	
Conclusion	Conformity	





	Test Result (mg/kg)	
Test Item(s)	1-10	
	3% Acetic acid 70°C, 2h	
4-Aminobiphenyl	N.D.	
Benzidine	N.D.	
4-Chloro-o-Toluidine	N.D.	
2-Naphthylamine	N.D.	
4-amino-2',3-dimethylazobenzene	N.D.	
5-Nitro-o-toluidine	N.D.	
4-Chloroaniline	N.D.	
4-Methoxy-m-phenylenediamine	N.D.	
4,4'-Diaminodiphenylmethane	N.D.	
3,3'-Dichlorobenzidine	N.D.	
3,3'-Dimethoxybenzidine	N.D.	
3,3'-Dimethybenzidine	N.D.	
4,4'-Methylenedi-o-toluidine	N.D.	
6-methoxy-m-toluidine	N.D.	
4,4'-methylenebis[2-chloroaniline]	N.D.	
4,4'-Oxydianiline	N.D.	
4,4'-Thiodianiline	N.D.	
2-Aminotoluene	N.D.	
4-methyl-m-phenylenediamine	N.D.	
2,4,5-Trimethylaniline	N.D.	
2-Methoxyaniline	N.D.	
4-Aminoazobenzene	N.D.	
1,3 phenylenediamine	N.D.	
Total of other primary aromatic amines	N.D.	
Conclusion	Conformity	






	Test Result (mg/kg)	
Test Item(s)	1-11	
	3% Acetic acid 70°C, 2h	
4-Aminobiphenyl	N.D.	
Benzidine	N.D.	
4-Chloro-o-Toluidine	N.D.	
2-Naphthylamine	N.D.	
4-amino-2',3-dimethylazobenzene	N.D.	
5-Nitro-o-toluidine	N.D.	
4-Chloroaniline	N.D.	
4-Methoxy-m-phenylenediamine	N.D.	
4,4'-Diaminodiphenylmethane	N.D.	
3,3'-Dichlorobenzidine	N.D.	
3,3'-Dimethoxybenzidine	N.D.	
3,3'-Dimethybenzidine	N.D.	
4,4'-Methylenedi-o-toluidine	N.D.	
6-methoxy-m-toluidine	N.D.	
4,4'-methylenebis[2-chloroaniline]	N.D.	
4,4'-Oxydianiline	N.D.	
4,4'-Thiodianiline	N.D.	
2-Aminotoluene	N.D.	
4-methyl-m-phenylenediamine	N.D.	
2,4,5-Trimethylaniline	N.D.	
2-Methoxyaniline	N.D.	
4-Aminoazobenzene	N.D.	
1,3 phenylenediamine	N.D.	
Total of other primary aromatic amines	N.D.	
Conclusion	Conformity	



Regulation 1935/2004/EC, Regulation(EU) No 10/2011 and its amendment Regulation (EU) 2020/1245 and Regulation (EU) 2018/213 and Council of Europe Resolution AP(2004)5:

- Specific migration of Heavy metals

Test Item(s)	Test condition/	MDL	Test Result(s) (mg/kg) 1-7			Limit
	Equipment	(mg/kg)	1 st migration	2 nd migration	3 rd migration	(mg/kg)
Barium (Ba)		0.1	N.D.	N.D.	N.D.	1
Cobalt (Co)		0.01	N.D.	N.D.	N.D.	0.05
Copper (Cu)		0.25	N.D.	N.D.	N.D.	5
Iron (Fe)		0.25	N.D.	N.D.	N.D.	48
Lithium (Li)		0.1	N.D.	N.D.	N.D.	0.6
Manganese (Mn)		0.1	N.D.	N.D.	N.D.	0.6
Zinc (Zn)		0.25	N.D.	N.D.	N.D.	5
Aluminum (Al)		0.1	N.D.	N.D.	N.D.	1
Europium (Eu)		0.01	N.D.	N.D.	N.D.	/
Gadolinium (Gd)		0.01	N.D.	N.D.	N.D.	/
Lanthanum (La)		0.01	N.D.	N.D.	N.D.	/
Terbium (Tb)		0.01	N.D.	N.D.	N.D.	/
Sum(Eu+Gd+La+Tb)	3% Acetic acid/	/	N.D.	N.D.	N.D.	0.05
Antimony (Sb)	70°C, 2h/ ICP-OES/ IC	0.01	N.D.	N.D.	N.D.	0.04
Arsenic (As)		0.01	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)		0.002	N.D.	N.D.	N.D.	N.D.
Chromium (Cr)		0.01	N.D.	N.D.	N.D.	N.D.
Lead (Pb)		0.01	N.D.	N.D.	N.D.	N.D.
Mercury (Hg)		0.01	N.D.	N.D.	N.D.	N.D.
Nickel (Ni)		0.01	N.D.	N.D.	N.D.	0.02
Conclusion		/		Conformity		/
Ammonium (NH ₄ ⁺)]	0.10	N.D.	N.D.	N.D.	/
Calcium (Ca)		0.01	0.011	N.D.	N.D.	/
Magnesium (Mg)		0.01	N.D.	N.D.	N.D.	/
Potassium (K)		0.01	N.D.	N.D.	N.D.	/
Sodium (Na)		0.01	N.D.	N.D.	N.D.	/






	To a live a	MDI		Test Result(s) (mg/kg)		T
Test Item(s)	Test condition/ Equipment	MDL (mg/kg)	1-8			Limit (mg/kg)
		(g/g/	1 st migration	2 nd	3 rd migration	(g/g/
Barium (Ba)		0.1	N.D.	migration N.D.	N.D.	1
Cobalt (Co)		0.01	N.D.	N.D.	N.D.	0.05
Copper (Cu)		0.25	N.D.	N.D.	N.D.	5
Iron (Fe)		0.25	N.D.	N.D.	N.D.	48
Lithium (Li)		0.1	N.D.	N.D.	N.D.	0.6
Manganese (Mn)		0.1	N.D.	N.D.	N.D.	0.6
Zinc (Zn)		0.25	N.D.	N.D.	N.D.	5
Aluminum (Al)		0.1	N.D.	N.D.	N.D.	1
Europium (Eu)		0.01	N.D.	N.D.	N.D.	/
Gadolinium (Gd)		0.01	N.D.	N.D.	N.D.	/
Lanthanum (La)		0.01	N.D.	N.D.	N.D.	/
Terbium (Tb)		0.01	N.D.	N.D.	N.D.	/
Sum(Eu+Gd+La+Tb)	3% Acetic acid/	/	N.D.	N.D.	N.D.	0.05
Antimony (Sb)	70°C, 2h/ ICP-OES/ IC	0.01	N.D.	N.D.	N.D.	0.04
Arsenic (As)		0.01	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)		0.002	N.D.	N.D.	N.D.	N.D.
Chromium (Cr)		0.01	N.D.	N.D.	N.D.	N.D.
Lead (Pb)		0.01	N.D.	N.D.	N.D.	N.D.
Mercury (Hg)		0.01	N.D.	N.D.	N.D.	N.D.
Nickel (Ni)		0.01	N.D.	N.D.	N.D.	0.02
Conclusion		/		Conformity		/
Ammonium (NH ₄ ⁺)		0.10	N.D.	N.D.	N.D.	/
Calcium (Ca)		0.01	0.245	N.D.	0.013	/
Magnesium (Mg)		0.01	0.018	N.D.	N.D.	/
Potassium (K)		0.01	0.025	N.D.	N.D.	/
Sodium (Na)		0.01	0.111	0.033	0.024	/




	Test condition/ Equipment	MDI		Test Result(s) (mg/kg)	No AUC03443	Limit (mg/kg)
Test Item(s)		MDL (mg/kg)	1 st	1-9 2 nd	3 rd	
Barium (Ba)		0.1	migration N.D.	migration N.D.	migration N.D.	1
Cobalt (Co)	-	0.01	N.D.	N.D.	N.D.	0.05
Copper (Cu)	-	0.01	N.D.	N.D.	N.D.	5
Iron (Fe)	-	0.25	N.D.	N.D.	N.D.	48
	-					
Lithium (Li)	_	0.1	N.D.	N.D.	N.D.	0.6
Manganese (Mn)	_	0.1	N.D.	N.D.	N.D.	0.6
Zinc (Zn)		0.25	N.D.	N.D.	N.D.	5
Aluminum (Al)	-	0.1	N.D.	N.D.	N.D.	1
Europium (Eu)		0.01	N.D.	N.D.	N.D.	/
Gadolinium (Gd)	_	0.01	N.D.	N.D.	N.D.	/
Lanthanum (La)		0.01	N.D.	N.D.	N.D.	/
Terbium (Tb)		0.01	N.D.	N.D.	N.D.	/
Sum(Eu+Gd+La+Tb)	3% Acetic acid/ 70°C, 2h/	/	N.D.	N.D.	N.D.	0.05
Antimony (Sb)	ICP-OES/ IC	0.01	N.D.	N.D.	N.D.	0.04
Arsenic (As)		0.01	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)		0.002	N.D.	N.D.	N.D.	N.D.
Chromium (Cr)	_	0.01	N.D.	N.D.	N.D.	N.D.
Lead (Pb)	-	0.01	N.D.	N.D.	N.D.	N.D.
Mercury (Hg)		0.01	N.D.	N.D.	N.D.	N.D.
Nickel (Ni)		0.01	N.D.	N.D.	N.D.	0.02
Conclusion		/		Conformity		/
Ammonium (NH ₄ ⁺)		0.10	N.D.	N.D.	N.D.	/
Calcium (Ca)		0.01	0.236	N.D.	N.D.	/
Magnesium (Mg)		0.01	0.018	N.D.	N.D.	/
Potassium (K)	1	0.01	0.022	N.D.	N.D.	/
Sodium (Na)	1	0.01	0.066	N.D.	N.D.	/





	Test condition/	MDI	Test Result(s) (mg/kg) 1-10			Limit (mg/kg)
Test Item(s)	Test condition/ Equipment	MDL (mg/kg)				
		(g/g/	1 st migration	2 nd	3 rd migration	(g/g/
Barium (Ba)		0.1	N.D.	migration N.D.	N.D.	1
Cobalt (Co)	-	0.01	N.D.	N.D.	N.D.	0.05
Copper (Cu)		0.25	N.D.	N.D.	N.D.	5
Iron (Fe)		0.25	N.D.	N.D.	N.D.	48
Lithium (Li)		0.1	N.D.	N.D.	N.D.	0.6
Manganese (Mn)		0.1	N.D.	N.D.	N.D.	0.6
Zinc (Zn)		0.25	N.D.	N.D.	N.D.	5
Aluminum (Al)		0.1	N.D.	N.D.	N.D.	1
Europium (Eu)		0.01	N.D.	N.D.	N.D.	/
Gadolinium (Gd)		0.01	N.D.	N.D.	N.D.	/
Lanthanum (La)		0.01	N.D.	N.D.	N.D.	/
Terbium (Tb)		0.01	N.D.	N.D.	N.D.	/
Sum(Eu+Gd+La+Tb)	3% Acetic acid/ 70°C, 2h/	/	N.D.	N.D.	N.D.	0.05
Antimony (Sb)	ICP-OES/ IC	0.01	N.D.	N.D.	N.D.	0.04
Arsenic (As)		0.01	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)		0.002	N.D.	N.D.	N.D.	N.D.
Chromium (Cr)		0.01	N.D.	N.D.	N.D.	N.D.
Lead (Pb)		0.01	N.D.	N.D.	N.D.	N.D.
Mercury (Hg)		0.01	N.D.	N.D.	N.D.	N.D.
Nickel (Ni)		0.01	N.D.	N.D.	N.D.	0.02
Conclusion		/		Conformity		/
Ammonium (NH ₄ ⁺)		0.10	N.D.	N.D.	N.D.	/
Calcium (Ca)		0.01	0.708	N.D.	0.595	/
Magnesium (Mg)		0.01	0.033	N.D.	N.D.	/
Potassium (K)		0.01	0.094	N.D.	N.D.	/
Sodium (Na)		0.01	0.170	0.014	N.D.	/





	To an an all the set	MDI	Test Result(s) (mg/kg) 1-11			Limit (mg/kg)
Test Item(s)	Test condition/ Equipment	MDL (mg/kg)				
		(g/g/	1 st	2 nd	3 rd	(g/g/
Barium (Ba)		0.1	migration N.D.	migration N.D.	migration N.D.	1
Cobalt (Co)		0.01	N.D.	N.D.	N.D.	0.05
Copper (Cu)		0.25	N.D.	N.D.	N.D.	5
Iron (Fe)		0.25	N.D.	N.D.	N.D.	48
Lithium (Li)		0.1	N.D.	N.D.	N.D.	0.6
Manganese (Mn)		0.1	N.D.	N.D.	N.D.	0.6
Zinc (Zn)		0.25	N.D.	N.D.	N.D.	5
Aluminum (Al)		0.1	N.D.	N.D.	N.D.	1
Europium (Eu)		0.01	N.D.	N.D.	N.D.	/
Gadolinium (Gd)		0.01	N.D.	N.D.	N.D.	/
Lanthanum (La)		0.01	N.D.	N.D.	N.D.	/
Terbium (Tb)		0.01	N.D.	N.D.	N.D.	/
Sum(Eu+Gd+La+Tb)	3% Acetic acid/ 70°C, 2h/	/	N.D.	N.D.	N.D.	0.05
Antimony (Sb)	ICP-OES/ IC	0.01	N.D.	N.D.	N.D.	0.04
Arsenic (As)		0.01	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)		0.002	N.D.	N.D.	N.D.	N.D.
Chromium (Cr)		0.01	N.D.	N.D.	N.D.	N.D.
Lead (Pb)		0.01	N.D.	N.D.	N.D.	N.D.
Mercury (Hg)		0.01	N.D.	N.D.	N.D.	N.D.
Nickel (Ni)		0.01	N.D.	N.D.	N.D.	0.02
Conclusion		/		Conformity		/
Ammonium (NH ₄ ⁺)		0.10	N.D.	N.D.	N.D.	/
Calcium (Ca)		0.01	0.108	0.241	0.318	/
Magnesium (Mg)		0.01	0.011	N.D.	N.D.	/
Potassium (K)		0.01	0.060	N.D.	N.D.	/
Sodium (Na)		0.01	0.052	N.D.	N.D.	/



DM-4B-COM-003-v01 for:

- Volatile Organic Matter

Unit: %

Togt itam(g)	Test Condition	MDL	Result(s)	Limit
Test item(s)	Test Condition	MIDL	1-2	Lillit
Volatile Organic Matter		0.1	0.24	0.5
Conclusion	200°C, 4h	/	Conformity	/

DM-4B-COM-003-v01 for:

- Peroxide value

Unit: %

Test Item	MDL	Result(s) 1-2	Limit
Peroxide value	0.2	N.D.	Absent
Conclusion	/	Conformity	/

DM-4B-COM-003-v01 for:

- Specific Migration of Organotin (measured as Tin)

	Test Result		
Test point	Specific Migration of Organotin (measured as Tin)/ (mg/kg)	Conclusion	
	3% Acetic acid, 70°C,2h		
1-2	N.D.	Conformity	
Limit	0.1	/	
MDL	0.01	/	



Colour fastness to rubbing

Test Method: ISO 105-X12:2016

Rubbing finger: Cylinder

The time of conditioning as well as the atmospheric conditions during testing: 22.3 °C, 63 %R.H., 4 hrs

The percentage of soak of wet rubbing cloth: 95%~100% The long direction of the specimen: Endwise/ Crossrange

	Test 1		
Test point	Colour fastness to	Conclusion	
	Dry rubbing	Wet rubbing	
1-5	4-5	4-5	Conformity
1-6	4-5	4-5	Conformity
Limit (Client's Requirement)	≥2-3	≥2-3	/

Note:


Colour Fastness Grade:

Grade 5 = No Colour Change (Best Grade)

Grade 1 = Colour Change Seriously (Bad Grade)


9 grades in gray sample card: 5, 4-5, 4, 3-4, 3, 2-3, 2, 1-2, 1.


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.






Test Flow Chart of Heavy Metal Content









Test Flow Chart of Phthalates









Test Flow Chart of Polycyclic-aromatic Hydrocarbons (PAHs)







Test Flow Chart of AZO





Conditions of Issuance of Test Reports

- 1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").
- 2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
- 3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
- 9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

*** End of Report ***