

# **TEST REPORT**

Report No.		
Applicant		
Address		
Manufacturer	the state of the	
Sample Name	- m - m	
Sample Model		
Test Requested		

WTF23F05096577A1C

Mid Ocean Brands B.V.

7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong

114276

Reflective foldable backpack

#### MO6983

- Determination of Lead content in the submitted sample in accordance with REACH regulation Annex XVII Entries 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628
- Determination of Cadmium content in the submitted sample in accordance with REACH regulation Annex XVII Entries 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011, No. 835/2012 and (EU) 2016/217
- Determination of specified Phthalates content according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005
- 4) Determine the specified AZO Colorants contents in the submitted sample in according to the Entries 43 in Annex XVII of the REACH Regulation (EC) No.1907/2006 and the Amendment Regulation (EC) No.552/ 2009 & No.126/ 2013 (previously restricted under Directive 2002/61/EC).
- 5) As requested by the applicant, to test Colour Fastness to Rubbing in the submitted sample.

Refer to next page (s)

2023-05-05 & 2023-05-25

2023-05-05 to 2023-06-01

2023-06-02

- Refer to next page (s)
  - As specified by client, only test the designated sample.

#### Prepared By:

Waltek Testing Group (Foshan) Co., Ltd.

Address: No.13-19, 2/F., 2nd Building, Sunlink International Machinery City, Chencun, Shunde District, Foshan, Guangdong, China Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Signed for and on behalf of Waltek Testing Group (Foshan) Co., Ltd.

Test Conclusion ..... :

Date of Receipt sample.....

Testing period ..... :

Date of Issue .....

Test Result .....

Note.....

Swing Liang

Swing.Liang Waltek Testing Group (Foshan) Co., Ltd. http://www.waltek.com.cn

1/10

WT-510-201-15-A



1 × 1 × 1

# Sample photo:



5

Report No.: WTF23F05096577A1C

# Test Results:

## 1) Lead (Pb)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Test Item	LOQ	A A	Results (mg/kg)	INLIER WALTE W	Limit
	(mg/kg)	No.1	No.2	No.3	(mg/kg)
Lead(Pb)	2	ND	ND ND	35	500
Conclusion	MILE STULL	Pass	Pass	Pass	- <u>58</u> - 5

Test Item	LOQ	Resu	ilts (mg/kg)	Limit
	(mg/kg)	No.4	No.5+No.6+No.7	(mg/kg)
Lead(Pb)	2	26	ND*	500
Conclusion	et antie antie an	Pass	Pass	54

Test Item	LOQ		Results (mg/kg)	Franciska war	Limit
	(mg/kg)	No.8	No.9	No.10	(mg/kg)
Lead(Pb)	2	ND 6	ND S	26	500
Conclusion	14 July - 114	Pass	Pass	Pass	att -att

#### Note:

(1) mg/kg = milligram per kilogram

(2) ND = Not Detected (lower than LOQ)

(3) LOQ = Limit of quantitation

- (4) Limit of Lead was quoted from REACH regulation Annex XVII Item 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628.
- (5) "\*" = Results are calculated by the minimum weight of mixed components.
- (6) The test sample of specimen No.4 and No.10 are received on the date of 2023-05-25.



#### 2) Cadmium (Cd)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Test Item	LOQ	Results	(mg/kg)
		A No.3	No.9
Cadmium(Cd)	2	ND	A A ND A AN
Conclusion	1 - A A	Pass	Pass

#### Note:

(1) mg/kg = milligram per kilogram

(2) ND = Not Detected (lower than LOQ)

(3) LOQ = Limit of quantitation

(4) Limit of Cadmium according to REACH regulation Annex XVII Item 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011 and No. 835/2012 and (EU) 2016/217.

Category	Limit (mg/kg)
Wet paint	100
Surface coating	1000
Plastic	100
Metal parts of jewellery and hair accessories	100

## 3) Phthalates

Test Method: With reference to EN14372:2004, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test Items	LOQ (%)	Results (%) No.3	Limit (%)
Benzyl butyl phthalate (BBP)	0.005	ND	no no m n
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	ND	sum of four
Dibutyl phthalate (DBP)	0.005	ND	phthalates < 0.1
Diisobutyl phthalate (DIBP)	0.005	ND ST	where where where
Diisodecyl phthalate (DIDP)	0.01	ND S	NUTER MUTER MALTER N
Diisononyl phthalate (DINP)	0.01	ND	sum of three phthalates < 0.1
Di-n-octyl phthalate (DNOP)	0.005	ND	
Conclusion	Nº N	Pass	at at . At . S

## Note:

DBP= Dibutyl phthalate DINP= Di-isononyl phthalate DIBP= Diisobutyl phthalate BBP= Benzyl butyl phthalate DNOP= Di-n-octyl phthalate DEHP= Bis-(2-ethylhexyl)- phthalate DIDP= Di-isodecyl phthalate

- (1) % = percentage by weight
- (2) ND = Not Detected or lower than limit of quantitation

(3) LOQ = Limit of quantitation

- (4) "<" = less than
- (5) The above limit was quoted according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005 (formerly known as Directive 2005/84/EC) for phthalate content in toys and child care articles.



Report No.: WTF23F05096577A1C

## 4) AZO

Test Method: With reference to BS EN ISO 14362-1: 2017 and BS EN ISO 14362-3: 2017, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS)

No.	Amines Substances	CAS No.	Limit	Result (mg/kg)		
NO.	Amines Substances	CAS NO.	(mg/kg)	No.1	No.2	
1	4-Aminobiphenyl	92-67-1	30	ND	ND	
2	Benzidine	92-87-5	30	ND	ND	
3	4-chloro-o-Toluidine	95-69-2	A 30 A	ND	ND	
4	2-Naphthylamine	91-59-8	30	ND	ND	
5	o-Aminoazotoluene	97-56-3	- 30	ND	ND	
6	2-Amino-4-nitrotoluene	99-55-8	30	ND	ND	
7	p-Chloroaniline	106-47-8	30	ND	ND	
8	2,4-diaminoanisol	615-05-4	30	ND	ND	
9	4,4'-Diaminodiphenylmethane	101-77-9	<u>30</u>	ND	ND	
10	3,3'-Dichlorobenzidine	91-94-1	30	ND	ND	
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND	SI <sup>CO</sup> NDS	
12	3,3'-Dimethylbenzidine	119-93-7	30	ND	ND	
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND	ND	
14	p-cresinin	120-71-8	30	ND	ND	
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND	ND	
16	4,4'-Oxydianiline	101-80-4	30	ND	ND	
17	4,4'-Thiodianiline	139-65-1	30	ND SN	M ND 4	
18	o-Toluidine	95-53-4	30	ND	ND	
19	2,4-Toluylendiamine	95-80-7	30	ND	ND	
20	2,4,5 – Trimethylaniline	137-17-7	30	ND	_ ND <	
21	o-anisidine	90-04-0	30	ND V	ND	
22	4-aminoazobenzene	60-09-3	30	ND	ND ND	
23	2,4-Xylidin	95-68-1	یک 30 <sub>ک</sub> ې	ND M	~ <sup>0</sup> ND	
24	2,6-Xylidin	87-62-7	30	ND	ND	
-3	Conclusion	10 - No.	5	Pass	Pass	



R

Report No.: WTF23F05096577A1C

No.	Aminos Substansos	CACNE	Limit	Result (mg/kg)	
NO.	Amines Substances	CAS No.	(mg/kg)	No.5+No.6+No.7	
1	4-Aminobiphenyl	92-67-1	30	-ND*	
2	Benzidine	92-87-5	30	ND*	
3	4-chloro-o-Toluidine	95-69-2	30	ND*	
4	2-Naphthylamine	91-59-8	30	ND*	
5	o-Aminoazotoluene	97-56-3	30	ND*	
6	2-Amino-4-nitrotoluene	99-55-8	30	ND*	
7	p-Chloroaniline	106-47-8	30	ND*	
8	2,4-diaminoanisol	615-05-4	30	ND*	
9,5	4,4'-Diaminodiphenylmethane	101-77-9	30	ND*	
10	3,3'-Dichlorobenzidine	91-94-1	30 📣	ND*	
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND*	
12	3,3'-Dimethylbenzidine	119-93-7	30	ND*	
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND*	
14	p-cresinin	120-71-8	30 🔊	ND*	
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND*	
16	4,4'-Oxydianiline	101-80-4	30	ND*	
17	4,4'-Thiodianiline	139-65-1	30	ND*	
18	o-Toluidine	95-53-4	30	ND*	
19	2,4-Toluylendiamine	95-80-7	30 <	ND*	
20	2,4,5 – Trimethylaniline	137-17-7	30	ND*	
21	o-anisidine	90-04-0	30	ND*	
22	4-aminoazobenzene	60-09-3	30	ND*	
23	2,4-Xylidin	95-68-1	30	ND*	
24	2,6-Xylidin	87-62-7	30	ND*	
S.	Conclusion	15-	St- 50	Pass S	

#### Note:

- ND = Not Detected or lower than limit of quantitation
- mg/kg=Milligram per kilogram
- Limit of quantitation (mg/kg): Each 5mg/kg
- The CAS-numbers 97-56-3 and 99-55-8 are further reduced to CAS-numbers 95-53-4 and 95-80-7.
- AZO colorants that are able to form 4-aminoazobenzene, generate under the condition of this method aniline and 1,4-phenylenediamine. The presence of these colorants cannot be reliably ascertained without additional information, e.g. the chemical structure of the colorant used.

- The CAS-numbers 95-68-1 and 87-62-7 are not proscribed under REACH Regulation (EC) No 1907/2006 - "\*" = Results are calculated by the minimum weight of mixed components.

Waltek Testing Group (Foshan) Co., Ltd. http://www.waltek.com.cn



2

Report No.: WTF23F05096577A1C

#### 5) Colour Fastness to Rubbing

<b>Colour Fast</b>	Colour Fastness to Rubbing						
(ISO 105-X1	2: 2016; Size of rubbir	ng finger: 16	Smm diame	ter.)		s. A	1 15
when wh	in my	No.1	No.2	No.5	്No.6	No.7	Client's Limit
1	Dry staining	4-5	4-5	N 3-4 N	4-5	4-5	2-3
Length	Wet staining	4-5	4-5	4	4-5	4-5	2-3
Width	Dry staining		14	56° 192		m - n	2-3
width	Wet staining		$n_r - n_r$				2-3
Conclusion	211. 24. 24.	Pas	Pass	Pass	Pass	Pass	nu - nu

#### Note:


(1) Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.


## **Description for Specimen:**

Specimen No.	Specimen Description			
1 1 1 1 5	Black net fabric			
2	Silvery grey main fabric			
tift 3 rine of our	Black plastic buckle			
4	Silvery metal zipper head			
which the 5th of the	Black webbing			
6	Grey webbing			
7	Grey webbing			
and 8 and and and	Grey zipper fabric			
9	Grey plastic zipper tooth			
10	Silvery metal zipper handle			



~ いっこう ~







#### Remarks:

- 1. The results shown in this test report refer only to the sample(s) tested;
- 2. This test report cannot be reproduced, except in full, without prior written permission of the company;
- 3. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver;
- 4. The Applicant name and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which Waltek hasn't verified;
- 5. If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.
- 6. The sample material information (Model No. information) is provided by client, not verified by test laboratory. The samples of reference Model No. are not tested. Test laboratory not responsible for the accuracy, appropriateness, completeness and authenticity of the information provided by client.

===== End of Report ======