

TEST REPORT

Report No. : WTF23F05107678C **Applicant** : Mid Ocean Brands B.V.

Address : 7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan,

Kowloon, Hong Kong

Manufacturer.....: 111587

Sample Name Outdoor Backpack

Sample Model : MO6995

Test Requested:

- 1) Determination of Lead content in the submitted sample in accordance with REACH regulation Annex XVII Entries 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628
- Determination of Cadmium content in the submitted sample in accordance with REACH regulation Annex XVII Entries 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011, No. 835/2012 and (EU) 2016/217
- Determination of specified Phthalates content according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005
- 4) Determine the specified AZO Colorants contents in the submitted sample in according to the Entries 43 in Annex XVII of the REACH Regulation (EC) No.1907/2006 and the Amendment Regulation (EC) No.552/ 2009 & No.126/ 2013 (previously restricted under Directive 2002/61/EC).
- 5) As requested by the applicant, to test Colour Fastness to Rubbing in the submitted sample.

Test Conclusion : Refer to next page (s)

Date of Receipt sample..... : 2023-05-18

Date of Issue : 2023-05-24

Test Result : Refer to next page (s)

Prepared By:

Waltek Testing Group (Foshan) Co., Ltd.

Address: No.13-19, 2/F., 2nd Building, Sunlink International Machinery City, Chencun, Shunde District, Foshan, Guangdong, China

Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Signed for and on behalf of

Swing Liang

Waltek Testing Group (Foshan) Co., Ltd.

Swing.Liang





Sample photo:





Test Results:

1) Lead (Pb)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

| Test Item | LOQ | Results (mg/kg) | | | Limit | |
|------------|------------|-----------------|------|-------|-------|---------|
| | (mg/kg) | No.1+No.2+No.3 | No.4 | No.5 | No.6 | (mg/kg) |
| Lead(Pb) | 2 | ND* | ND. | ND ND | ND | 500 |
| Conclusion | nite suite | Pass | Pass | Pass | Pass | TEX JER |

| Test Item | LOQ | L .* | Limit | | | |
|------------|------------|------|-------|------|-------|----------|
| | (mg/kg) | No.7 | No.8 | No.9 | No.10 | (mg/kg) |
| Lead(Pb) | 2 | ND | ND | ND | ND | 500 |
| Conclusion | INLIE TOUR | Pass | Pass | Pass | Pass | TEN STEE |

| Tool Hom | LOQ | * * | Results (r | ng/kg) | White whi | Limit |
|------------|---------------|-------|-------------|--------|-----------|-----------------|
| Test Item | (mg/kg) | No.11 | No.12+No.13 | No.14 | No.15 | (mg/kg) |
| Lead(Pb) | 2 | 33 | ND* | ND | ND | 500 |
| Conclusion | te lat - lat. | Pass | Pass | Pass | Pass | NITER TOLIER NE |

| Test Item LOQ (mg/kg) | LOQ | Results (mg/kg) | Limit |
|-----------------------|--------------------|-----------------|----------|
| | (mg/kg) | No.16+No.17 | (mg/kg) |
| Lead(Pb) | 2 | ND* | 500 |
| Conclusion | LIT MALL WALL WALL | Pass | TEX TEXT |

Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Lead was quoted from REACH regulation Annex XVII Item 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628.
- (5) "*" = Results are calculated by the minimum weight of mixed components.



2) Cadmium (Cd)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

| Test Item | LOQ | Results (mg/kg) | | | | |
|-------------|---------|-----------------|------|-------|-------------|--|
| | (mg/kg) | No.4 | No.9 | No.11 | No.12+No.13 | |
| Cadmium(Cd) | 2 | ND | ND | ND | ND* | |
| Conclusion | A - 4 | Pass | Pass | Pass | Pass | |

Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Cadmium according to REACH regulation Annex XVII Item 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011 and No. 835/2012 and (EU) 2016/217.

| Category | Limit (mg/kg) |
|---|---------------|
| Wet paint | 100 |
| Surface coating | 1000 |
| Plastic | 100 |
| Metal parts of jewellery and hair accessories | 100 |

(5) "*" = Results are calculated by the minimum weight of mixed components.



3) Phthalates

Test Method: With reference to EN14372:2004, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

| Test Items | LOQ | WILL TELL | Limit | |
|--------------------------------------|--|-----------|-------------|-------------------------------|
| | (%) | No.4 | No.12+No.13 | (%) |
| Benzyl butyl phthalate (BBP) | 0.005 | ND ND | ND* | 14 14 2 |
| Di (2-ethyl hexyl)- phthalate (DEHP) | 0.005 | ND | ND* | sum of four |
| Dibutyl phthalate (DBP) | 0.005 | ND ND | ND* | phthalates < 0.7 |
| Diisobutyl phthalate (DIBP) | 0.005 | ND ST | ND* | me me |
| Diisodecyl phthalate (DIDP) | 0.01 | ND | ND* | INLIER WILLER |
| Diisononyl phthalate (DINP) | 0.01 | ND ND | ND* | sum of three phthalates < 0.1 |
| Di-n-octyl phthalate (DNOP) | 0.005 | ND ND | ND* | primaidles < 0.1 |
| Conclusion | 1 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | Pass | Pass | et set si |

Note:

DBP= Dibutyl phthalate
DINP= Di-isononyl phthalate
DIBP= Diisobutyl phthalate
DIBP= Diisobutyl phthalate
DIBP= Diisobutyl phthalate
DIBP= Diisobutyl phthalate

- (1) % = percentage by weight
- (2) ND = Not Detected or lower than limit of quantitation
- (3) LOQ = Limit of quantitation
- (4) "<" = less than
- (5) The above limit was quoted according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005 (formerly known as Directive 2005/84/EC) for phthalate content in toys and child care articles.
- (6) "*" = Results are calculated by the minimum weight of mixed components.



4) AZO

Test Method: With reference to BS EN ISO 14362-1: 2017 and BS EN ISO 14362-3: 2017, analysis was performed

by Gas Chromatographic Mass Spectrometry (GC-MS)

| | TEX ITEX MITE MITE WALL W | CAS No. | Limit | Result (mg/kg) | | |
|-----|---|----------|---------|--------------------|------|--|
| No. | Amines Substances | | (mg/kg) | No.1+No.2+ No.3 | No.4 | |
| 1 | 4-Aminobiphenyl | 92-67-1 | 30 | ND* | ND | |
| 2 | Benzidine | 92-87-5 | 30 | ND* | ND | |
| 3 | 4-chloro-o-Toluidine | 95-69-2 | 30 | ND* | ND | |
| 4 | 2-Naphthylamine | 91-59-8 | 30 | ND* | ND | |
| 5 | o-Aminoazotoluene | 97-56-3 | 30 | ND* | ND | |
| 6 | 2-Amino-4-nitrotoluene | 99-55-8 | 30 | ND* | ND | |
| 7 | p-Chloroaniline | 106-47-8 | 30 | ND* | ND | |
| 8 | 2,4-diaminoanisol | 615-05-4 | 30 | ND* | ND | |
| 9 | 4,4'-Diaminodiphenylmethane | 101-77-9 | 30 | ND* | ND | |
| 10 | 3,3'-Dichlorobenzidine | 91-94-1 | 30 | ND* | ND | |
| 11 | 3,3'-Dimethoxybenzidine | 119-90-4 | 30 | ND* | ND | |
| 12 | 3,3'-Dimethylbenzidine | 119-93-7 | 30 | ND* | ND | |
| 13 | 3,3'-Dimethyl-4,4'-diaminodiphenylmethane | 838-88-0 | 30 | ND* | ND | |
| 14 | p-cresinin | 120-71-8 | 30 | ND* | ND | |
| 15 | 4,4'-Methylen-bis-(2-chloroaniline) | 101-14-4 | 30 | ND* | ND | |
| 16 | 4,4'-Oxydianiline | 101-80-4 | 30 | ND* | ND | |
| 17 | 4,4'-Thiodianiline | 139-65-1 | 30 | ND* | ND | |
| 18 | o-Toluidine | 95-53-4 | 30 | ND* | ND | |
| 19 | 2,4-Toluylendiamine | 95-80-7 | 30 | ND* | ND | |
| 20 | 2,4,5 – Trimethylaniline | 137-17-7 | 30 | ND* | ND | |
| 21 | o-anisidine | 90-04-0 | 30 | ND* | ND | |
| 22 | 4-aminoazobenzene | 60-09-3 | 30 | ND* | ND | |
| 23 | 2,4-Xylidin | 95-68-1 | 30 | ND* | ND | |
| 24 | 2,6-Xylidin | 87-62-7 | 30 | ND* | ND | |
| - 4 | Conclusion | 11 P | 10,11 | Pass | Pass | |



| No. | Amines Substances | CAS No. | Limit | Result (mg/kg) | | |
|-------|---|----------|---------|----------------|------|------|
| NO. | Amines Substances | CAS NO. | (mg/kg) | No.5 | No.6 | No.8 |
| 1 -53 | 4-Aminobiphenyl | 92-67-1 | 30 | ND V | ND | ND |
| 2 | Benzidine | 92-87-5 | 30 | ND | ND | ND |
| 3 | 4-chloro-o-Toluidine | 95-69-2 | 30 | ND | ND | ND |
| 4 | 2-Naphthylamine | 91-59-8 | 30 | ND. | ND | ND |
| 5 | o-Aminoazotoluene | 97-56-3 | 30 | ND | ND | ND |
| 6 | 2-Amino-4-nitrotoluene | 99-55-8 | 30 | ND | ND | ND |
| 7 | p-Chloroaniline | 106-47-8 | 30 | ND | ND | ND |
| 8 | 2,4-diaminoanisol | 615-05-4 | 30 | ND | ND | ND |
| 9 | 4,4'-Diaminodiphenylmethane | 101-77-9 | 30 | ND | ND | ND |
| 10 | 3,3'-Dichlorobenzidine | 91-94-1 | 30 | ND S | ND | ND |
| 11 | 3,3'-Dimethoxybenzidine | 119-90-4 | 30 | ND | ND | ND |
| 12 | 3,3'-Dimethylbenzidine | 119-93-7 | 30 | ND | ND | ND |
| 13 | 3,3'-Dimethyl-4,4'-diaminodiphenylmethane | 838-88-0 | 30 | ND | ND | ND |
| 14 | p-cresinin | 120-71-8 | 30 | ND | ND | ND |
| 15 | 4,4'-Methylen-bis-(2-chloroaniline) | 101-14-4 | 30 | ND | ND | ND |
| 16 | 4,4'-Oxydianiline | 101-80-4 | 30 | ND | ND | ND |
| 17 | 4,4'-Thiodianiline | 139-65-1 | 30 | ND | ND | ND |
| 18 | o-Toluidine | 95-53-4 | 30 | ND | ND | ND |
| 19 | 2,4-Toluylendiamine | 95-80-7 | 30 | ND | ND | ND |
| 20 | 2,4,5 – Trimethylaniline | 137-17-7 | 30 | ND | ND 0 | ND |
| 21 | o-anisidine | 90-04-0 | 30 | ND | ND | - ND |
| 22 | 4-aminoazobenzene | 60-09-3 | 30 | ND | ND | ND |
| 23 | 2,4-Xylidin | 95-68-1 | 30 | ND | ND | ND |
| 24 | 2,6-Xylidin | 87-62-7 | 30 | ND | ND | ND |
| ٠,٠ | Conclusion | 40 | ~ ~ | Pass | Pass | Pass |

Note:

- ND = Not Detected or lower than limit of quantitation
- mg/kg=Milligram per kilogram
- Limit of quantitation (mg/kg): Each 5mg/kg
- The CAS-numbers 97-56-3 and 99-55-8 are further reduced to CAS-numbers 95-53-4 and 95-80-7.
- AZO colorants that are able to form 4-aminoazobenzene, generate under the condition of this method aniline and 1,4-phenylenediamine. The presence of these colorants cannot be reliably ascertained without additional information, e.g. the chemical structure of the colorant used.
- The CAS-numbers 95-68-1 and 87-62-7 are not proscribed under REACH Regulation (EC) No 1907/2006
- "*" = Results are calculated by the minimum weight of mixed components.



5) Colour Fastness to Rubbing

| Colour Fastne | ss to Rubbing | JL J. | - All 3 | The Contract | Mrs. Wes | 2/12 2/11 |
|---------------|----------------------|---------------------------------------|--------------|--------------|----------|----------------|
| (ISO 105-X12: | 2016; Size of rubbin | g finger: 16mr | m diameter.) | | | . It let |
| are are | 14. 14. 1 | No.1 | No.2 | No.3 | No.4 | Client's Limit |
| L and south | Dry staining | 4-5 | 4-5 | 4-5 | 4-5 | 2-3 |
| Length | Wet staining | 4-5 | 4-5 | 4-5 | 4-5 | 2-3 |
| \\/:- 4 - | Dry staining | - 75 ^t | CENT JET | win with | 10-1 | 2-3 |
| Width | Wet staining | " " " " " " " " " " " " " " " " " " " | 277 | | Á | 2-3 |
| Conclusion | 20, 20, | Pass | Pass | Pass | Pass | 200 - 200 |

| Colour Fastne | ess to Rubbing | LET LET I | TEN WILL WAL | The In | 10. 1 |
|---------------|-----------------------|------------------|--------------|---------|----------------|
| (ISO 105-X12: | 2016; Size of rubbing | finger: 16mm dia | ameter.) | at at | The Clark |
| me m | 20. 2 | No.5 | No.6 | No.8 | Client's Limit |
| Length | Dry staining | 4-5 | 4-5 | 4-5 | 2-3 |
| | Wet staining | 4-5 | 4-5 | 4-5 | 2-3 |
| 140 | Dry staining | JE JE | Willy Ave 1 | 10 20 2 | 2-3 |
| Width | Wet staining | MrM. | 1 | at at | 2-3 |
| Conclusion | 4 | Pass | Pass | Pass | 2/1 - 12 |

Note:

(1) Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.

Description for Specimen:

| Specimen No. | Specimen Description | | | |
|--------------------------|--|--|--|--|
| me me 1 me m | Black grey main fabric | | | |
| TITEL NITE WALTER WALTER | Black main fabric | | | |
| 3 1 | Black lining | | | |
| 4 4 | Black fabric sheet | | | |
| et jet 5 et milet m | Black net fabric | | | |
| 6 | Black webbing | | | |
| MILE WALL MULT WALL | Black rim fabric | | | |
| 1 1 8 1 1 1 1 C | Black elastic band | | | |
| nr. m. 8 m. m. | Black plastic zipper tooth | | | |
| 10 miles | Black zipper fabric | | | |
| 11,4 | Silvery metal zipper head with Black coating | | | |
| 12 W | Black plastic buckle | | | |




| Specimen No. | Specimen Description |
|---------------------------|----------------------------|
| 113 Mr July | Black plastic shell |
| - Ifet 1114 alifet mile m | Black drawstring |
| 15 | Silvery metal eyelet |
| 16 | Black plastic loop(VELCRO) |
| 17 of 10 of | Black plastic hook(VELCRO) |

Photograph of parts tested:





Report No.: WTF23F05107678C





Remarks:

- 1. The results shown in this test report refer only to the sample(s) tested;
- 2. This test report cannot be reproduced, except in full, without prior written permission of the company;
- 3. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver;
- 4. The Applicant name and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which Waltek hasn't verified;
- 5. If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.
- 6. The sample material information (Model No. information) is provided by client, not verified by test laboratory. The samples of reference Model No. are not tested. Test laboratory not responsible for the accuracy, appropriateness, completeness and authenticity of the information provided by client.

===== End of Report ======

