

TEST REPORT

Report No. : WTF23F05100616C

Applicant : Mid Ocean Brands B.V.

Address : 7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan,

Kowloon, Hong Kong

Manufacturer.....: 111587

Sample Name : 600D RPET computer backpack

Sample Model : MO6998

Test Requested : 1) Determination of Lead content in the submitted sample in accordance with REACH regulation Annex XVII Entries

63 (EC) No. 1907/2006 and the amendment No.

836/2012 and (EU) 2015/628

 Determination of Cadmium content in the submitted sample in accordance with REACH regulation Annex XVII Entries 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011, No. 835/2012 and (EU)

2016/217

 Determination of specified Phthalates content according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No.

2018/2005

4) Determine the specified AZO Colorants contents in the submitted sample in according to the Entries 43 in Annex XVII of the REACH Regulation (EC) No.1907/2006 and the Amendment Regulation (EC) No.552/ 2009 & No.126/ 2013 (previously restricted under Directive 2002/61/EC).

5) As requested by the applicant, to test Colour Fastness to

Rubbing in the submitted sample.

Test Conclusion : Refer to next page (s)

Date of Receipt sample 2023-05-10

Testing period.....: 2023-05-10 to 2023-05-17

Date of Issue : 2023-05-18

Test Result : Refer to next page (s)

Prepared By:

Waltek Testing Group (Foshan) Co., Ltd.

Address: No.13-19, 2/F., 2nd Building, Sunlink International Machinery City, Chencun, Shunde District, Foshan, Guangdong, China

Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Signed for and on behalf of

Waltek Testing Group (Foshan) Co., Ltd.

Swing.Liang

Waltek Testing Group (Foshan) Co., Ltd.

http://www.waltek.com.cn

1/10

WT-510-201-15-A





Sample photo:





Test Results:

1) Lead (Pb)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Test Item	LOQ Results (mg/kg)		Results (mg/kg)		
	(mg/kg)	No.1+No.9	No.2+No.3+No.4	(mg/kg)	
Lead(Pb)	2	44*	29*	500	
Conclusion	RLIFE STATE OF	Pass	Pass	et get	

Test Item	LOQ		Limit		
	(mg/kg)	No.5	No.6	No.7	(mg/kg)
Lead(Pb)	2	ND -	ND S	20	500
Conclusion	nite - mite	Pass	Pass	Pass	CEY TEX

Test Item	LOQ	Results (Limit	
	(mg/kg)	No.8+No.11	No.10	(mg/kg)
Lead(Pb)	2	ND*	ND ND	500
Conclusion	ite lute - lute	Pass	Pass	TEX TITEL

Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Lead was quoted from REACH regulation Annex XVII Item 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628.
- (5) "*" = Results are calculated by the minimum weight of mixed components.



2) Cadmium (Cd)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Test Item	LOQ	Results ((mg/kg)
	(mg/kg)	No.1+No.9	No.7
Cadmium(Cd)	2 000	ND*	A ND C
Conclusion	A - A A	Pass	Pass

Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Cadmium according to REACH regulation Annex XVII Item 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011 and No. 835/2012 and (EU) 2016/217.

Category	Limit (mg/kg)
Wet paint	100
Surface coating	1000
Plastic	100
Metal parts of jewellery and hair accessories	100

(5) "*" = Results are calculated by the minimum weight of mixed components.





3) Phthalates

Test Method: With reference to EN14372:2004, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test Items	LOQ (%) (%) No.1+N		Limit (%)
Benzyl butyl phthalate (BBP)	0.005	ND*	ni mi un
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	ND*	sum of four
Dibutyl phthalate (DBP)	0.005	ND*	phthalates < 0.1
Diisobutyl phthalate (DIBP)	0.005 ND*		MUT MUT, MUT
Diisodecyl phthalate (DIDP)	0.01	ND*	aliek miles while a
Diisononyl phthalate (DINP)	0.01	ND*	sum of three phthalates < 0.1
Di-n-octyl phthalate (DNOP)	0.005	ND*	primarates < 0.1
Conclusion	The Table	Pass	et et d e t de

Note:

DBP= Dibutyl phthalate
DINP= Di-isononyl phthalate
DIBP= Diisobutyl phthalate
DIBP= Diisobutyl phthalate
DIBP= Diisobutyl phthalate
DIBP= Diisobutyl phthalate

- (1) % = percentage by weight
- (2) ND = Not Detected or lower than limit of quantitation
- (3) LOQ = Limit of quantitation
- (4) "<" = less than
- (5) The above limit was quoted according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005 (formerly known as Directive 2005/84/EC) for phthalate content in toys and child care articles.
- (6) "*" = Results are calculated by the minimum weight of mixed components.



4) AZO

Test Method: With reference to BS EN ISO 14362-1: 2017 and BS EN ISO 14362-3: 2017, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS)

No.	Amines Substances	CAS No.	Limit	Result (mg/kg) No.2+No.3+No.4	
NO.	Amines Substances		(mg/kg)		
1	4-Aminobiphenyl	92-67-1	30	ND*	
2	Benzidine	92-87-5	30	ND*	
3	4-chloro-o-Toluidine	95-69-2	30 0	ND*	
4	2-Naphthylamine	91-59-8	30	ND*	
5	o-Aminoazotoluene	97-56-3	30	ND*	
6	2-Amino-4-nitrotoluene	99-55-8	30	ND*	
7	p-Chloroaniline	106-47-8	30	ND*	
8	2,4-diaminoanisol	615-05-4	30	ND*	
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND*	
10	3,3'-Dichlorobenzidine	91-94-1	30	ND*	
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND*	
12	3,3'-Dimethylbenzidine	119-93-7	30	ND*	
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND*	
14	p-cresinin (120-71-8	30	ND*	
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND*	
16	4,4'-Oxydianiline	101-80-4	30	ND*	
17	4,4'-Thiodianiline	139-65-1	30	ND*	
18	o-Toluidine	95-53-4	30	ND*	
19	2,4-Toluylendiamine	95-80-7	30	ND*	
20	2,4,5 – Trimethylaniline	137-17-7	30	ND*	
21	o-anisidine	90-04-0	30	ND*	
22	4-aminoazobenzene	60-09-3	30	ND*	
23	2,4-Xylidin	95-68-1	30	ND*	
24	2,6-Xylidin	87-62-7	30	ND*	
4	Conclusion	15 TE 15	- 11 LT	Pass	



*	Aminos Cubatanas	CAS No.	Limit (mg/kg)	Result (mg/kg)		
No.	Amines Substances			No.8+No.11	No.10	
1	4-Aminobiphenyl	92-67-1	30	ND*	ND	
2	Benzidine	92-87-5	30	ND*	ND	
3	4-chloro-o-Toluidine	95-69-2	30	ND*	ND	
4	2-Naphthylamine	91-59-8	30	ND*	ND	
5	o-Aminoazotoluene	97-56-3	30	ND*	ND	
6	2-Amino-4-nitrotoluene	99-55-8	30	ND*	ND	
7	p-Chloroaniline	106-47-8	30	ND*	ND	
8	2,4-diaminoanisol	615-05-4	30	ND*	ND	
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND*	ND	
10	3,3'-Dichlorobenzidine	91-94-1	30	ND*	ND	
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND*	ND	
12	3,3'-Dimethylbenzidine	119-93-7	30	ND*	ND	
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND*	ND	
14	p-cresinin	120-71-8	30	ND*	ND	
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND*	ND	
16	4,4'-Oxydianiline	101-80-4	30	ND*	ND	
17	4,4'-Thiodianiline	139-65-1	30	ND*	ND	
18	o-Toluidine	95-53-4	30	ND*	ND	
19	2,4-Toluylendiamine	95-80-7	30	ND*	ND	
20	2,4,5 – Trimethylaniline	137-17-7	30	ND*	ND	
21	o-anisidine	90-04-0	30	ND*	ND	
22	4-aminoazobenzene	60-09-3	30	ND*	ND	
23	2,4-Xylidin	95-68-1	30	ND*	ND	
24	2,6-Xylidin	87-62-7	30	ND*	ND	
Vr.	Conclusion	-0+	(# S	Pass	Pass	

Note:

- ND = Not Detected or lower than limit of quantitation
- mg/kg=Milligram per kilogram
- Limit of quantitation (mg/kg): Each 5mg/kg
- The CAS-numbers 97-56-3 and 99-55-8 are further reduced to CAS-numbers 95-53-4 and 95-80-7.
- AZO colorants that are able to form 4-aminoazobenzene, generate under the condition of this method aniline and 1,4-phenylenediamine. The presence of these colorants cannot be reliably ascertained without additional information, e.g. the chemical structure of the colorant used.
- The CAS-numbers 95-68-1 and 87-62-7 are not proscribed under REACH Regulation (EC) No 1907/2006
- "*" = Results are calculated by the minimum weight of mixed components.



5) Colour Fastness to Rubbing

Colour Fast	ness to Rubbing		et-	LEF N	J 100	in the	- ale	24. 24.
(ISO 105-X1	2: 2016; Size of rubbi	ng finger:	16mm dia	ameter.)			*	at at
are an	1/1 /1/1	No.2	No.3	No.4	No.8	No.10	No.11	Client's Limit
Length	Dry staining	4-5	4-5	2-3	4-5	4-5	4-5	2-3
	Wet staining	4-5	4-5	2-3	4-5	4-5	4-5	2-3
140.141	Dry staining	x	764	45	.012	11 - a	D 101	2-3
Width	Wet staining	.05-1	200	2/15-	-	£	J J	2-3
Conclusion	14. 14. 2.	Pass	Pass	Pass	Pass	Pass	Pass	mr - m

Note:

(1) Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.

Description for Specimen:

Specimen No.	Specimen Description			
1 1 1	Black plastic buckle			
meet and 2 meet meet	Black webbing			
THE THE 3 THE MY IN	Black rim fabric			
4	Black white drawstring			
IE WILLE NO. 1	Black zipper fabric			
6 35	Black plastic zipper tooth			
w 7 m	Silvery metal zipper head with black coating			
atter atte 8 mil april at	Black main fabric			
9 11 11	Black plastic buckle			
10	Black elastic band			
of the 11th with w	Black lining			



Photograph of parts tested:





Remarks:

- 1. The results shown in this test report refer only to the sample(s) tested;
- 2. This test report cannot be reproduced, except in full, without prior written permission of the company;
- 3. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver;
- 4. The Applicant name and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which Waltek hasn't verified;
- 5. If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.
- 6. The sample material information (Model No. information) is provided by client, not verified by test laboratory. The samples of reference Model No. are not tested. Test laboratory not responsible for the accuracy, appropriateness, completeness and authenticity of the information provided by client.

===== End of Report ======

