

Test report

23A-012469



Overall result PASS

Please refer to the following pages for test result summary and notes.

Client information

Client: Mid Ocean Brands B.V.

Address: 7/F., Kings Tower, 111 King Lam Street,

Cheung Sha Wan, Kowloon, Hong Kong



Sample information

Description: Cork portfolio/document holder

SKU/style #: MO2097, MO2229

Supplier: 118518 Labeled age grade: Country of origin: - Tested age grade: -

Country of distribution: Europe Materials: Cork, PP, Non woven Quantity submitted: 1 pc per style Buyer: Mid Ocean Brands B.V.

General information

Sample receipt date: 12-Oct-2023 Report date: 23-Oct-2023

Testing period: 16-Oct-2023 to 23-Oct-2023

QIMA (Hangzhou) Testing Co., Ltd.

Thetis Tang

Thetis Tang

Textile Laboratory Supervisor

QIMA (Hangzhou) Testing Co., Ltd.

Jeremy Xu

Chemical Laboratory Supervisor





Result summary

At the request of the client, the following test were conducted:

Test(s) conducted	Conclusion
Regulation (EC) No. 1907/2006 REACH Annex XVII, Item 63 Lead in Paints and Surface Coatings	PASS
Regulation (EC) No. 1907/2006 REACH Annex XVII, Item 63 Lead in Substrate Materials	PASS
Regulation (EC) No. 1907/2006 REACH Annex XVII, Item 23 Cadmium in Paints and Surface Coatings	PASS
Regulation (EC) No. 1907/2006 REACH Annex XVII, Item 23 Cadmium in Substrate Materials	PASS
Client's Requirement, Formaldehyde Release in resin-bonded wood	PASS
Regulation (EC) No. 2019/1021 Persistent Organic Pollutants , ANNEX I and its amendment (EU) 2021/277- Pentachlorophenol	PASS
Regulation (EC) No. 1907/2006 REACH Annex XVII, Item 50 Polycyclic Aromatic Hydrocarbon (PAH)	PASS
Regulation (EC) No. 1907/2006 REACH Annex XVII, Item 43 Azocolorants in Textiles	PASS
Regulation (EC) No. 1907/2006 REACH Annex XVII as amended, Item 51 and 52 Phthalates – Mouthable (DBP, BBP, DEHP, DIBP, DnOP, DINP, DIDP)	PASS
Colour Fastness to Rubbing	PASS





Regulation (EC) No. 1907/2006 REACH Annex XVII, Item 63 Lead in Paints and Surface Coatings

Test Method: CPSC-CH-E1003-09.1

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	14					Limit
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Total Lead (Pb)	ND					500
Conclusion	PASS					

Note:

mg/kg = Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit = 15 mg/kg)

	Specimen No.	Transferre	Data of Issue	
		Report No.	Specimen No.	Date of Issue
	14	23A-011972	14	09-Oct-2023





Regulation (EC) No. 1907/2006 REACH Annex XVII, Item 63 Lead in Substrate Materials

Test Method: CPSC-CH-E1001-08.3 (Metal) and/or CPSC-CH-E1002-08.3 (Non-Metal)

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1	2+7	3+5	4+6	8+9+10	Limit
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Total Lead (Pb)	ND	ND	ND	ND	ND	500
Conclusion	PASS	PASS	PASS	PASS	PASS	

Specimen No.	11+12+13	15	16+17+18	19+20+21		Limit
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Total Lead (Pb)	ND	ND	ND	ND		500
Conclusion	PASS	PASS	PASS	PASS		

Note:

mg/kg = Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit = 15 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Specimen No.	Transferre	Data of Issue	
	Report No.	Specimen No.	Date of Issue
1	23A-011972	1	09-Oct-2023
4+6	23A-011972	4+6	09-Oct-2023
8+9+10	23A-011972	8+9+10	09-Oct-2023
11+12+13	23A-011972	11+12+13	09-Oct-2023
15	23A-011972	15	09-Oct-2023





Regulation (EC) No. 1907/2006 REACH Annex XVII, Item 23 Cadmium in Paints and Surface Coatings

Test Method: ASTM F963-17 Clause 8.3.1

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	14					Limit
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Total Cadmium (Cd)	ND					1000
Conclusion	PASS					

Note:

mg/kg = Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit = 15 mg/kg)

Specimen No.	Transferre	Data of Issue	
	Report No.	Specimen No.	Date of Issue
14	23A-011972	14	09-Oct-2023





Regulation (EC) No. 1907/2006 REACH Annex XVII, Item 23 Cadmium in Substrate Materials

Test Method: ASTM F963-17 Clause 8.3.1

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1	4+6	8+9+10	11+12+13		Limit
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Total Cadmium (Cd)	ND	ND	ND	ND		100
Conclusion	PASS	PASS	PASS	PASS		

Note:

mg/kg = Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit = 15mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Cnasiman Na	Т	Transferred from		
Specimen No.	Report No.	Specimen No.	Date of Issue	
1	23A-011972	1	09-Oct-2023	
4+6	23A-011972	4+6	09-Oct-2023	
8+9+10	23A-011972	8+9+10	09-Oct-2023	
11+12+13	23A-011972	11+12+13	09-Oct-2023	





Client's Requirement, Formaldehyde Release in resin-bonded wood

Test Method: EN 717-3:1996

Analytical Method: Ultraviolet-Visible Spectrophotometry

Specimer	n No.	1				Limit
Test Item	CAS No.	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Formaldehyde	50-00-0	ND				80
Conclus	ion	PASS				

Note:

mg/kg = Milligrams per kilogram

NA = Not applicable

LT = Less than

ND = Not detected (Reporting Limit = 16 mg/kg)

Specimen No.	Transferre	Data of Issue	
	Report No.	Specimen No.	Date of Issue
1	23A-011972	1	09-Oct-2023





Regulation (EC) No. 2019/1021 Persistent Organic Pollutants , ANNEX I and its amendment (EU) 2021/277-Pentachlorophenol

Test Method: In-House Method

Analytical Method: Gas Chromatography with Mass Spectrometry

Specimen No.	1					Limit
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Pentachlorophenol (PCP) and its salts and ester	ND					5
Conclusion	PASS					

Note:

mg/kg = Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit = 1 mg/kg)

Cnasiman Na		Transferred from	
Specimen No.	Report No.	Specimen No.	Date of Issue
1	23A-011972	1	09-Oct-2023





Regulation (EC) No. 1907/2006 REACH Annex XVII, Item 50 Polycyclic Aromatic Hydrocarbon (PAH)

Test Method: AfPS GS 2019:01

Analytical Method: Gas Chromatography with Mass Spectrometry

Specimen N	0.	1	8+9+10			Limit
Test Item	CAS No.	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Benzo [a] pyrene (BaP)	50-32-8	ND	ND			1
Benzo [e] pyrene (BeP)	192-97-2	ND	ND			1
Benzo [a] anthracene (BaA)	56-55-3	ND	ND			1
Chrysene (CHR)	218-01-9	ND	ND			1
Benzo [b] fluroranthene (BbFA)	205-99-2	ND	ND			1
Benzo [j] fluroranthene (BjFA)	205-82-3	ND	ND			1
Benzo [k] fluroranthene (BkFA)	207-08-9	ND	ND			1
Dibenzo [a,h] anthracene (DBAhA)	53-70-3	ND	ND			1
Conclusion	1	PASS	PASS			

Note:

mg/kg = Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit = 0.2 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Chasiman Na	Transferre	Data of Issue	
Specimen No.	Report No.	Specimen No.	Date of Issue
1	23A-011972	1	09-Oct-2023
8+9+10	23A-011972	8+9+10	09-Oct-2023





Regulation (EC) No. 1907/2006 REACH Annex XVII, Item 43 Azocolorants in Textiles

Test Method: EN ISO 14362-1:2017, EN ISO 14362-3:2017

Analytical Method: Gas Chromatography with Mass Spectrometry, Liquid Chromatography with Diode Array

Detection / Liquid Chromatography with Mass Spectrometry

Specimen N	lo.	1	2	3+5+7		
To at It am	CACNA	Result	Result	Result	Result	Limit
Test Item	CAS No.	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)
4-aminobiphenyl	92-67-1	ND	ND	ND		30
Benzidine	92-87-5	ND	ND	ND		30
4-chloro-o-toluidine	95-69-2	ND	ND	ND		30
2-naphtylamine	91-59-8	ND	ND	ND		30
o-Aminoazotoluene	97-56-3	ND	ND	ND		30
5-nitro-o-toluidine	99-55-8	ND	ND	ND		30
4-chloroaniline	106-47-8	ND	ND	ND		30
2,4-diaminoanisole	615-05-4	ND	ND	ND		30
4,4'-methylenedianiline	101-77-9	ND	ND	ND		30
3,3'-dichlorobenzidine	91-94-1	ND	ND	ND		30
o-dianisidine	119-90-4	ND	ND	ND		30
3,3'-dimethylbenzidine	119-93-7	ND	ND	ND		30
4,4'-methylenedi-o- toluidine	838-88-0	ND	ND	ND		30
p-cresidine	120-71-8	ND	ND	ND		30
4,4'-methylene-bis-(2- chloro-aniline)	101-14-4	ND	ND	ND		30
4,4'-oxydianiline	101-80-4	ND	ND	ND		30
4,4'-thiodianiline	139-65-1	ND	ND	ND		30
o-toluidine	95-53-4	ND	ND	ND		30
2,4-diaminotoluene	95-80-7	ND	ND	ND		30
2,4,5-trimethylaniline	137-17-7	ND	ND	ND		30
2-methoxyaniline	90-04-0	ND	ND	ND		30
4-aminoazobenzene	60-09-3	ND	ND	ND		30
Conclusion	n	PASS	PASS	PASS		

Note:

mg/kg = Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit = 5 mg/kg)

Composite results are based on total mass of the composite test portion.

Remark:

In the case of levels per amine component less than or equal to 30 mg/kg, according to the analysis as carried out, azo colorants which can release one or more of certain listed amines by cleavage of their azo group/s were not detected in the commodity submitted.





Regulation (EC) No. 1907/2006 REACH Annex XVII as amended, Item 51 and 52 Phthalates – Mouthable (DBP, BBP, DEHP, DIBP, DnOP, DINP, DIDP)

Test Method: CPSC-CH-C1001-09.4

Analytical Method: Gas Chromatography with Mass Spectrometry

Specimen No.		1	4+6	8+9+10	Limit
Test Item	CAS No.	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	1000
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	1000
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	ND	ND	1000
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	1000
Sum of DBP, BBP, DEHP, D	OIBP	ND	ND	ND	1000
Di-n-octyl phthalate (DnOP)	117-84-0	ND	ND	ND	
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	
Sum of DnOP, DINP, DIDP		ND	ND	ND	1000
Conclusion		PASS	PASS	PASS	

Note:

mg/kg (Milligrams per kilogram) = ppm (Parts per million) = 0.0001 % w/w (Percent by weight)

LT = Less than

ND = Not detected (Reporting Limit = 150 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Cnaciman Na	Transferre	Date of Issue		
Specimen No.	Report No.	Specimen No.	Date of Issue	
1	23A-011972	1	09-Oct-2023	
4+6	23A-011972	4+6	09-Oct-2023	
8+9+10	23A-011972	8+9+10	09-Oct-2023	





Regulation (EC) No. 1907/2006 REACH Annex XVII as amended, Item 51 and 52 Phthalates – Mouthable (DBP, BBP, DEHP, DIBP, DnOP, DINP, DIDP)

Test Method: CPSC-CH-C1001-09.4

Analytical Method: Gas Chromatography with Mass Spectrometry

Specimen No.		11+12+13	14		Limit
Test Item	CAS No.	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Dibutyl phthalate (DBP)	84-74-2	ND	ND		1000
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND		1000
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	861	ND		1000
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND		1000
Sum of DBP, BBP, DEHP, D	DIBP	861	ND		1000
Di-n-octyl phthalate (DnOP)	117-84-0	ND	ND		
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	ND	ND		
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND		
Sum of DnOP, DINP, DIDP		ND	ND		1000
Conclusion		PASS	PASS		

Note:

mg/kg (Milligrams per kilogram) = ppm (Parts per million) = 0.0001 % w/w (Percent by weight)

LT = Less than

ND = Not detected (Reporting Limit = 150 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Consisson No	Ti	Transferred from	
Specimen No. Report No.		Specimen No.	Date of Issue
11+12+13	23A-011972	11+12+13	09-Oct-2023
14	23A-011972	14	09-Oct-2023





Colour Fastness to Rubbing

Test Method: ISO 105-X12: 2016, Size of rubbing finger: 16mm dia.

Specimen No.	22-Black non- woven fabric					Client's
Items	Result (Grade)	Result (Grade)	Result (Grade)	Result (Grade)	Result (Grade)	requirement
Dry staining	4-5					Min. 2-3
Wet staining	4					Min. 2-3
Conclusion	PASS					-

Remark: Grey Scale rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.

Specimen No.	Transferre	Data of Issue		
Specimen No.	Report No.	Specimen No.	Date of Issue	
22	23A-011972	16	09-Oct-2023	





Specimen description

Specimen #	Specimen description	Location
	•	
1	Brown cork	Cover (both portfolios)
2	Black non-woven textile	Cover inside (both portfolios)
3	Black textile	Cover inside elastic (both portfolios)
4	Dark grey soft plastic	Cover inside elastic (both portfolios)
5	Black textile	Long elastic (small portfolio)
6	Dark grey soft plastic	Long elastic (small portfolio)
7	Black textile	Book ribbon (small portfolio)
8	Black plastic	Tip (both portfolios)
9	Black plastic	Clip (both portfolios)
10	Black plastic	Button (both portfolios)
11	Grey plastic	Button inner (both portfolios)
12	White plastic	Gear (both portfolios)
13	White plastic	Cartridge (both portfolios)
14	Black ink	Cartridge (both portfolios)
15	Silvery metal	Spring (both portfolios)
16	Black printed white paper	Book (big portfolio)
17	White/grey paper	Book back (big portfolio)
18	Black paper	Book top (big portfolio)
19	Beige paper	Inside pages (small portfolio)
20	Black printed beige paper	Inside pages (small portfolio)
21	Black paper	Cover inside base (both portfolios)
22	Brown cork portfolio/document holder	Finished product(small style)





Pictures

Sample photo:









End of the report

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and the method /regulation section(s) tested as described herein. If it is not further specified in the report, the decision rule for stating conformity is based on the QIMA decision rule. (https://www.qima.com/conditions-of-service#decisionRule). This test report may not be reproduced in whole or in part, without the written approval of QIMA (Hangzhou) Testing Co., Ltd.

