

Test Report

Report No. : AGC05443231017-001

SAMPLE NAME : 3 port USB hub with dual input, 4 port USB hub w/ phone stand

MODEL NAME : MO2143, MO2144

APPLICANT: MID OCEAN BRANDS B.V

STANDARD(S) : Please refer to the following page(s).

DATE OF ISSUE : Oct. 23, 2023

Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd.





Applicant : MID OCEAN BRANDS B.V

Address : 7/F, Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong.

Test Site : 6/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community, Hangcheng Street,

Bao'an District, Shenzhen, Guangdong, China

Report on the submitted sample(s) said to be:

Sample Name : 3 port USB hub with dual input, 4 port USB hub w/ phone stand

Model : MO2143, MO2144

Vendor code : 109979
Country of Origin : CHINA
Country of Destination : EUROPE
Sample Received Date : Oct. 13, 2023

Testing Period : Oct. 13, 2023 to Oct. 23, 2023

Test Requested : Selected test(s) as requested by client.

Test Requested: Conclusion

2011/65/EU (RoHS) and its amendment directive (EU) 2015/863

- Pb, Cd, Hg, Cr⁶⁺, PBBs, PBDEs, DBP, BBP, DEHP, DIBP

Pass

Pass

Report No.: AGC05443231017-001

Regulation (EU) 2019/1021 on persistent organic pollutants (POPs)

- Pentachlorophenol (PCP) Content

- Formaldehyde Release

Pass

Approved by : Jossie Lians

Liangdan, Jessie.Liang

Technical Director



Report Revise Record


Report No.: AGC05443231017-00	1
-------------------------------	---


Report Version	Issued Date	Valid Version	Notes
/	Oct. 23, 2023	Valid	Initial release




The photo of the sample








































The photo of AGC05443231017-001 is for use only with the original report.





Test point	Test module	Test parts	Test point description
3. 3 port US	B hub with dual inp	ut, 4 port USB hub w/ phon	ne stand Model: MO2143, MO2144
1		Outer shell	Woody shell
2		Outer shell	Hot melt adhesive
3			PCB
4			Solder
5			USB metal device
6		USB device	Grey plastic joint
7			Metal pin
8			Type-C metal connector
9	Circuit board	Type-C connector	Grey plastic joint
10			Metal pin
11			Chip capacitor
12			Chip resistor
13			Chip crystal oscillator
14			IC
15			Chip components
16			USB metal plug
17			White plastic plug
18			Metal pin
19			Chip resistor
20			PCB
21		USB Adaptor	Solder
22			Grey plastic plug
23			Metal pin
24			Metal plug
25			White inner glue
26			White handle
27			Type-C metal plug
28			Grey plastic plug
29		T 0 1	Metal pin
30		Type-C plug	Metallic pogopin
31			PCB
32			Solder
33			White outer wire jacket
34			Aluminum foil
35			Conductor
36			White wire jacket
37		Wire rod	Red wire jacket
38			Green wire jacket
39			Black wire jacket
40			Black heat shrink tubing
MO2143 D			



			110 0 0 0 1 1 1 0 0 0 0 1 1 0 2 0 1 0 1
41			Silver screw
42	Circuit board		PCB
43			Solder
44			Chip inductor
45		oard	Aluminum shell
46			Electrode foil
47		Aluminum capacitor	Black rubber stopper
48			Metal pin
49			Black plastic base
50		Wire rod	White buckle
51			Bamboo case(MO2143)+Bamboo case (MO2144)

Note: "---" = The test point exists alone in the sample and is not attached to the test module or test parts.



Note: N.D.=Not Detected (less than method detection limit), MDL = Method Detection Limit, 1mg/kg=0.0001%

2011/65/EU (RoHS) and its amendment directive (EU) 2015/863

- Pb, Cd, Hg, Cr⁶⁺, PBBs, PBDEs, DBP, BBP, DEHP, DIBP

Test Item	Test Method/ Instrument	MDL	Maximum Limit
Lead (Pb)		/	1000mg/kg
Cadmium (Cd)		/	100mg/kg
Mercury (Hg)	IEC 62321-3-1:2013/ XRF	/	1000mg/kg
Total Chromium		/	/
Total Bromine		/	/
Chemistry Method		l	
Lead (Pb)	IEC 62321-5:2013/ ICP-OES	2mg/kg	1000mg/kg
Cadmium (Cd)	IEC 62321-5:2013/ ICP-OES	2mg/kg	100mg/kg
Mercury (Hg)	IEC 62321-4: 2013+A1:2017/ ICP-OES	2mg/kg	1000mg/kg
Non-metal: Hexavalent Chromium (Cr ⁶⁺)	IEC 62321-7-2:2017/ UV-Vis	8mg/kg	1000mg/kg
Metal: Hexavalent Chromium (Cr ⁶⁺)	IEC 62321-7-1:2015/ UV-Vis	0.1 μg/cm ²	/
Polybrominated Biphenyls (PBBs) -Monobromobiphenyl (MonoBB) -Dibromobiphenyl (DiBB) -Tribromobiphenyl (TriBB) -Tetrabromobiphenyl (TetraBB) -Pentabromobiphenyl (PentaBB) -Hexabromobiphenyl (HexaBB) -Heptabromobiphenyl (HeptaBB) -Octabromobiphenyl (OctaBB) -Nonabromodiphenyl (NonaBB) -Decabromodiphenyl (DecaBB)	IEC 62321-6:2015/ GC-MS	Single 5mg/kg	Sum 1000mg/kg
PolybrominatedDiphenylethers (PBDEs) -Monobromodiphenyl ether (MonoBDE) -Dibromodiphenyl ether (DiBDE) -Tribromodiphenyl ether (TriBDE) -Tetrabromodiphenyl ether (TetraBDE) -Pentabromodiphenyl ether (PentaBDE) -Hexabromodiphenyl ether (HexaBDE) -Heptabromodiphenyl ether (HeptaBDE) -Octabromodiphenyl ether (OctaBDE) -Nonabromodiphenyl ether (NonaBDE) -Decabromodiphenyl ether (DecaBDE)	IEC 62321-6:2015/ GC-MS	Single 5mg/kg	Sum 1000mg/kg
Di-iso-butyl phthalate (DIBP)		50mg/kg	1000mg/kg
Dibutyl phthalate (DBP)		50mg/kg	1000mg/kg
Butylbenzyl phthalate (BBP)	IEC 62321-8:2017/ GC-MS	50mg/kg	1000mg/kg
Di-(2-ethylhexyl) Phthalate (DEHP)		50mg/kg	1000mg/kg



Test point	Test Item		X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	C05443231017-00
	F	b	BL	/	
	(Cd	BL	/	
	H	Ig	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
1	Br	PBBs PBDEs	BL	/	Conformity
	DI	BP	N/A	N.D.	
		BP	N/A	N.D.	
		BP	N/A	N.D.	
		HP	N/A	N.D.	
		'b	BL	/	
		Cd	BL	/	
		lg	BL	/	
		Cr^{6+})	BL	/	
2	Br	PBBs PBDEs	BL	/	Conformity
	DIBP		N/A	N.D.	
-	DBP		N/A	N.D.	
-	BBP		N/A	N.D.	
-	DEHP		N/A	N.D.	
	Pb		BL	/	
-	Cd		BL	/	
-	Hg		BL	/	
-	Cr(Cr ⁶⁺)		BL	/	
3	Br	PBBs PBDEs	IN	N.D. N.D.	Conformity
	DI		N/A	N.D.	
	DIBP DBP		N/A	N.D.	
			N/A	N.D.	
	BBP DEHP		N/A	N.D.	
		Pb	BL	N.D.	
<u> -</u>		Ed	BL	/	
<u> </u>				/	
<u> </u>		<u>Ig</u>	BL	/	
<u> </u>	Cr(C	Cr ⁶⁺)	BL	/	
4	Br	PBBs	N/A	/	Conformity
<u> </u>	Di	PBDEs	NT/A	/	j
<u> </u>		BP	N/A	/	
<u> </u>		BP DR	N/A	/	
		BP CHP	N/A N/A	/	



Test point	Test Item		X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
		Pb	BL	/	
		Cd	BL	/	
		Hg	BL	/	
	Cr((Cr^{6+})	BL	/	
5	Br	PBBs PBDEs	N/A	/	Conformity
	D	IBP	N/A	/	
)BP	N/A	/	
		BBP	N/A	/	
		EHP	N/A	/	
		Pb	BL	/	
		Cd	BL	/	
		Hg	BL	/	
		(Cr^{6+})	BL	/	
6	Br	PBBs PBDEs	BL	/	Conformity
	DIBP		N/A	N.D.	
	DBP		N/A	N.D.	
	BBP		N/A	N.D.	
	DEHP		N/A	N.D.	
	Pb		BL	/	
	Cd		BL	/	
		Hg	BL	/	1
		(Cr ⁶⁺)	BL	/	
7	Br	PBBs PBDEs	N/A	/	Conformity
	D	IBP	N/A	/	
	DBP		N/A	/	1
		BBP	N/A	/	
	DEHP		N/A	/	
		Pb	BL	/	
		Cd	BL	/	
		Hg	BL	/	
8		(Cr^{6+})	IN	N.D.	
	Br	PBBs PBDEs	N/A	/	Conformity
	ח	IBP	N/A	/	
)BP	N/A	/	
		BBP	N/A	/	
		ЕНР	N/A	/	
	D.	FIII	1 N/A	I	



Test point	Test	Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
	P	ďb	BL	/	
	(Cd	BL	/	
	H	[g	BL	/	
	Cr(0	Cr^{6+})	BL	/	
9	Br	PBBs	BL	/	Conformity
_		PBDEs		/	Comornity
_		BP	N/A	N.D.	
	D)	BP	N/A	N.D.	
	Bl	BP	N/A	N.D.	
	DE	НР	N/A	N.D.	
	P	b	BL	/	
	C	Cd .	BL	/	
		[g	BL	/	
	Cr(C	Cr^{6+})	BL	/	
10	D.,,	PBBs	N/A	/	Conformity
10	Br	PBDEs	IN/A	/	Conformity
	DIBP		N/A	/	
	DBP		N/A	/	
	BBP		N/A	/	
	DEHP		N/A	/	
	P	b	BL	/	
	Cd		BL	/	
	Hg		BL	/	
	$Cr(Cr^{6+})$		BL	/	
11	Br	PBBs PBDEs	BL	/	Conformity
	DI	BP	N/A	N.D.	
	D)	BP	N/A	N.D.	
		BP	N/A	N.D.	
	DEHP		N/A	N.D.	
		b	BL	/	
_		Cd	BL	/	
	H	[g	BL	/	
		Cr ⁶⁺)	BL	/	
12	Br	PBBs PBDEs	BL	/	Conformity
	DI	BP	N/A	N.D.	
		BP	N/A	N.D.	
		BP	N/A	N.D.	
+		HP	N/A	N.D.	



Test point	Test Item		X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	C05443231017-00
	I	Pb	BL	/	
	(Cd	BL	/	
		Яg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
13	Br	PBBs PBDEs	BL	/	Conformity
	D	IBP	N/A	N.D.	
		BP	N/A	N.D.	
		BP	N/A	N.D.	
		ЕНР	N/A	N.D.	
		Pb	BL	/	
		Cd	BL	/	
		Ig	BL	/	
		Cr ⁶⁺)	BL	/	
14	Br	PBBs PBDEs	BL	/	Conformity
	DIBP		N/A	N.D.	
	DBP		N/A	N.D.	
	BBP		N/A	N.D.	
	DEHP		N/A	N.D.	
		Pb	BL	/	
	Cd		BL	/	
	Hg		BL	/	
	Cr(Cr ⁶⁺)		BL	/	
15	Br	PBBs PBDEs	BL	/	Conformity
	D	IBP	N/A	N.D.	
	DBP		N/A	N.D.	
	BBP		N/A	N.D.	
	DEHP		N/A	N.D.	
		Pb	BL	/	
		Cd	BL	/	
	Hg		BL	/	
		Cr ⁶⁺)	BL	/	
16	Br	PBBs	N/A	/	Conformity
_	D1	PBDEs	TAT / A	/	,
-		IBP DD	N/A	/	
-		BP	N/A	/	
		BP EHP	N/A N/A	/	



Test point	Test Item		X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	C05443231017-00
	I	Pb	BL	/	
	(Cd	BL	/	
	F	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
17	Br	PBBs PBDEs	BL	/	Conformity
	D	IBP	N/A	N.D.	
		BP	N/A	N.D.	
		BP	N/A	N.D.	
		ЕНР	N/A	N.D.	
		Pb	BL	/	
		Cd	BL	/	
		łg	BL	/	
		Cr ⁶⁺)	BL	/	
18	Br	PBBs PBDEs	N/A	/	Conformity
	DIBP		N/A	/	
	DBP		N/A	/	
	BBP		N/A	/	
	DEHP		N/A	/	
		Pb	BL	/	
	Cd		BL	/	
	Hg		BL	/	
	$Cr(Cr^{6+})$		BL	/	
19	Br	PBBs PBDEs	BL	/	Conformity
	DIBP DBP		N/A	N.D.	
			N/A	N.D.	
		BP	N/A	N.D.	
	DEHP		N/A	N.D.	
		Pb	BL	/	
		Cd	BL	/	
		-Ig	BL	/	
		Cr ⁶⁺)	BL	/	
		PBBs		N.D.	
20	Br	PBDEs	IN	N.D.	Conformity
-	D	IBP	N/A	N.D.	
-		BP	N/A	N.D.	
-		BP	N/A	N.D.	
-		ЕНР	N/A	N.D.	



C H	Pb Cd Ig Cr ⁶⁺)	mg/kg BL BL BL	mg/kg / /	
Cr(Ig Cr ⁶⁺)		/	
Cr(Cr ⁶⁺)	BL		
			/	
Br	DDD -	BL	/	
		N/A	/	Conformity
DI		N/A	/	
			/	
			/	
		N/A	/	
F	P b	BL	/	
		BL	/	
H	Ig	BL	/	
		BL	/	
Br	PBBs	BL	/	Conformity
L		N/A	N.D.	
			/	
		BL	/	
			/	
Br	PBBs	N/A	/	Conformity
DI		N/A	/	
			/	l
			/	
			/	
			/	
			/	
			/	
			N.D.	
Br	PBBs	N/A	/	Conformity
וח		N/A	/	
			/	
			/	
			,	
	DI D	PBDES DIBP	BIR PBDEs N/A DIBP N/A N/A	PBDEs



Test point	Test	Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
	F	b	BL	/	
	(Cd	BL	/	
	H	Ig	BL	/	
	Cr(0	Cr ⁶⁺)	BL	/	
25		PBBs	DI	/	C C :
25	Br	PBDEs	BL	/	Conformity
	DI	BP	N/A	N.D.	
	D	BP	N/A	N.D.	
	В	BP	N/A	N.D.	
	DE	НР	N/A	N.D.	
	F	b	BL	/	
	C	Cd	BL	/	
	Н	lg	BL	/	
		Cr ⁶⁺)	BL	/	
2.6		PBBs	D.1	/	
26	Br	PBDEs	BL	/	Conformity
	DIBP		N/A	N.D.	
	DBP		N/A	N.D.	
	BBP		N/A	N.D.	
	DEHP		N/A	N.D.	
		b	BL	/	
	Cd		BL	/	
	Hg		BL	/	
	Cr(Cr ⁶⁺)		IN	N.D.	
27	Br	PBBs PBDEs	N/A	/	Conformity
	DI	BP	N/A	/	
	DBP		N/A	/	
		BP	N/A	/	ı
	DEHP		N/A	/	
		'b	BL	/	
		Ed .	BL	/	
		lg	BL	/	
		Cr^{6+})	BL	/	
28	Br	PBBs PBDEs	BL	/	Conformity
-	DI	BP	N/A	N.D.	
-		BP	N/A	N.D.	
-		BP	N/A	N.D.	
-		CHP	N/A	N.D.	



Test Item		X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method	Conclusion
Pb		BL	/	
(Cd	BL	/	
]	Hg	BL	/	
		BL	/	
	PBBs	27/4	/	
Br	PBDEs	N/A	/	Conformity
D	IBP	N/A	/	
D	BP	N/A	/	
В	BP	N/A	/	
Dl	ЕНР	N/A	/	
]	Pb	BL	/	
(Cd	BL	/	
]	Hg	BL	/	
Cr(Cr ⁶⁺)	IN	N.D.	
Br	PBBs PBDEs	N/A	/	Conformity
DIBP		N/A	/	
DBP		N/A	/	
BBP		N/A	/	
DEHP		N/A	/	
Pb		BL	/	
Cd		BL	/	
Hg		BL	/	
		BL	/	
PRRs		D.I.	N.D.	G 6 :
Br	PBDEs	IN	N.D.	Conformity
D	IBP	N/A	N.D.	
D	BP	N/A	N.D.	
BBP	N/A	N.D.		
DEHP		N/A	N.D.	
]	Pb	BL	/	
(Cd	BL	/	
Hg		BL	/	
		BL	/	
Br PBBs		N/A	/	Conformity
D		N/A	/	-
			/	
		N/A	/	
	Cr(Br D D D D D D D D D	$ \begin{array}{c c} & & & & \\ & & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & $	Test Item Spectrometry (XRF) mg/kg Pb BL Cd BL Hg BL Cr(Cr ⁶⁺) BL Br PBBs PBDEs N/A DBP N/A DBP N/A BBP N/A DEHP N/A Pb BL Cd BL Hg BL Cr(Cr ⁶⁺) IN Br PBBs PBDEs N/A DIBP N/A DEHP N/A Bb BL Cd BL Br PBBs PBDEs IN Br PBBs PBDE N/A DBP N/A DBP	Note



Test point	Test Item		X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
	Pb Cd		BL	/	
			BL	/	
		Hg	BL	/	
	Cr((Cr ⁶⁺)	BL	/	
33	Br	PBBs PBDEs	BL	/	Conformity
	D	IBP	N/A	N.D.	
)BP	N/A	N.D.	
		BBP	N/A	N.D.	
		ЕНР	N/A	N.D.	
	:	Pb	BL	/	
		Cd	BL	/	
]	Hg	BL	/	
		(Cr^{6+})	BL	/	
34	Br	PBBs PBDEs	N/A	/	Conformity
	DIBP DBP BBP		N/A	/	
			N/A	/	
			N/A	/	
	DEHP		N/A	/	
	Pb		BL	/	
	Cd		BL	/	
	Hg		BL	/	
	Cr(Cr ⁶⁺)		BL	/	
35	Br	PBBs PBDEs	N/A	/	Conformity
	DIBP DBP		N/A	/	
			N/A	/	
	BBP		N/A	/	-
	DEHP		N/A	/	
		Pb	BL	/	
		Cd	BL	/	
	Hg		BL	/	
		(Cr^{6+})	BL	/	
36	Br PBBs PBDEs		BL	/	Conformity
	ח	IBP	N/A	N.D.	1
		BBP BBP	N/A N/A	N.D. N.D.	
	DEHP		N/A	N.D.	



Test point	Test Item		X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
	Pb		BL	/	
		Cd	BL	/	
		Hg	BL	/	
	Cr	(Cr ⁶⁺)	BL	/	
37	Br	PBBs PBDEs	BL	/	Conformity
	Г	DIBP	N/A	N.D.	
-		OBP	N/A	N.D.	
-	F	BBP	N/A	N.D.	
	D	ЕНР	N/A	N.D.	
		Pb	BL	/	
ļ		Cd	BL	/	
		Hg	BL	/	
		(Cr^{6+})	BL	/	
38	Br	PBBs PBDEs	BL	/	Conformity
	DIBP DBP BBP		N/A	N.D.	
-			N/A	N.D.	
			N/A	N.D.	
	DEHP		N/A	N.D.	
	Pb		BL	/	
	Cd		BL	/	
	Hg		BL	/	
	Cr(Cr ⁶⁺)		BL	/	
39	Br	PBBs PBDEs	BL	/	Conformity
	Ε	OIBP	N/A	N.D.	
)BP	N/A	N.D.	
		BBP	N/A	N.D.	
	DEHP		N/A	N.D.	
		Pb	BL	/	
		Cd	BL	/	
	Hg Cr(Cr ⁶⁺)		BL	/	
			BL	/	
40	Br	PBBs PBDEs	BL	/	Conformity
	Γ	OIBP	N/A	N.D.	
		OBP	N/A	N.D.	
		BBP	N/A	N.D.	
		EHP	N/A	N.D.	
	ע	1/111	1 N/ FA	14.17.	



Test point	Test Item		point Test Item Spectron		nt Test Item X-ray Fluorescence Spectrometry (XRF) mg/kg		point Test Item Spectrometry (2		Spectrometry (XRF)	Wet Chemistry Method mg/kg	Cos443231017-0
	Pb		BL	/							
		Cd	BL	/							
		Hg	BL	/							
	Cr	(Cr ⁶⁺)	BL	/							
41	Br	PBBs PBDEs	N/A	/	Conformity						
	D	DIBP	N/A	/							
		OBP	N/A	/							
	F	BBP	N/A	/							
	D	ЕНР	N/A	/							
		Pb	BL	/							
ļ		Cd	BL	/							
		Hg	BL	/							
		(Cr^{6+})	BL	/							
40	Br	PBBs	Di	N.D.	Conformity						
42		PBDEs	IN	N.D.							
	DIBP		N/A	N.D.							
	DBP		N/A	N.D.							
	BBP	N/A	N.D.								
	DEHP		N/A	N.D.							
	Pb		BL	/							
	Cd		BL	/							
	Нд		BL	/							
	Cr(Cr ⁶⁺)		BL	/							
43	Br	PBBs PBDEs	N/A	/	Conformity						
	D	DIBP	N/A	/							
		OBP	N/A	/							
		BBP	N/A	/							
	DEHP		N/A	/							
		Pb	BL	/							
		Cd	BL	/							
	Hg		BL	/							
		(Cr^{6+})	BL	/							
44	Br PBBs PBDEs		BL	/	Conformity						
-	Г	OIBP	N/A	N.D.							
-)BP	N/A	N.D.							
-		овг ВВР	N/A	N.D.							
-			N/A	N.D.							
	DEHP		1N/A	IN.D.							



Test point	Test Item		X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
	Pb		BL	/	
	(Cd	BL	/	
	H	Ig	BL	/	
	Cr(0	$\mathbb{C}r^{6+}$)	BL	/	
45	D	PBBs	DT/A	/	G 6 :
45	Br	PBDEs	N/A	/	Conformity
	DI	BP	N/A	/	
	D:	BP	N/A	/	
	B	BP	N/A	/	
	DE	НР	N/A	/	
	F	b	BL	/	
		Cd	BL	/	
		[g	BL	/	
	Cr(C	Cr ⁶⁺)	BL	/	
16	Br	PBBs	NT/A	/	C C : L -
46		PBDEs	N/A	/	Conformity
	DIBP DBP BBP		N/A	/	
			N/A	/	
			N/A	/	
	DEHP		N/A	/	
	F	b	BL	/	
	Cd		BL	/	
	Нд		BL	/	
	Cr(Cr ⁶⁺)		BL	/	
47	Br	PBBs PBDEs	BL	/	Conformity
	DI	BP	N/A	N.D.	
	DBP BBP	N/A	N.D.		
		N/A	N.D.		
		НР	N/A	N.D.	
		b	BL	/	
		Cd	BL	/	
	Hg		BL	/	
		Cr^{6+})	BL	/	
48	Br PBBs PBDEs		N/A	/	Conformity
-	DI	BP	N/A	/	
-		BP	N/A	/	
-		BP	N/A	/	
-		CHP	N/A	/	



Test point	F	Item Pb Cd	X-ray Fluorescence Spectrometry (XRF) mg/kg BL BL BL	Wet Chemistry Method mg/kg /	Conclusion
		Cr^{6+})	BL	/	
49	Br	PBBs PBDEs	BL	/	Conformity
	DIBP DBP		N/A	N.D.	
			N/A	N.D.	
	BBP	N/A	N.D.		
	DEHP		N/A	N.D.	
	F	b	BL	/	
	C	Cd	BL	/	
	Нд		BL	/	
	Cr(C	Cr^{6+})	BL	/	
50	$ \begin{array}{c c} & \text{PBBs} \\ \hline & \text{PBDEs} \end{array} $	PBBs	BL	/	Conformity
30		PBDEs	DL	/	Comornity
	DI	BP	N/A	N.D.	
	D:	BP	N/A	N.D.	
	B	BP	N/A	N.D.	
	DE	CHP	N/A	N.D.	

Element	Unit	Non-metal	Metal	Composite Material
Cd	mg/kg	BL≤70-3σ <x <130+3σ≤OL</x 	BL≤70-3σ <x <130+3σ≤OL</x 	BL≤50-3σ <x <150+3σ≤OL</x
Pb	mg/kg	BL≤700-3σ <x <1300+3σ≤OL</x 	BL≤700-3σ <x <1300+3σ≤OL</x 	BL≤500-3σ <x <1500+3σ≤OL</x
Hg	mg/kg	BL≤700-3σ <x <1300+3σ≤OL</x 	BL≤700-3σ <x <1300+3σ≤OL</x 	BL≤500-3σ <x <1500+3σ≤OL</x
Cr	mg/kg	BL≤700-3σ <x< td=""><td>BL≤700-3σ<x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<></td></x<>	BL≤700-3σ <x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<>	BL≤500-3σ <x< td=""></x<>
Br	mg/kg	BL≤300-3σ <x< td=""><td>N/A</td><td>BL≤250-3σ<x< td=""></x<></td></x<>	N/A	BL≤250-3σ <x< td=""></x<>

Remark:

- (1) BL= Below Limit, OL= Over limited, IN = Inconclusive, Scanning by XRF and detected by chemical method, N/A = Not applicable.
- (2) Results were obtained by XRF for primary scanning, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the above warning value.
- (3) The XRF scanning test for RoHS elements The reading may be different to the actual content in the sample be of non-uniformity composition.



(4) Boiling-water-extraction:(X represents the results of the tested sample)

• •	` •	• ,
Number	Colorimetric result (Cr(VI) concentration)	Judgement
1	$X \le 0.1 \mu g/cm^2$	Negative
2	$0.1 \mu g/cm^2 \le X \le 0.13 \mu g/cm^2$	Uncertainty
3	$X > 0.13 \mu g/cm^2$	Positive

Report No.: AGC05443231017-001

Negative indicates the absence of Cr(VI) on the tested areas concentration is below the limit of quantification. The coating is considered a non-Cr(VI) based coating.

Uncertainty indicates the absence of Cr(VI) on the tested areas unavoidable coating variations may influence the determination.

Positive indicates the presence of Cr(VI) on the tested areas concentration is above the limit of quantification and the statistical margin of error. The sample coating is considered to contain Cr(VI).

Storage conditions and production date of the tested sample are unavailable and thus result of Cr(VI) represent status of the sample at the time of testing.

(5) Disclaimers: This XRF Scanning report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes. The result shown in this XRF scanning report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.

- Formaldehyde Release

Test Methods and Equipment: EN 717-3:1996; UV-Vis

Test Item(s)	Unit	Client's	MDI	Test Result(s)
	Ollit	limit MDL	51	
Formaldehyde Release	mg/kg	80	1	2
Co	Conformity			

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 51

Regulation (EU) 2019/1021 on persistent organic pollutants (POPs)


- Pentachlorophenol (PCP) Content

Test Methods and Equipment: EPA 3550C:2007 & EPA 8270E:2018; GC-MS

Test Item(s)	Unit Limit	MDL	Test Result(s)	
rest ttem(s)	Ollit	Lillit	Limit MDL	51
Pentachlorophenol (PCP)	mg/kg	5	5	N.D.
Co	Conformity			


Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 51







Test Flow Chart of XRF




Test Flow Chart of Phthalates









Test Flow Chart of PBBs and PBDEs









Test Flow Chart of Hexavalent Chromium (Cr6+)









Test Flow Chart of Formaldehyde Release







Test Flow Chart of Pentachlorophenol (PCP)





Conditions of Issuance of Test Reports

- 1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").
- 2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
- 3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
- 9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

*** End of Report ***