

TEST REPORT

Report No. : WTF23F11235018C

Applicant: Mid Ocean Brands B.V.

Address : 7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan,

Kowloon, Hong Kong

Manufacturer 115582

Sample Name RPET felt backpack, RPET felt laptop bag

Sample Model : MO2164, MO2165

Test Requested..... : Refer to next page (s)

Date of Receipt sample..... : 2023-11-03

Testing period...... 2023-11-03 to 2023-11-09

Date of Issue 2023-11-09

Test Result : Refer to next page (s)

Note...... : As specified by client, only test the designated sample.

Prepared By:

Waltek Testing Group (Foshan) Co., Ltd.

Address: 2/F., Building 1 and No.13-19, 2/F., 2nd Building, Sunlink Machinery City, Xingye 4 Road, Guanglong Industrial Park, Chihua Neighborhood Committee, Chencun Town, Shunde District, Foshan, Guangdong, China Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Signed for and on behalf of

Gwing Liang

Waltek Testing Group (Foshan) Co., Ltd.

Swing.Liang



Summary

| Item No. | Test Requested | Test Conclusion |
|----------|---|--------------------|
| un Tex w | Determination of Lead content in the submitted sample in accordance with REACH regulation Annex XVII Entries 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628 | LIEL NA Pass Miles |
| 2 | Determination of Cadmium content in the submitted sample in accordance with REACH regulation Annex XVII Entries 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011, No. 835/2012 and (EU) 2016/217 | Pass |
| 3 | Determination of specified Phthalates content according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005 | Pass |
| 4 | Determine the specified AZO Colorants contents in the submitted sample in according to the Entries 43 in Annex XVII of the REACH Regulation (EC) No.1907/2006 and the Amendment Regulation (EC) No.552/ 2009 & No.126/ 2013 (previously restricted under Directive 2002/61/EC). | Pass |
| 5 | Determination of specified Polycyclic Aromatic Hydrocarbons (PAHs) content in submitted sample in accordance with Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013. | Pass |
| 6 | As requested by the applicant, to test Colour Fastness to Rubbing in the submitted sample. | Pass |

Sample photo:







Test Results:

1) Lead (Pb)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

| Took House | LOQ | Results | s (mg/kg) | Limit |
|------------|--------------|----------------|-----------------|---------|
| Test Item | (mg/kg) | No.1+No.3+No.5 | No.4+No.6+No.14 | (mg/kg) |
| Lead(Pb) | 2 | 54* | 11* N | 500 |
| Conclusion | CLIFE SHALLE | Pass | Pass | et set |

| | LOQ | L + 0F | Results (mg/kg) | Writer WALLE | Limit |
|------------|----------|---------------------|-----------------|--------------|----------|
| Test Item | (mg/kg) | No.2+No.7 +No.10 | No.8 | No.9 | (mg/kg) |
| Lead(Pb) | 2 2 | ND* | 22 | 18 | 500 |
| Conclusion | 200 -200 | Pass | Pass | Pass | are with |

| 70° | LOQ | THE THE LIFE | esults (mg/kg) | aller alle | Limit |
|------------|------------|-----------------------|----------------|------------|---------|
| Test Item | (mg/kg) | No.11+No.15 +No.17 | No.12 | No.13 | (mg/kg) |
| Lead(Pb) | IF NY 2 MY | ND* | 15 | 69 | 500 |
| Conclusion | . V - V | Pass | Pass | Pass | 1 14 14 |

| + | LOQ | William Millian | L A A | Limit | | |
|------------|----------|-----------------|-------------|-------------|---------|--|
| Test Item | (mg/kg) | No.16+No.18 | No.20+No.21 | No.22+No.23 | (mg/kg) | |
| Lead(Pb) | <u> </u> | ND* | ND* | 29* | 500 | |
| Conclusion | 4 A A | Pass | Pass | Pass | 12. Ta | |

Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Lead was quoted from REACH regulation Annex XVII Item 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628.
- (5) "*" = Results are calculated by the minimum weight of mixed components.



2) Cadmium (Cd)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

| Took Home Lifet 1841 | LOQ | mi mi m | TEX TEX STEX | |
|----------------------|---|-----------------|--------------|-------|
| Test Item | (mg/kg) | No.4+No.6+No.14 | No.8 | No.9 |
| Cadmium(Cd) | July 5 10 10 10 10 10 10 10 10 10 10 10 10 10 | ND* | ND | ND ND |
| Conclusion | A - A | Pass | Pass | Pass |

| Tarablam alika | LOQ | Mur. Mur. | TEX TEX TEX | |
|----------------|---------|-----------|-------------|-------|
| Test Item | (mg/kg) | No.12 | No.13 | No.19 |
| Cadmium(Cd) | 2 | ND | ND | ND CO |
| Conclusion | - 1 th | Pass | Pass | Pass |

| Tage trains a liter | LOQ | Results (mg/kg) | | | |
|---------------------|---------|-----------------|-------------|--|--|
| Test Item | (mg/kg) | No.20+No.21 | No.22+No.23 | | |
| Cadmium(Cd) | 2 00 | ND* | ND* | | |
| Conclusion | - A- A | Pass | Pass | | |

Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Cadmium according to REACH regulation Annex XVII Item 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011 and No. 835/2012 and (EU) 2016/217.

| Category | Limit (mg/kg) |
|---|---------------|
| Wet paint | 100 |
| Surface coating | 1000 |
| Plastic | 100 |
| Metal parts of jewellery and hair accessories | 100 |

(5) "*" = Results are calculated by the minimum weight of mixed components.



3) Phthalates

Test Method: With reference to EN14372:2004, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

| WILLS MULTER MULTER MULTER | LOQ | | sults %) | Limit |
|--------------------------------------|-------------------------|---------------------|------------------|-------------------------------|
| Test Items | (%) | No.4+No.6 +No.14 | No.19 | (%) |
| Benzyl butyl phthalate (BBP) | 0.005 | ND* | ND | Let Jet J |
| Di (2-ethyl hexyl)- phthalate (DEHP) | 0.005 | 0.012* | Anti ND | sum of four |
| Dibutyl phthalate (DBP) | 0.005 | ND* | ND ND | phthalates < 0.1 |
| Diisobutyl phthalate (DIBP) | 0.005 | ND* | ND | TEX TEX |
| Diisodecyl phthalate (DIDP) | 0.01 | ND* | ND JO | 24 2 24 2 |
| Diisononyl phthalate (DINP) | 0.01 | ND* | - ND | sum of three phthalates < 0.1 |
| Di-n-octyl phthalate (DNOP) | late (DNOP) 0.005 ND* N | ND | primalates < 0.1 | |
| Conclusion | 70 - 1 | Pass | Pass | in min min |

| Test Items | LOQ | Results (%) | | Limit |
|--------------------------------------|---------|-------------|-------------|-------------------------------|
| m m m | (%) | No.20+No.21 | No.22+No.23 | (%) |
| Benzyl butyl phthalate (BBP) | 0.005 | ND* | ND* | William Maria Mar |
| Di (2-ethyl hexyl)- phthalate (DEHP) | 0.005 | ND* | 0.011* | sum of four |
| Dibutyl phthalate (DBP) | 0.005 | ND* | ND* | phthalates < 0.1 |
| Diisobutyl phthalate (DIBP) | 0.005 | ND* | ND* | WALTER WALTER |
| Diisodecyl phthalate (DIDP) | 0.01 | ND* | ND* | Let Let |
| Diisononyl phthalate (DINP) | 0.01 | ND* | ND* | sum of three phthalates < 0.1 |
| Di-n-octyl phthalate (DNOP) | 0.005 | ND* | ND* | printial cost of the |
| Conclusion | Sept. S | Pass | Pass | - 4 |



Note:

DBP= Dibutyl phthalate

BBP= Benzyl butyl phthalate

DEHP= Bis-(2-ethylhexyl)- phthalate

DIDP= Di-isodecyl phthalate

DIDP= Di-isodecyl phthalate

DIBP= Diisobutyl phthalate

(1) % = percentage by weight

(2) ND = Not Detected or lower than limit of quantitation

(3) LOQ = Limit of quantitation

(4) "<" = less than

(5) The above limit was quoted according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005 (formerly known as Directive 2005/84/EC) for phthalate content in toys and child care articles.

(6) "*" = Results are calculated by the minimum weight of mixed components.





4) AZO

Test Method: With reference to BS EN ISO 14362-1: 2017 and BS EN ISO 14362-3: 2017, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS)

| 100 | The same same same same | | Limit | Result (mg/kg) |
|-----|---|----------|--|----------------|
| No. | Amines Substances | CAS No. | (mg/kg) | No.1+No.2+No.3 |
| 1 | 4-Aminobiphenyl | 92-67-1 | 30 | ND* |
| 2 | Benzidine | 92-87-5 | 30 | ND* |
| 3 | 4-chloro-o-Toluidine | 95-69-2 | 30 | ND* |
| 4 | 2-Naphthylamine | 91-59-8 | 30 | ND* |
| 5 | o-Aminoazotoluene | 97-56-3 | 30 | ND* |
| 6 | 2-Amino-4-nitrotoluene | 99-55-8 | 30 | ND* |
| 7 | p-Chloroaniline | 106-47-8 | 30 | ND* |
| 8 | 2,4-diaminoanisol | 615-05-4 | 30 | ND* |
| 9 | 4,4'-Diaminodiphenylmethane | 101-77-9 | 30 | ND* |
| 10 | 3,3'-Dichlorobenzidine | 91-94-1 | 30 | ND* |
| 11 | 3,3'-Dimethoxybenzidine | 119-90-4 | 30 | ND* |
| 12 | 3,3'-Dimethylbenzidine | 119-93-7 | 30 | ND* |
| 13 | 3,3'-Dimethyl-4,4'-diaminodiphenylmethane | 838-88-0 | 30 | ND* |
| 14 | p-cresinin p-cresinin | 120-71-8 | 30 | ND* |
| 15 | 4,4'-Methylen-bis-(2-chloroaniline) | 101-14-4 | 30 | ND* |
| 16 | 4,4'-Oxydianiline | 101-80-4 | 30 | ND* |
| 17 | 4,4'-Thiodianiline | 139-65-1 | 30 | ND* |
| 18 | o-Toluidine | 95-53-4 | 30 | ND* |
| 19 | 2,4-Toluylendiamine | 95-80-7 | 30 | ND* |
| 20 | 2,4,5 – Trimethylaniline | 137-17-7 | 30 | ND* |
| 21 | o-anisidine | 90-04-0 | 30 | ND* |
| 22 | 4-aminoazobenzene | 60-09-3 | 30 | ND* |
| 23 | 2,4-Xylidin | 95-68-1 | 30 | ND* |
| 24 | 2,6-Xylidin | 87-62-7 | 30 | ND* |
| 4 | Conclusion | LIE M | 10 10 10 10 10 10 10 10 10 10 10 10 10 1 | Pass |



| No. | The state of the sales and | CACNE | Limit | Result (mg/kg) No.5+No.11+No.17 | |
|-----|---|----------|----------|------------------------------------|--|
| NO. | Amines Substances | CAS No. | (mg/kg) | | |
| 1 | 4-Aminobiphenyl | 92-67-1 | 30 | ND* | |
| 2 | Benzidine | 92-87-5 | 30 | ND* | |
| 3 | 4-chloro-o-Toluidine | 95-69-2 | 30 | ND* | |
| 4 | 2-Naphthylamine | 91-59-8 | 30 | ND* | |
| 5 | o-Aminoazotoluene | 97-56-3 | 30 | ND* | |
| 6 | 2-Amino-4-nitrotoluene | 99-55-8 | 30 | ND* | |
| 7 | p-Chloroaniline | 106-47-8 | 30 | ND* | |
| 8 | 2,4-diaminoanisol | 615-05-4 | 30 | ND* | |
| 9 (| 4,4'-Diaminodiphenylmethane | 101-77-9 | 30 | ND* | |
| 10 | 3,3'-Dichlorobenzidine | | 30 | ND* | |
| 11 | 3,3'-Dimethoxybenzidine | 119-90-4 | 30 | ND* | |
| 12 | 3,3'-Dimethylbenzidine | 119-93-7 | 30 | ND* | |
| 13 | 3,3'-Dimethyl-4,4'-diaminodiphenylmethane | 838-88-0 | 30 | ND* | |
| 14 | p-cresinin | 120-71-8 | 30 | ND* | |
| 15 | 4,4'-Methylen-bis-(2-chloroaniline) | 101-14-4 | 30 | ND* | |
| 16 | 4,4'-Oxydianiline | 101-80-4 | 30 | ND* | |
| 17 | 4,4'-Thiodianiline | 139-65-1 | 30 | ND* | |
| 18 | o-Toluidine | 95-53-4 | 30 | ND* | |
| 19 | 2,4-Toluylendiamine | 95-80-7 | 30 | ND* | |
| 20 | 2,4,5 – Trimethylaniline | 137-17-7 | 30 | ND* | |
| 21 | o-anisidine | 90-04-0 | 30 | ND* | |
| 22 | 4-aminoazobenzene | 60-09-3 | 30 | ND* | |
| 23 | 2,4-Xylidin | 95-68-1 | 30 | ND* | |
| 24 | 2,6-Xylidin | 87-62-7 | 30 | ND* | |
| | Conclusion | -26 | 18 13 ET | Pass | |

Note:

- ND = Not Detected or lower than limit of quantitation
- mg/kg=Milligram per kilogram
- Limit of quantitation (mg/kg): Each 5mg/kg
- The CAS-numbers 97-56-3 and 99-55-8 are further reduced to CAS-numbers 95-53-4 and 95-80-7.
- AZO colorants that are able to form 4-aminoazobenzene, generate under the condition of this method aniline and 1,4-phenylenediamine. The presence of these colorants cannot be reliably ascertained without additional information, e.g. the chemical structure of the colorant used.
- "*" = Results are calculated by the minimum weight of mixed components.



5) Polycyclic Aromatic Hydrocarbons (PAHs)

Test Method: With reference to AFPS GS 2019:01 PAK method, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS).

| Test Items | Unit | Results No.4+No.6+No.14 | LOQ | Limit |
|--------------------------------|-----------|----------------------------|-------|-------|
| Benzo(a)anthracene (BaA) | mg/kg | ND* | 0.2 | 1.0 |
| Chrysene (CHR) | mg/kg | ND* | 0.2 | 1.0 |
| Benzo[b]fluoranthene (BbFA) | mg/kg | ND*_tf | 0.2 | 1.0 |
| Benzo[k]fluoranthene (BkFA) | mg/kg | ND* | 0.2 | 1.0 |
| Benzo(a)pyrene (BaP) | mg/kg | ND* | 0.2 | 1.0 |
| Dibenzo[a,h]anthracene (DBAhA) | mg/kg | ND* | 0.2 | 1.0 |
| Benzo[j]fluoranthene (BjFA) | mg/kg | ND* | 0.2 | 1.0 |
| Benzo[e]Pyrene (BeP) | mg/kg | ND* | 0.2 | 1.0 |
| Conclusion | white whi | Pass | et 10 | (6 |

| Took komoln | llmi4 | Res | LOQ | Limit | |
|--------------------------------|----------|-------------|-------------|-------|-------|
| Test Items | Unit | No.20+No.21 | No.22+No.23 | 23 | |
| Benzo(a)anthracene (BaA) | mg/kg | ND* | ND* | 0.2 | 1.0 |
| Chrysene (CHR) | mg/kg | ND* | ND* | 0.2 | 1.0 |
| Benzo[b]fluoranthene (BbFA) | mg/kg | ND* | ND* | 0.2 | 1.0 |
| Benzo[k]fluoranthene (BkFA) | mg/kg | ND* | ND* | 0.2 | 1.0 |
| Benzo(a)pyrene (BaP) | mg/kg | ND* | ND* | 0.2 | 1.0 |
| Dibenzo[a,h]anthracene (DBAhA) | mg/kg | ND* | ND* | 0.2 | 1.0 |
| Benzo[j]fluoranthene (BjFA) | mg/kg | ND* | ND* | 0.2 | 1.0 |
| Benzo[e]Pyrene (BeP) | mg/kg | ND* | ND* | 0.2 | 1.0 |
| Conclusion | white wi | Pass | Pass | A+ A | y 181 |



Note:

- (1) ND = Not Detected or lower than limit of quantitation
- (2) mg/kg=milligram per kilogram=ppm
- (3) LOQ = Limit of quantitation
- (4) As per Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013, Articles shall not be placed on the market for supply to the general public, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 1 mg/kg (0,0001 % by weight of this component) of any of the listed PAHs.
- (5) As per Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013, Toys, including activity toys, and childcare articles, shall not be placed on the market, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 0,5 mg/kg (0,00005 % by weight of this component) of any of the listed PAHs.
- (6) "*" = Results are calculated by the minimum weight of mixed components.

6) Colour Fastness to Rubbing

| Colour Fast | our Fastness to Rubbing | | | | | | | |
|-------------|-------------------------|------------|----------|---------|------|-------|---------|----------------|
| (ISO 105-X1 | 2: 2016; Size of rubbi | ng finger: | 16mm dia | meter.) | | + .6 | - 16 | JER SITE |
| 20, 20, | | No.1 | No.2 | No.3 | No.5 | No.11 | No.17 | Client's Limit |
| I ambite | Dry staining | 4-5 | 4-5 | 4-5 | 4-5 | 4-5 | 4-5 | 2-3 |
| Length | Wet staining | 4-5 | 4-5 | 4-5 | 4-5 | 4-5 | 4-5 | 2-3 |
| VA (CELLE | Dry staining | 4-5 | -5 4-5 | 2-3 | | | | |
| Width | Wet staining | 4-5 | 4-7/ | 7,6 | | 4-5 | 30 - Ju | 2-3 |
| Conclusion | 1 L N | Pass | Pass | Pass | Pass | Pass | Pass | n n. |

Note:

(1) Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.



Description for Specimen:

| Specimen No. | Specimen Description | | |
|--|---|--|--|
| - 18t It | Grey-black main fabric | | |
| m 2 m m | Black fabric rim | | |
| STEE 3 STEE WITE IN | Black webbing | | |
| 4 | Black plastic buckle | | |
| 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | Black net fabric | | |
| et cott | Black plastic zipper tooth | | |
| 7 | Black zipper fabric | | |
| mer 8 mer mer ou | Silvery metal zipper head with black surfaced | | |
| 9 11 11 11 | Silvery metal zipper handle with black surfaced | | |
| 10 | Black fabric rim | | |
| 11 Black lining | | | |
| 12 Silvery metal zipper handle with blac | | | |
| Mer. 13 Mer. Mar. | Silvery metal zipper head with black surfaced | | |
| 14 | Black plastic zipper tooth | | |
| 15 | Black zipper fabric | | |
| 16 m m | Black plastic loop(VELCRO) | | |
| 17 Jet 11 | Black elastic band | | |
| 18 | Black plastic hook(VELCRO) | | |
| 19 mil al | White pearl wool | | |
| 20 | Black plastic buckle | | |
| 21 | Black plastic buckle | | |
| 22 | Black plastic buckle | | |
| 23 | Black plastic buckle | | |



Photograph of parts tested:









Remarks:

- 1. The results shown in this test report refer only to the sample(s) tested;
- 2. This test report cannot be reproduced, except in full, without prior written permission of the company;
- 3. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver;
- 4. The Applicant name and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which Waltek hasn't verified;
- 5. If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.
- 6. The sample material information (Model No. information) is provided by client, not verified by test laboratory. The samples of reference Model No. are not tested. Test laboratory not responsible for the accuracy, appropriateness, completeness and authenticity of the information provided by client.

===== End of Report ======

