

# **Test Report**

Report No. : AGC05443231045-001

- SAMPLE NAME : Wireless charger
- MODEL NAME : MO2184
- APPLICANT : MID OCEAN BRANDS B.V
- **STANDARD(S)** : Please refer to the following page(s).
- DATE OF ISSUE : Nov. 03, 2023









#### MID OCEAN BRANDS B.V

: 7/F, Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong.

: 6/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China

#### Report on the submitted sample(s) said to be:

:

Sample Name	:	Wireless charger
Model	:	MO2184
Vendor code	:	114538
Country of Origin	:	CHINA
Country of Destination	:	EUROPE
Sample Received Date	:	Oct. 27, 2023
Testing Period	:	Oct. 27, 2023 to Nov. 03, 2023
Test Requested	:	Selected test(s) as requested by client.

2011/65/EU (RoHS) and its amendment directive (EU) 2015/863

- Pb, Cd, Hg, Cr<sup>6+</sup>, PBBs, PBDEs, DBP, BBP, DEHP, DIBP

## Test Requested:

- Formaldehyde Release

# Conclusion Pass Pass

Pass

Regulation (EU) 2019/1021 on persistent organic pollutants (POPs) - Pentachlorophenol (PCP) Content

Approved by : Jossie ling

Liangdan, Jessie.Liang

**Technical Director** 





Report Revise Record							
Report Version	Issued Date	Valid Version	Notes				
/	Nov. 03, 2023	Valid	Initial release				





## The photo of the sample





















Ø 50 *30* 40 20 60 10 80 30 40 0 50 30 40 20 60 10 80 30 500 10 50 30 40 20 60 10 8 Ø 50 *30* 40 20 60 10 80 30 400 10 50 30 40 20 60 10 80 30 500 10 50 30 40 20 60 10 8





The photo of AGC05443231045-001 is for use only with the original report.

#### **Test Point Description**

Test point	Test module	Test parts	Test point description	
Wireless charger Model: MO2184				
1			Black leather	
2		Outer shell	Epoxy resin board	
3			Woody shell	

4			Report No.: AGC05443231045- White glue
5			Black foam with glue
<u>5</u> 6			Grey ceramic
7		_	Tan tape
8		- Induction coil	Coil
<u>o</u> 9		_	Enameled wire
9 10			Black thermistor
		Enameled wire	Enameled wire
11			
12		T	Type-C metal connector
13		Type-C connector	Grey plastic joint
14			Metal pin
15		Capacitance	Red plastic shell
16			Film
17			Chip capacitor
18	Circuit board		Chip resistor
19			Chip diode
20			Chip LED
21			IC body
22			Metallic pin with solder
23			PCB
24			Solder
USB cabl	e		
25			USB metal plug
26			White plastic plug
27		USB plug	Metal pin
28			Black handle
29			Solder
30			Type-C metal plug
31			Grey plastic plug
32			Metal pin
33		Type-C plug	Metallic pogopin
34			PCB
35			Solder
36			Chip resistor
37			Black outer wire jacket
38			Black wire jacket
39			Conductor
40		Wire rod	Green wire jacket
41			Red wire jacket
42			White wire jacket
1-3			Woody shell

Note: "---" = The test point exists alone in the sample and is not attached to the test module or test parts.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

R



#### **Test Results:**

Note: N.D.=Not Detected (less than method detection limit), MDL = Method Detection Limit, 1mg/kg=0.0001%

2011/65/EU (RoHS) and its amendment directive (EU) 2015/863	5
- Pb, Cd, Hg, Cr <sup>6+</sup> , PBBs, PBDEs, DBP, BBP, DEHP, DIBP	

Test Item	Test Method/ Instrument	MDL	Maximum Limit
Lead (Pb)		/	1000mg/kg
Cadmium (Cd)		/	100mg/kg
Mercury (Hg)	IEC 62321-3-1:2013/ XRF	/	1000mg/kg
Total Chromium		/	/
Total Bromine		/	/
Chemistry Method		I	
Lead (Pb)	IEC 62321-5:2013/ ICP-OES	2mg/kg	1000mg/kg
Cadmium (Cd)	IEC 62321-5:2013/ ICP-OES	2mg/kg	100mg/kg
Mercury (Hg)	IEC 62321-4: 2013+A1:2017/ ICP-OES	2mg/kg	1000mg/kg
Non-metal: Hexavalent Chromium (Cr <sup>6+</sup> )	IEC 62321-7-2:2017/ UV-Vis	8mg/kg	1000mg/kg
Metal: Hexavalent Chromium (Cr <sup>6+</sup> )	IEC 62321-7-1:2015/ UV-Vis	0.1µg/cm <sup>2</sup>	/
Polybrominated Biphenyls (PBBs) -Monobromobiphenyl (MonoBB) -Dibromobiphenyl (DiBB) -Tribromobiphenyl (TriBB) -Tetrabromobiphenyl (TetraBB) -Pentabromobiphenyl (PentaBB) -Hexabromobiphenyl (HexaBB) -Heptabromobiphenyl (HeptaBB) -Octabromobiphenyl (OctaBB) -Nonabromodiphenyl (NonaBB) -Decabromodiphenyl (DecaBB)	IEC 62321-6:2015/ GC-MS	Single 5mg/kg	Sum 1000mg/kg
PolybrominatedDiphenylethers (PBDEs) -Monobromodiphenyl ether (MonoBDE) -Dibromodiphenyl ether (DiBDE) -Tribromodiphenyl ether (TriBDE) -Tetrabromodiphenyl ether (TetraBDE) -Pentabromodiphenyl ether (PentaBDE) -Hexabromodiphenyl ether (HexaBDE) -Heptabromodiphenyl ether (HeptaBDE) -Octabromodiphenyl ether (OctaBDE) -Nonabromodiphenyl ether (NonaBDE) -Decabromodiphenyl ether (DecaBDE)	IEC 62321-6:2015/ GC-MS	Single 5mg/kg	Sum 1000mg/kg
Di-iso-butyl phthalate (DIBP)		50mg/kg	1000mg/kg
Dibutyl phthalate (DBP)	-	50mg/kg	1000mg/kg
Butylbenzyl phthalate (BBP)	— IEC 62321-8:2017/ GC-MS	50mg/kg	1000mg/kg
Di-(2-ethylhexyl) Phthalate (DEHP)		50mg/kg	1000mg/kg

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



Test point	Tes	t Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	C05443231045-0 Conclusion
		Pb	BL	/	
		Cd	BL	/	
		Hg	BL	/	
	Cr	$(Cr^{6+})$	BL	/	
1	Br	PBBs	BL	/	Conformity
1	DI	PBDEs	DL	/	Conformity
	D	IBP	N/A	N.D.	
	Ι	OBP	N/A	N.D.	
	E	BBP	N/A	N.D.	
	D	EHP	N/A	N.D.	
		Pb	BL	/	
		Cd	BL	/	
		Hg	BL	/	
	Cr	$(Cr^{6+})$	BL	/	
2	Br	PBBs	IN	N.D.	Conformity
2		PBDEs	IIN	N.D.	Comonnity
	DIBP		N/A	N.D.	
	DBP		N/A	N.D.	
	BBP		N/A	N.D.	
	DEHP		N/A	N.D.	
	Pb		BL	/	
	Cd		BL	/	
	Hg		BL	/	
	Cr(Cr <sup>6+</sup> )		BL	/	
3	Br	PBBs PBDEs	BL	/ /	Conformity
-	D	DIBP	N/A	N.D.	
_	Ι	DBP	N/A	N.D.	
_		3BP	N/A	N.D.	
_		EHP	N/A	N.D.	
		Pb	BL	/	
F		Cd	BL	/	
_	Hg		BL	/	1
F		(Cr <sup>6+</sup> )	BL	/	
4	Br	PBBs PBDEs	BL	/	Conformity
F	Γ	DIBP	N/A	N.D.	
F		)BP	N/A	N.D.	
F		BBP	N/A N/A	N.D.	
+		EHP	N/A N/A	N.D.	



Test point	Tes	t Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	C05443231045-0
		Pb	BL	/	
		Cd	BL	/	
		Hg	BL	/	
	Cr	$(Cr^{6+})$	BL	/	
5	Br	PBBs PBDEs	BL	/	Conformity
-	Ľ	DIBP	N/A	N.D.	
	Ι	DBP	N/A	N.D.	
	Ε	BBP	N/A	N.D.	
	D	EHP	N/A	N.D.	
		Pb	BL	/	
		Cd	BL	/	
		Hg	BL	/	
	Cr	(Cr <sup>6+</sup> )	BL	/	
6	Br	PBBs PBDEs	BL	/	Conformity
-	DIBP		N/A	N.D.	
-	DBP		N/A	N.D.	
-	BBP		N/A	N.D.	
-	DEHP		N/A	N.D.	
	Pb		BL	/	
-	Cd		BL	/	
	Hg		BL	/	
-	Cr(Cr <sup>6+</sup> )		BL	/	
7	Br	PBBs PBDEs	BL	/	Conformity
-	Ľ	DIBP	N/A	N.D.	•
-		DBP	N/A	N.D.	
-		3BP	N/A	N.D.	
-	DEHP		N/A	N.D.	
		Pb	BL	/	
-		Cd	BL	/	-
-		Hg	BL	/	
		(Cr <sup>6+</sup> )	BL	/	
8	Br	PBBs PBDEs	BL	/	Conformity
F	Γ	DIBP	N/A	N.D.	
F		DBP	N/A	N.D.	
F		BBP	N/A N/A	N.D.	
F		EHP	N/A	N.D.	



Test point	Tes	t Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
		Pb	BL	/	
Γ		Cd	BL	/	
Γ		Hg	BL	/	
	Cr	$(Cr^{6+})$	BL	/	
0	р	PBBs	DI	/	
9	Br	PBDEs	BL	/	Conformity
	Ľ	IBP	N/A	N.D.	
	Ι	DBP	N/A	N.D.	
	I	BBP	N/A	N.D.	
	D	EHP	N/A	N.D.	
		Pb	BL	/	
		Cd	BL	/	
		Hg	BL	/	
	Cr	$(Cr^{6+})$	BL	/	
10	р	PBBs	DI	/	
10	Br	PBDEs	BL	/	Conformity
	DIBP		N/A	N.D.	
	DBP		N/A	N.D.	
	BBP		N/A	N.D.	
	DEHP		N/A	N.D.	
	Pb		BL	/	
	Cd		BL	/	
	Hg		BL	/	
	Cr(Cr <sup>6+</sup> )		BL	/	
11	Br	PBBs PBDEs	BL	/	Conformity
-	Ľ	DIBP	N/A	N.D.	
-		DBP	N/A	N.D.	
-		BBP	N/A	N.D.	
-	DEHP		N/A	N.D.	
		Pb	BL	/	
-		Cd	BL	/	
-		Hg	BL	/	
		$(Cr^{6+})$	IN	N.D.	
		PBBs		/	
12	Br	PBDEs	N/A	/	Conformity
F	D	DIBP	N/A	/	
F		DBP	N/A	/	
F		BBP	N/A	/	
F		EHP	N/A	/	



Test point	Test Item		X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
	Pb		BL	/	
-		Cd	BL	/	
-		Hg	BL	/	
-	Cr	$(Cr^{6+})$	BL	/	
13		PBBs	BL	/	Conformity
15	Br	PBDEs	BL	/	Conformity
	D	DIBP	N/A	N.D.	
	Ι	OBP	N/A	N.D.	
-	H	3BP	N/A	N.D.	
-	D	EHP	N/A	N.D.	
		Pb	BL	/	
-		Cd	BL	/	
-		Hg	BL	/	
-	Cr	$(Cr^{6+})$	BL	/	
1.4	D	PBBs		/	
14	Br	PBDEs	N/A	/	Conformity
	DIBP		N/A	/	
	DBP		N/A	/	
	BBP		N/A	/	
	DEHP		N/A	/	
	Pb		BL	/	
-	Cd		BL	/	
		Hg	BL	/	
	Cr(Cr <sup>6+</sup> )		BL	/	
15	Br	PBBs PBDEs	BL	/	Conformity
-	Ľ	DIBP	N/A	N.D.	
-		DBP	N/A	N.D.	
-		3BP	N/A	N.D.	
-	DEHP		N/A	N.D.	
		Pb	BL	/	
-		Cd	BL	/	
-		Hg	BL	/	
-	Cr(Cr <sup>6+</sup> )		BL	/	
		PBBs		/	
16	Br	PBDEs	BL	/	Conformity
-	Ľ	DIBP	N/A	N.D.	
-	Ι	DBP	N/A	N.D.	
Ē		BBP	N/A	N.D.	
1		EHP	N/A	N.D.	



Test point	Tes	t Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	C05443231045-00 Conclusion
		Pb	BL	/	
		Cd	BL	/	
		Hg	BL	/	
	Cr	$(Cr^{6+})$	BL	/	
17		PBBs	ום	/	Conformity
1 /	Br	PBDEs	BL	/	Conformity
	D	IBP	N/A	N.D.	
	Ι	DBP	N/A	N.D.	
	I	BBP	N/A	N.D.	
	D	EHP	N/A	N.D.	
		Pb	BL	/	
		Cd	BL	/	
		Hg	BL	/	
		(Cr <sup>6+</sup> )	BL	/	
10		PBBs	DI	/	
18	Br	PBDEs	BL	/	Conformity
	DIBP		N/A	N.D.	
F	DBP		N/A	N.D.	
	BBP		N/A	N.D.	
	DEHP		N/A	N.D.	
	Pb		BL	/	
F	Cd		BL	/	
	Hg		BL	/	
F	Cr(Cr <sup>6+</sup> )		BL	/	
19	Br	PBBs PBDEs	BL	/	Conformity
F	DIBP		N/A	N.D.	
F		DBP	N/A	N.D.	
F		BP	N/A	N.D.	
F	DEHP		N/A N/A	N.D.	
		Pb	BL	/	
F		Cd	BL	/	
F		Hg	BL	/	
F		$(Cr^{6+})$	BL	/	
F		PBBs		/	
20	Br	PBDEs	BL	/	Conformity
	Ľ	DIBP	N/A	N.D.	
	Ι	)BP	N/A	N.D.	
		BBP	N/A	N.D.	
F		EHP	N/A	N.D.	



Test point	Test	ttem	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
	]	Pb	BL	/	
	(	Cd	BL	/	
	l	Hg	BL	/	
	Cr(	Cr <sup>6+</sup> )	BL	/	
21	D	PBBs	DI	/	
21	Br	PBDEs	BL	/	Conformity
Γ	D	IBP	N/A	N.D.	
Γ	D	BP	N/A	N.D.	
Γ	В	BP	N/A	N.D.	
Γ	D	EHP	N/A	N.D.	
	]	Pb	BL	/	
Γ	(	Cd	BL	/	
	]	Нg	BL	/	
		Cr <sup>6+</sup> )	BL	/	
22	D	PBBs		/	
22	Br	PBDEs	N/A	/	Conformity
	DIBP		N/A	/	
	DBP		N/A	/	
	BBP		N/A	/	
	DEHP		N/A	/	
	Pb		BL	/	
	Cd		BL	/	
	Hg		BL	/	
	Cr(Cr <sup>6+</sup> )		BL	/	
	Br Pl	PBBs	Bs	N.D.	
23		PBDEs	IN	N.D.	Conformity
	D	IBP	N/A	N.D.	
	D	BP	N/A	N.D.	
	В	BP	N/A	N.D.	
	DEHP		N/A	N.D.	
	]	Pb	BL	/	
F		Cd	BL	/	
	]	Hg	BL	/	
		Cr <sup>6+</sup> )	BL	/	
		PBBs		/	
24	Br	PBDEs	N/A	/	Conformity
F	D	IBP	N/A	/	
F		BP	N/A	/	
F		BP	N/A	/	
F		EHP	N/A	/	



Test point	Tes	t Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	C05443231045-0 Conclusion
	Pb		BL	/	
		Cd	BL	/	
		Hg	BL	/	
	Cr	(Cr <sup>6+</sup> )	BL	/	
25	D.,	PBBs	N/A	/	Conformity
25	Br	PBDEs	N/A	/	Conformity
Γ	Γ	DIBP	N/A	/	
Γ	Ι	OBP	N/A	/	
Γ	I	BBP	N/A	/	
Γ	D	EHP	N/A	/	
		Pb	BL	/	
Γ		Cd	BL	/	
Γ		Hg	BL	/	
Γ	Cr	$(Cr^{6+})$	BL	/	
26	D.,	PBBs	ומ	/	Conformity
20	Br	PBDEs	BL	/	
Γ	DIBP		N/A	N.D.	
Γ	DBP		N/A	N.D.	
	BBP		N/A	N.D.	
	D	EHP	N/A	N.D.	
		Pb	BL	/	
	Cd		BL	/	
	Hg		BL	/	
	$Cr(Cr^{6+})$		BL	/	
27	Br	PBBs PBDEs	N/A	/	Conformity
F	Ľ	DIBP	N/A	/	
		DBP	N/A	/	
		3BP	N/A	/	
		EHP	N/A	/	
		Pb	BL	/	
		Cd	BL	/	
-	Hg		BL	/	
		$(Cr^{6+})$	BL	/	
		PBBs		/	
28	Br	PBDEs	BL	/	Conformity
F	Ľ	DIBP	N/A	N.D.	
F		DBP	N/A	N.D.	
F		BBP	N/A	N.D.	
F		EHP	N/A	113	



Test point	Tes	t Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	C05443231045-0 Conclusion
	Pb		BL	/	
		Cd	BL	/	
Γ		Hg	BL	/	
	Cr	(Cr <sup>6+</sup> )	BL	/	
20	D.,	PBBs		/	
29	Br	PBDEs	N/A	/	Conformity
	Γ	DIBP	N/A	/	
	Ι	OBP	N/A	/	
Γ	Ι	BBP	N/A	/	
Γ	D	EHP	N/A	/	
		Pb	BL	/	
F		Cd	BL	/	
F		Hg	BL	/	
	Cr	$(Cr^{6+})$	IN	N.D.	
	D	PBBs	N/A –	/	Conformity
30	) Br	PBDEs		/	
-	DIBP		N/A	/	
F	DBP		N/A	/	
F	BBP		N/A	/	
F	DEHP		N/A	/	
		Pb	BL	/	
		Cd	BL	/	
	Hg		BL	/	
	Cr(Cr <sup>6+</sup> )		BL	/	
31	Br	PBBs PBDEs	BL	/	Conformity
-	DIBP DBP		N/A	N.D.	
-			N/A	N.D.	
F		3BP	N/A	N.D.	
	DEHP		N/A	N.D.	
		Pb	BL	/	
F		Cd	BL	/	
-	Hg		BL	/	
F	Cr(Cr <sup>6+</sup> )		BL	/	
-		PBBs		/	
32	Br PBDEs		N/A	/	Conformity
F	Г	DIBP	N/A	/	
F		OBP	N/A	/	
F		BBP	N/A N/A	/	
F		EHP	N/A N/A	, /	



Test point	Test Item		X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
	Pb		BL	/	
-		Cd	BL	/	
		Hg	BL	/	
-	Cr	(Cr <sup>6+</sup> )	IN	N.D.	
22		PBBs		/	Conformitor
33	Br	PBDEs	N/A	/	Conformity
	D	DIBP	N/A	/	
	Ι	OBP	N/A	/	
	H	BBP	N/A	/	
	D	EHP	N/A	/	
		Pb	BL	/	
		Cd	BL	/	
		Hg	BL	/	
	Cr	(Cr <sup>6+</sup> )	BL	/	
24	D	PBBs	IN	N.D.	Conformity
34	Br	PBDEs		N.D.	
	DIBP		N/A	N.D.	
	DBP		N/A	N.D.	
	BBP		N/A	N.D.	
	DEHP		N/A	N.D.	
		Pb	BL	/	
F	Cd		BL	/	
	Hg		BL	/	
	Cr(Cr <sup>6+</sup> )		BL	/	
35	Br	PBBs PBDEs	N/A	/	Conformity
-	DIBP		N/A	/	
-		DBP	N/A	/	
-		3BP	N/A	/	
-		EHP	N/A	/	
		Pb	BL	/	
-		Cd	BL	/	
-	Hg		BL	/	
-		$\frac{c}{(Cr^{6+})}$	BL	/	
		PBBs		/	
36	Br PBDEs		- BL	/	Conformity
-	Ľ	DIBP	N/A	N.D.	
-		DBP	N/A	N.D.	
-		BP	N/A	N.D.	
ł		EHP	N/A	N.D.	



Test point	Test Item		X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	C05443231045-0 Conclusion
	Pb Cd		BL	/	
			BL	/	
		Hg	BL	/	
	Cr(	(Cr <sup>6+</sup> )	BL	/	
37	Br	PBBs PBDEs	BL	/	Conformity
-		IBP	N/A	, N.D.	
-		)BP	N/A N/A	N.D.	
-		BP	N/A N/A	N.D.	
-		EHP	N/A N/A	N.D.	
		Pb	BL	/ /	
-		Cd	BL BL	/	
-				/	
-		Hg	BL	/	
-	Cr(	(Cr <sup>6+</sup> )	BL	/	
38	Rr –	PBBs PBDEs	BL	/	Conformity
	DIBP		N/A	N.D.	
F	DBP		N/A	N.D.	
	BBP		N/A	N.D.	
F	D	EHP	N/A	N.D.	
		Pb	BL	/	
	Cd		BL	/	
F	Hg		BL	/	
	Cr(Cr <sup>6+</sup> )		BL	/	
39	Br	PBBs	N/A	/	Conformity
_	DI PBDEs DIBP DBP		N/A	/	
-			N/A N/A	/	
-				/	
-		BBP EHP	N/A N/A	/	
				/	
-		Pb	BL	/	
·	Cd		BL	/	
F		Hg	BL	/	
F	Cr(	$(Cr^{6+})$	BL	/	
40	Br	PBBs PBDEs	BL	/	Conformity
F	D	IBP	N/A	N.D.	
F	Γ	BP	N/A	N.D.	
F		BBP	N/A	N.D.	
F		EHP	N/A	N.D.	



Test point	Test Item		X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion	
	F	b	BL	/		
	(	Cd	BL	/		
	H	Ig	BL	/		
	Cr(	Cr <sup>6+</sup> )	BL	/		
41	Br	PBBs	DI	/	Conformity	
41	Br	PBDEs	BL	/	Conformity	
	DIBP DBP BBP		N/A	N.D.		
			N/A	N.D.		
			N/A	N.D.		
	DEHP		N/A	N.D.		
	F	'b	BL	/		
42	Cd		BL	/		
	Hg		BL	/		
	Cr(Cr <sup>6+</sup> )		BL	/		
	D	PBBs	DI	/		
	Br PBDEs		BL	/	Conformity	
	DIBP		N/A	N.D.		
	DBP		N/A	N.D.		
	B	BP	N/A	N.D.		
	DE	CHP	N/A	N.D.		

Element	Unit	Non-metal	Metal	Composite Material
Cd	mg/kg	BL≤70-3σ <x &lt;130+3σ≤OL</x 	BL≤70-3σ <x &lt;130+3σ≤OL</x 	BL≤50-3σ <x &lt;150+3σ≤OL</x 
Pb	mg/kg	BL≤700-3σ <x &lt;1300+3σ≤OL</x 	BL≤700-3σ <x &lt;1300+3σ≤OL</x 	BL≤500-3σ <x &lt;1500+3σ≤OL</x 
Hg	mg/kg	BL≤700-3σ <x &lt;1300+3σ≤OL</x 	BL≤700-3σ <x &lt;1300+3σ≤OL</x 	BL≤500-3σ <x &lt;1500+3σ≤OL</x 
Cr	mg/kg	BL≤700-3σ <x< td=""><td>BL≤700-3σ<x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<></td></x<>	BL≤700-3σ <x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<>	BL≤500-3σ <x< td=""></x<>
Br	mg/kg	BL≤300-3σ <x< td=""><td>N/A</td><td>BL≤250-3σ<x< td=""></x<></td></x<>	N/A	BL≤250-3σ <x< td=""></x<>

Remark:

- (1) BL= Below Limit, OL= Over limited, IN = Inconclusive, Scanning by XRF and detected by chemical method, N/A = Not applicable.
- (2) Results were obtained by XRF for primary scanning, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the above warning value.
- (3) The XRF scanning test for RoHS elements The reading may be different to the actual content in the sample be of non-uniformity composition.



(4) Boiling-water-extraction:(X represents the results of the tested sample)	(4)	Boiling-water-ex	traction:(X repre	esents the results	of the tested samp	le)
--	-----	------------------	-------------------	--------------------	--------------------	-----

Number	Colorimetric result (Cr(VI) concentration)	Judgement
1	$X \le 0.1 \mu g/cm^2$	Negative
2	$0.1 \mu g/cm^2 \le X \le 0.13 \mu g/cm^2$	Uncertainty
3	$X > 0.13 \mu g/cm^2$	Positive

Negative indicates the absence of Cr(VI) on the tested areas concentration is below the limit of quantification. The coating is considered a non-Cr(VI) based coating.

Uncertainty indicates the absence of Cr(VI) on the tested areas unavoidable coating variations may influence the determination.

Positive indicates the presence of Cr(VI) on the tested areas concentration is above the limit of quantification and the statistical margin of error. The sample coating is considered to contain Cr(VI).

Storage conditions and production date of the tested sample are unavailable and thus result of Cr(VI) represent status of the sample at the time of testing.

(5) Disclaimers: This XRF Scanning report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes. The result shown in this XRF scanning report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.

#### - Formaldehyde Release

Test Methods and Equipment: EN 717-3:1996; UV-Vis

Test Item(s)	Test Item(s) Unit Client's MDL						
Test Item(s)	Unit	limit	1-3				
Formaldehyde Release	N.D.						
Со	Conformity						

#### Regulation (EU) 2019/1021 on persistent organic pollutants (POPs)


### - Pentachlorophenol (PCP) Content

Test Methods and Equipment: EPA 3550C:2007 & EPA 8270E:2018; GC-MS


Test Item(s)	Test Result(s) 1-3
Pentachlorophenol (PCP)	N.D.
Со	Conformity



## **Test Flow Chart of XRF**




## **Test Flow Chart of Phthalates**






## **Test Flow Chart of PBBs and PBDEs**








## Test Flow Chart of Hexavalent Chromium (Cr<sup>6+</sup>)






### Test Flow Chart of Formaldehyde Release



## Test Flow Chart of Pentachlorophenol (PCP)





## Conditions of Issuance of Test Reports

1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").

2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.

3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.

4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.

5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.

6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.

8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

\*\*\* End of Report \*\*\*