

TEST REPORT

Report No	WTF23F12257003A1C
Applicant	Mid Ocean Brands B.V.
Address	7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong 118761
Sample Name	23 inch umbrella
Sample Model	MO2167
Test Requested	Refer to next page (s)
Test Conclusion	Pass (Please refer to next pages for details)
Date of Receipt sample	2023-12-01 & 2023-12-27
Testing period	2023-12-01 to 2024-01-03
Date of Issue	2024-01-04
Test Result	Refer to next page (s)
Note :	As specified by client, only test the designated sample.

Prepared By:

Waltek Testing Group (Foshan) Co., Ltd.

Address: 2/F., Building 1 and No.13-19, 2/F., 2nd Building, Sunlink Machinery City, Xingye 4 Road, Guanglong Industrial Park, Chihua Neighborhood Committee, Chencun Town, Shunde District, Foshan, Guangdong, China Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Signed for and on behalf of Waltek Testing Group (Foshan) Co., Ltd.

Gwing Liang

Swing.Liang



WTF23F12257003A1C

 \bigotimes

へこ


Report No.: WTF23F12257003A1C

Job No.: FSWT231147326C

Item No.	Test Requested	Test Conclusion
whitek w	Determination of Lead content in the submitted sample in accordance with REACH regulation Annex XVII Entries 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628	Pass
2	Determination of Cadmium content in the submitted sample in accordance with REACH regulation Annex XVII Entries 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011, No. 835/2012 and (EU) 2016/217	Pass
3	Determination of specified Phthalates content according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005	Pass
4	Determine the specified AZO Colorants contents in the submitted sample in according to the Entries 43 in Annex XVII of the REACH Regulation (EC) No.1907/2006 and the Amendment Regulation (EC) No.552/ 2009 & No.126/ 2013 (previously restricted under Directive 2002/61/EC).	Pass
5	Determination of specified Polycyclic Aromatic Hydrocarbons (PAHs) content in submitted sample in accordance with Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013.	Pass
6	As requested by the applicant, to test Colour Fastness to Rubbing in the submitted sample.	Pass

Sample photo:







Test Results:

1) Lead (Pb)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Tool home State	LOQ	Results	(mg/kg)	Limit
Test Item	(mg/kg)	No.1+No.2+No.3	No.4+No.7+No.8	(mg/kg)
Lead(Pb)	2	77*	ND*	500
Conclusion	A - A	Pass	Pass	- 20 - A

Track Ham and	LOQ	Results (mg/kg)		Limit
Test Item	(mg/kg)	No.5+No.6+No.10	No.9+No.12+No.13	(mg/kg)
Lead(Pb)	2	ND*	ND*	500
Conclusion	4 dt- dt	Pass	Pass	<u>n m</u>

that have state	LOQ	Results (mg/kg)		Limit
Test Item	(mg/kg)	No.11	No.14+No.15+No.16	(mg/kg)
Lead(Pb)	2	ND	9*	500
Conclusion		Pass	Pass	24

the water all	LOQ	Results (Limit	
Test Item	(mg/kg)	No.17	No.18	(mg/kg)
Lead(Pb)	2	ND	ND	500
Conclusion	* # *	Pass	Pass	-10 - 10 L

The how the	LOQ	Results (m	g/kg)	Limit
Test Item	(mg/kg)	No.19+No.21+No.23	No.20	(mg/kg)
Lead(Pb)	2	40*	ND	500
Conclusion	1 - A	Pass	Pass	100 - 20

Table to a lifet of	LOQ	Results (mg/kg)		Limit
Test Item	(mg/kg)	No.22	No.24+No.26+No.27	(mg/kg)
Lead(Pb)	2	ND	45*	500
Conclusion	1 - A 1	Pass	Pass	



Λ

52

Report No.: WTF23F12257003A1C Job No.: FSWT231147326C

Toot Not	LOQ	Res	ults (mg/kg)	Limit
Test Item	(mg/kg)	No.25	No.28+No.29+No.31	(mg/kg)
Lead(Pb)	2	ND	ND*	500
Conclusion		Pass	Pass	men ame a

Test Ham	LOQ	NUTER UNITE IN	Results (mg/kg)	20. 1	Limit
Test Item	(mg/kg)	No.30	No.32	No.33	(mg/kg)
Lead(Pb)	2	ND	ND	ND	500
Conclusion		Pass	Pass	Pass	me -m

Note:

(1) mg/kg = milligram per kilogram

(2) ND = Not Detected (lower than LOQ)

(3) LOQ = Limit of quantitation

(4) Limit of Lead was quoted from REACH regulation Annex XVII Item 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628.

(5) "*" = Results are calculated by the minimum weight of mixed components.

(6) The test sample of specimen No.15, No.23, No.27 and No.31 are received on the date of 2023-12-27.



2) Cadmium (Cd)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Toot Hom	LOQ	at set set w	Results (mg/kg)	
Test Item	(mg/kg)	No.1+No.2+No.3	No.4+No.7+No.8	No.9+No.12+No.13
Cadmium(Cd)	2	ND*	ND*	ND*
Conclusion	mrm	Pass	Pass	Pass

To at Mana	LOQ	Results (mg/l	kg)
Test Item	(mg/kg)	No.14+No.15+No.16	No.18
Cadmium(Cd)	2	ND*	ND
Conclusion	- m m	Pass	Pass

Tool Kom	LOQ	Results (r	ng/kg)	
Test Item	(mg/kg)	No.19+No.21+No.23	No.24+No.26+No.27	
Cadmium(Cd)	2	ND*	ND*	
Conclusion	r m. m	Pass /	Pass	

Tool Kom	LOQ	Results (mg	g/kg)
Test Item	(mg/kg)	No.28+No.29+No.31	No.32
Cadmium(Cd)	2	ND*	ND
Conclusion	un min m	Pass	Pass

Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)

(3) LOQ = Limit of quantitation

(4) Limit of Cadmium according to REACH regulation Annex XVII Item 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011 and No. 835/2012 and (EU) 2016/217.

Category	Limit (mg/kg)
Wet paint	100
Surface coating	1000
Plastic	100
Metal parts of jewellery and hair accessories	S 100 S S

(5) "*" = Results are calculated by the minimum weight of mixed components.

(6) The test sample of specimen No.15, No.23, No.27 and No.31 are received on the date of 2023-12-27.



N

3) Phthalates

Test Method: With reference to EN14372:2004, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test Items	LOQ	Results (%)		Limit	
	(%)	No.1+No.2+No.3	No.4+No.7+No.8	(%)	
Benzyl butyl phthalate (BBP)	0.005	ND*	ND*	INLIER WILLIE W	
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	0.036*	ND*	sum of four	
Dibutyl phthalate (DBP)	0.005	ND*	ND*	phthalates < 0.1	
Diisobutyl phthalate (DIBP)	0.005	ND*	ND*	A MUTER WALTER	
Diisodecyl phthalate (DIDP)	0.01	ND*	ND*	at at	
Diisononyl phthalate (DINP)	0.01	ND*	ND*	sum of three phthalates < 0.1	
Di-n-octyl phthalate (DNOP)	0.005	ND*	ND*		
Conclusion	1 -1	Pass	Pass	1. 20 m	

Test Items	LOQ		sults %)	Limit
nuter writer write av	(%)	No.9+No.12 +No.13	No.14+No.15 +No.16	(%)
Benzyl butyl phthalate (BBP)	0.005	ND*	ND*	
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	ND*	0.045*	sum of four
Dibutyl phthalate (DBP)	0.005	ND*	0.018*	phthalates < 0.1
Diisobutyl phthalate (DIBP)	0.005	ND*	ND*	and the state
Diisodecyl phthalate (DIDP)	0.01	ND*	ND*	white white
Diisononyl phthalate (DINP)	0.01	ND*	ND*	sum of three phthalates < 0.1
Di-n-octyl phthalate (DNOP)	0.005	ND*	ND*	
Conclusion	<u></u>	Pass	Pass	Tet and the main



Job No.: FSWT231147326C

Test Items	LOQ	R	esults (%)	Limit	
White white white white	(%)	No.18	No.19+No.21 +No.23	(%)	
Benzyl butyl phthalate (BBP)	0.005	ND	ND*	Jet Jet	
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	ND S	0.013*	sum of four	
Dibutyl phthalate (DBP)	0.005	ND	ND*	phthalates < 0.1	
Diisobutyl phthalate (DIBP)	0.005	ND	0.012*	at what what	
Diisodecyl phthalate (DIDP)	0.01	ND	ND*	me m	
Diisononyl phthalate (DINP)	0.01	ND	ND*	sum of three phthalates < 0.1	
Di-n-octyl phthalate (DNOP)	0.005	ND	ND*		
Conclusion		Pass	Pass	the super sur	

Test Items	LOQ	We we	sults %)	Limit
	(%)	No.24+No.26 +No.27	No.28+No.29 +No.31	(%)
Benzyl butyl phthalate (BBP)	0.005	ND*	ND*	and an a
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	0.014*	ND*	sum of four
Dibutyl phthalate (DBP)	0.005	ND*	ND*	phthalates < 0.1
Diisobutyl phthalate (DIBP)	0.005	ND*	ND*	MULT MULT
Diisodecyl phthalate (DIDP)	0.01	ND*	ND*	A NUTER MUTER
Diisononyl phthalate (DINP)	0.01	ND*	ND*	sum of three phthalates < 0.1
Di-n-octyl phthalate (DNOP)	0.005	ND*	ND*	
Conclusion	and the second	Pass	Pass	at the st



Job No.: FSWT231147326C

Test Items	LOQ	Results (%)	Limit
	(%)	No.32	(%)
Benzyl butyl phthalate (BBP)	0.005	ND	a at at
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	ND	sum of four
Dibutyl phthalate (DBP)	0.005	ND	phthalates < 0.1
Diisobutyl phthalate (DIBP)	0.005	ND	w to the de
Diisodecyl phthalate (DIDP)	0.01	ND ST ND	while while while
Diisononyl phthalate (DINP)	0.01	ND	sum of three phthalates < 0.1
Di-n-octyl phthalate (DNOP)	0.005	ND ND	
Conclusion	$\frac{2\overline{m}}{2}$ $\frac{2}{2}$	Pass	State State of the st

Note:

DBP= Dibutyl phthalate DINP= Di-isononyl phthalate DIBP= Diisobutyl phthalate BBP= Benzyl butyl phthalate DNOP= Di-n-octyl phthalate DEHP= Bis-(2-ethylhexyl)- phthalate DIDP= Di-isodecyl phthalate Tet white

- (1) % = percentage by weight
- (2) ND = Not Detected or lower than limit of quantitation
- (3) LOQ = Limit of quantitation
- (4) "<" = less than
- (5) The above limit was quoted according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005 (formerly known as Directive 2005/84/EC) for phthalate content in toys and child care articles.
- (6) "*" = Results are calculated by the minimum weight of mixed components.
- (7) The test sample of specimen No.15, No.23, No.27 and No.31 are received on the date of 2023-12-27.



4) AZO

Test Method: With reference to BS EN ISO 14362-1: 2017 and BS EN ISO 14362-3: 2017, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS)

No.	Amines Substances	CAS No.	Limit	Result (mg/kg)
110.	Annies Substances	GAG NU.	(mg/kg)	No.5+No.10
1	4-Aminobiphenyl	92-67-1	30	ND*
2	Benzidine	92-87-5	30	ND*
3	4-chloro-o-Toluidine	95-69-2	30	ND*
4	2-Naphthylamine	91-59-8	30	ND*
5	o-Aminoazotoluene	97-56-3	30	ND*
6	2-Amino-4-nitrotoluene	99-55-8	30	ND*
7	p-Chloroaniline	106-47-8	30	ND*
8	2,4-diaminoanisol	615-05-4	30	ND*
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND*
10	3,3'-Dichlorobenzidine	91-94-1	30	ND*
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND*
12	3,3'-Dimethylbenzidine	119-93-7	30	ND*
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND*
14	p-cresinin	120-71-8	30	ND*
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND*
16	4,4'-Oxydianiline	101-80-4	30	ND*
17	4,4'-Thiodianiline	139-65-1	30	ND*
18	o-Toluidine	95-53-4	30	ND*
19	2,4-Toluylendiamine	95-80-7	30	ND*
20	2,4,5 – Trimethylaniline	137-17-7	30	ND*
21	o-anisidine	90-04-0	30	ND*
22	4-aminoazobenzene	60-09-3	30 📣	ND*
23	2,4-Xylidin	95-68-1	30	ND*
24	2,6-Xylidin	87-62-7	30	ND*
di ⁿ	Conclusion			Pass

Note:

- ND = Not Detected or lower than limit of quantitation
- mg/kg=Milligram per kilogram
- Limit of quantitation (mg/kg): Each 5mg/kg
- The CAS-numbers 97-56-3 and 99-55-8 are further reduced to CAS-numbers 95-53-4 and 95-80-7.
- AZO colorants that are able to form 4-aminoazobenzene, generate under the condition of this method aniline and 1,4-phenylenediamine. The presence of these colorants cannot be reliably ascertained without additional information, e.g. the chemical structure of the colorant used.
- "*" = Results are calculated by the minimum weight of mixed components.



5) Polycyclic Aromatic Hydrocarbons (PAHs)

Test Method: With reference to AFPS GS 2019:01 PAK method, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS).

t at the set with	NUT WALL	Results		, st	de la
Test Items	Unit	No.1+No.2 +No.12	No.13+No.16 +No.29	LOQ	Limit
Benzo(a)anthracene (BaA)	mg/kg	ND*	ND*	0.2	1.0
Chrysene (CHR)	mg/kg	ND*	ND*	0.2	1.0
Benzo[b]fluoranthene (BbFA)	mg/kg	ND*	ND*	0.2	1.0
Benzo[k]fluoranthene (BkFA)	mg/kg	ND*	ND*	0.2	1.0
Benzo(a)pyrene (BaP)	mg/kg	ND*	ND*	0.2	1.0
Dibenzo[a,h]anthracene (DBAhA)	mg/kg	ND*	ND*	0.2	1.0
Benzo[j]fluoranthene (BjFA)	mg/kg	ND* 1	ND*	0.2	1.0
Benzo[e]Pyrene (BeP)	mg/kg	ND*	ND*	0.2	1.0
Conclusion	no Itali	Pass	Pass	d - 1	

Note:

(1) ND = Not Detected or lower than limit of quantitation

- (2) mg/kg=milligram per kilogram=ppm
- (3) LOQ = Limit of quantitation
- (4) As per Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013, Articles shall not be placed on the market for supply to the general public, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 1 mg/kg (0,0001 % by weight of this component) of any of the listed PAHs.
- (5) As per Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013, Toys, including activity toys, and childcare articles, shall not be placed on the market, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 0,5 mg/kg (0,00005 % by weight of this component) of any of the listed PAHs.
- (6) "*" = Results are calculated by the minimum weight of mixed components.



5

Job No.: FSWT231147326C

6) Colour Fastness to Rubbing

Colour Fastness to Rubbing							
(ISO 105-X1	2: 2016; Size of rubbing fi	nger: 16mm diameter.)	to at the			
when wh	m m n	No.5	No.10	Client's Limit			
Laurable	Dry staining	4-5	4-5	2-3			
Length	Wet staining	4-5	4-5	2-3			
AC III	Dry staining	10	4-5	2-3			
Width	Wet staining	m m	4-5	2-3			
Conclusion	m. m. a.	Pass	Pass	me me - m			

Note:

(1) Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.

Description for Specimen:


Specimen No.	Specimen Description		
white white white white	Black plastic handle		
2	White plastic handle		
3	Black plastic cap		
at white 4 white white white	White plastic cap		
5 st	Black fabric rim		
6	White fabric rim		
street in 7 white white white	Transparent plastic sheet		
8 1 1	Black plastic shell		
9	White plastic shell		
t 10 11 11 11 11	Black main fabric		
11 the st	White main fabric		
12 July all and	Black plastic buckle		
13	White plastic buckle		
14	Black plastic part		
15 Million Million	Black plastic gasket		
16 st st	Black plastic part		
17	Silvery metal sheet		
18 th Million Martin	Black coating		
19	Black plastic shell		



Job No.: FSWT231147326C

Specimen No.	Specimen Description
20	Silvery metal strip
21	Black plastic axle
22	Silvery metal rivet
23	Black plastic strip
24	Black plastic shell
25	Golden metal rivet
26	White plastic shell
27	Transparent plastic gasket
28	White plastic axle
29	White plastic part
30	Silvery metal tube
	White plastic strip
32	White plastic shell
33	Silvery metal strip

Photograph of parts tested:






South the text

Report No.: WTF23F12257003A1C

Job No.: FSWT231147326C






5/

Report No.: WTF23F12257003A1C

Job No.: FSWT231147326C



Job No.: FSWT231147326C



Remarks:

- 1. The results shown in this test report refer only to the sample(s) tested;
- 2. This test report cannot be reproduced, except in full, without prior written permission of the company;
- 3. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver;
- 4. The Applicant name and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which Waltek hasn't verified;
- 5. If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.
- 6. The sample material information (Model No. information) is provided by client, not verified by test laboratory. The samples of reference Model No. are not tested. Test laboratory not responsible for the accuracy, appropriateness, completeness and authenticity of the information provided by client.

===== End of Report ======