

Test Report

Report No.: CTT170432703ENR2

Date: May. 09, 2017

Page 1 of 12

Applicant: MID OCEAN BRANDS BV

Address: UNIT 201, 2/F., LAFORD CENTRE, 838 LAI CHI KOK ROAD, CHEUNG SHA WAN,
KOWLOON, HONG KONG

The following merchandise was (were) submitted and identified by client as:

Sample Name: Acrylic blanket with Sherpa;solid flannel blanket;coral fleece blanket with Sherpa

Item No.: MO9087,MO9088,MO9089

P/O No.: AYW17175+17190


No. of Sample: 3

Sample Received Date: Apr. 18, 2017

Completed Date: May. 09, 2017

Test Result(s): Please refer to next page(s).

Signed for and on Behalf of CTT



Yuhu / Lab supervisor

Consumer Testing Technology Co., Ltd.

This test report is issued by the company subject to its General Conditions of Services printed overleaf or available on request and accessible at www.cttlab.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this report refer only to the sample(s) tested. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS, "s" means the item of subcontractor. This report is not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.



Test Requested and Conclusion(s):

| No. | Test Sample | Standard and Requirement | Conclusion(s) |
|-----|---------------------------------------|--|---------------|
| 1 | Tested materials of submitted samples | Annex XVII items 63 of the REACH Regulation (EC) No 1907/2006 & amended (EU) No 836/2012 - Lead content | PASS |
| 2 | Tested materials of submitted samples | Client's requirements on Total Lead (Pb) | PASS |
| 3 | Tested materials of submitted samples | Annex XVII items 23 of the REACH Regulation (EC) No 1907/2006 & COMMISSION REGULATION (EU) No 494/2011 - Total Cadmium (Cd) | PASS |
| 4 | Tested materials of submitted samples | Client's requirements on Total Cadmium (Cd) | PASS |
| 5 | Tested materials of submitted samples | Annex XVII items 43 of the REACH Regulation (EC) No 1907/2006 & amended (EC) No. 552/2009 (Namely former Directive 2002/61/EC) - Azo colorants and Azo dyes | PASS |
| 6 | Tested materials of submitted samples | Client's requirements on Azocolourants and Azodyes | PASS |
| 7 | Tested materials of submitted samples | Client's requirements on colorfastness to rubbing | PASS |

This test report is issued by the company subject to its General Conditions of Services printed overleaf or available on request and accessible at www.cttlab.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this report refer only to the sample(s) tested. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS, "s" means the item of subcontractor. This report is not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.



Test Result(s):

REACH - Lead content

Method: With reference to IEC 62321-5: 2013, analyzed Atomic Absorption Spectroscopy (AAS) or Inductively Coupled Plasma Atomic Emission Spectroscopy (ICP-AES).

| Material No. | Limit (mg/kg) | Result (mg/kg) | Conclusion |
|--------------|---------------|----------------|------------|
| 1 | 500 | N.D. | PASS |
| 2 | 500 | N.D. | PASS |
| 3 | 500 | N.D. | PASS |

- Note:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (< RL).
 3. RL (Reporting Limit) = 10 mg/kg.

Total Lead (Pb)

Method:

Metal - With reference to CPSC-CH-E1001-08.3

Nonmetal - With reference to CPSC-CH-E1002-08.3

Surface coating - With reference to CPSC-CH-E1003-09.1, analyzed by Atomic Absorption Spectroscopy (AAS) or Inductively Coupled Plasma Atomic Emission Spectroscopy (ICP-AES).

| Material No. | Client's Limit (mg/kg) | Result (mg/kg) | Conclusion |
|--------------|------------------------|----------------|------------|
| 1 | 100 | N.D. | PASS |
| 2 | 100 | N.D. | PASS |
| 3 | 100 | N.D. | PASS |

- Note:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (<RL).
 3. RL (Reporting Limit) = 10 mg/kg.

This test report is issued by the company subject to its General Conditions of Services printed overleaf or available on request and accessible at www.cttlab.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this report refer only to the sample(s) tested. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS, "s" means the item of subcontractor. This report is not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.



Test Result(s):

Total Cadmium (Cd)

Method: With reference to IEC 62321-5: 2013, analyzed by Atomic Absorption Spectroscopy (AAS).

| Material No. | Limit (mg/kg) | Result (mg/kg) | Conclusion |
|--------------|---------------|----------------|------------|
| 1 | 100 | N.D. | PASS |
| 2 | 100 | N.D. | PASS |
| 3 | 100 | N.D. | PASS |

- Note:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (<RL).
 3. RL (Reporting Limit) = 2 mg/kg.

Total Cadmium (Cd)

Method:

Metal - With reference to CPSC-CH-E1001-08.3

Nonmetal - With reference to CPSC-CH-E1002-08.3

Surface coating - With reference to CPSC-CH-E1003-09.1, analyzed by Atomic Absorption Spectroscopy (AAS) or Inductively Coupled Plasma Atomic Emission Spectroscopy (ICP-AES).

| Material No. | Client's Limit (mg/kg) | Result (mg/kg) | Conclusion |
|--------------|------------------------|----------------|------------|
| 1 | 75 | N.D. | PASS |
| 2 | 75 | N.D. | PASS |
| 3 | 75 | N.D. | PASS |

- Note:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (<RL).
 3. RL (Reporting Limit) = 2 mg/kg.

This test report is issued by the company subject to its General Conditions of Services printed overleaf or available on request and accessible at www.cttlab.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this report refer only to the sample(s) tested. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS, "s" means the item of subcontractor. This report is not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.



Test Result(s):

Azocolourants and Azodyes ^s

Method: With reference to EN 14362-1:2012 and EN 14362-3:2012, analyzed by Gas Chromatograph-Mass Spectrometry (GC-MS)/ High Performance Liquid Chromatograph (HPLC-DAD).

| No. | Substances Name | CAS No. | Limit (mg/kg) | Result (mg/kg) | |
|-------------------|--|----------|---------------|----------------|------|
| | | | | 1 | 2 |
| 1 | biphenyl-4-ylamine/ 4-aminodiphenyl/ xenylamine | 92-67-1 | 30 | N.D. | N.D. |
| 2 | benzidine | 92-87-5 | 30 | N.D. | N.D. |
| 3 | 4-chloro-o-toluidine | 95-69-2 | 30 | N.D. | N.D. |
| 4 | 2-naphthylamine | 91-59-8 | 30 | N.D. | N.D. |
| 5△ | o-aminoazotoluene/ 4-o-tolylazo-o-toluidine/ 4-amino-2', 3-dimethylazobenzene | 97-56-3 | 30 | N.D. | N.D. |
| 6△ | 2-amino-4-nitrotoluene/ 5-nitro-o-toluidine | 99-55-8 | 30 | N.D. | N.D. |
| 7 | 4-chloroaniline | 106-47-8 | 30 | N.D. | N.D. |
| 8 | 4-methoxy-m-phenylenediamine | 615-05-4 | 30 | N.D. | N.D. |
| 9 | 4,4'-methylenedianiline/ 4,4'-diaminodiphenylmethane | 101-77-9 | 30 | N.D. | N.D. |
| 10 | 3,3'-dichlorobenzidine/ 3,3'-dichlorobiphenyl-4,4'-ylenediamine | 91-94-1 | 30 | N.D. | N.D. |
| 11 | 3,3'-dimethoxybenzidine/ o-dianisidine | 119-90-4 | 30 | N.D. | N.D. |
| 12 | 3,3'-dimethylbenzidine/ 4,4'-bi-o-toluidine | 119-93-7 | 30 | N.D. | N.D. |
| 13 | 4,4'-methylenedi-o-toluidine | 838-88-0 | 30 | N.D. | N.D. |
| 14 | 6-methoxy-m-toluidine/ p-cresidine | 120-71-8 | 30 | N.D. | N.D. |
| 15 | 4,4'-methylene-bis-(2-chloroaniline)/ 2,2'-dichloro-4,4'-methylene-dianiline | 101-14-4 | 30 | N.D. | N.D. |
| 16 | 4,4'-oxydianiline | 101-80-4 | 30 | N.D. | N.D. |
| 17 | 4,4'-thiodianiline | 139-65-1 | 30 | N.D. | N.D. |
| 18 | o-toluidine/ 2-aminotoluene | 95-53-4 | 30 | N.D. | N.D. |
| 19 | 4-methyl-m-phenylenediamine/ 2,4-toluylendiamine | 95-80-7 | 30 | N.D. | N.D. |
| 20 | 2,4,5-trimethylaniline | 137-17-7 | 30 | N.D. | N.D. |
| 21 | o-anisidine / 2-methoxyaniline | 90-04-0 | 30 | N.D. | N.D. |
| 22◇ | 4-aminoazobenzene | 60-09-3 | 30 | N.D. | N.D. |
| Conclusion | | | | PASS | PASS |

This test report is issued by the company subject to its General Conditions of Services printed overleaf or available on request and accessible at www.cttlab.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this report refer only to the sample(s) tested. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS, "s" means the item of subcontractor. This report is not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.



| No. | Substances Name | CAS No. | Limit (mg/kg) | Result (mg/kg) |
|-------------------|--|----------|---------------|----------------|
| | | | | 3 |
| 1 | biphenyl-4-ylamine/ 4-aminodiphenyl/ xenylamine | 92-67-1 | 30 | N.D. |
| 2 | benzidine | 92-87-5 | 30 | N.D. |
| 3 | 4-chloro-o-toluidine | 95-69-2 | 30 | N.D. |
| 4 | 2-naphthylamine | 91-59-8 | 30 | N.D. |
| 5△ | o-aminoazotoluene/ 4-o-tolylazo-o-toluidine/ 4-amino-2', 3-dimethylazobenzene | 97-56-3 | 30 | N.D. |
| 6△ | 2-amino-4-nitrotoluene/ 5-nitro-o-toluidine | 99-55-8 | 30 | N.D. |
| 7 | 4-chloroaniline | 106-47-8 | 30 | N.D. |
| 8 | 4-methoxy-m-phenylenediamine | 615-05-4 | 30 | N.D. |
| 9 | 4,4'-methylenedianiline/ 4,4'-diaminodiphenylmethane | 101-77-9 | 30 | N.D. |
| 10 | 3,3'-dichlorobenzidine/ 3,3'-dichlorobiphenyl-4,4'-ylenediamine | 91-94-1 | 30 | N.D. |
| 11 | 3,3'-dimethoxybenzidine/ o-dianisidine | 119-90-4 | 30 | N.D. |
| 12 | 3,3'-dimethylbenzidine/ 4,4'-bi-o-toluidine | 119-93-7 | 30 | N.D. |
| 13 | 4,4'-methylenedi-o-toluidine | 838-88-0 | 30 | N.D. |
| 14 | 6-methoxy-m-toluidine/ p-cresidine | 120-71-8 | 30 | N.D. |
| 15 | 4,4'-methylene-bis-(2-chloroaniline)/ 2,2'-dichloro-4,4'-methylene-dianiline | 101-14-4 | 30 | N.D. |
| 16 | 4,4'-oxydianiline | 101-80-4 | 30 | N.D. |
| 17 | 4,4'-thiodianiline | 139-65-1 | 30 | N.D. |
| 18 | o-toluidine/ 2-aminotoluene | 95-53-4 | 30 | N.D. |
| 19 | 4-methyl-m-phenylenediamine/ 2,4-toluylendiamine | 95-80-7 | 30 | N.D. |
| 20 | 2,4,5-trimethylaniline | 137-17-7 | 30 | N.D. |
| 21 | o-anisidine / 2-methoxyaniline | 90-04-0 | 30 | N.D. |
| 22◇ | 4-aminoazobenzene | 60-09-3 | 30 | N.D. |
| Conclusion | | | | PASS |

- Note:**
1. mg/kg = part per million (ppm).
 2. N.D. = Not Detected (< RL).
 3. RL (Reporting Limit) = 5 mg/kg.
 4. "△" = The CAS No. 97-56-3 (No.5) and 99-55-8 (No.6) are further reduced to CAS No.95-53-4 (No.18) and 95-80-7(No.19).

This test report is issued by the company subject to its General Conditions of Services printed overleaf or available on request and accessible at www.cttlab.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this report refer only to the sample(s) tested. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS, "s" means the item of subcontractor. This report is not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.



5. "◇" = Azo colorants that are able to form 4-aminoazobenzene(No.22), generate under the condition of this method aniline and 1, 4-phenylenediamine, therefore, the method of EN 14362-3:2012 was employed to verify the 4-aminoazobenzene.

Azocolourants and Azodyes ^s

Method: With reference to EN 14362-1:2012 and EN 14362-3:2012, Analyzed by Gas Chromatograph-Mass Spectrometry (GC-MS)/ High Performance Liquid Chromatograph (HPLC-DAD).

| No. | Substances Name | CAS No. | Client's limit (mg/kg) | Result (mg/kg) | |
|-----|---|----------|------------------------|----------------|------|
| | | | | 1 | 2 |
| 1 | biphenyl-4-ylamine/ 4-aminodiphenyl/ xenylamine | 92-67-1 | 30 | N.D. | N.D. |
| 2 | benzidine | 92-87-5 | 30 | N.D. | N.D. |
| 3 | 4-chloro-o-toluidine | 95-69-2 | 30 | N.D. | N.D. |
| 4 | 2-naphthylamine | 91-59-8 | 30 | N.D. | N.D. |
| 5△ | o-aminoazotoluene/ 4-o-tolylazo-o-toluidine/ 4-amino-2', 3-dimethylazobenzene | 97-56-3 | 30 | N.D. | N.D. |
| 6△ | 2-amino-4-nitrotoluene/ 5-nitro-o-toluidine | 99-55-8 | 30 | N.D. | N.D. |
| 7 | 4-chloroaniline | 106-47-8 | 30 | N.D. | N.D. |
| 8 | 4-methoxy-m-phenylenediamine | 615-05-4 | 30 | N.D. | N.D. |
| 9 | 4,4'-methylenedianiline/ 4,4'-diaminodiphenylmethane | 101-77-9 | 30 | N.D. | N.D. |
| 10 | 3,3'-dichlorobenzidine/ 3,3'-dichlorobiphenyl-4,4'-ylenediamine | 91-94-1 | 30 | N.D. | N.D. |
| 11 | 3,3'-dimethoxybenzidine/ o-dianisidine | 119-90-4 | 30 | N.D. | N.D. |
| 12 | 3,3'-dimethylbenzidine/ 4,4'-bi-o-toluidine | 119-93-7 | 30 | N.D. | N.D. |
| 13 | 4,4'-methylenedi-o-toluidine | 838-88-0 | 30 | N.D. | N.D. |
| 14 | 6-methoxy-m-toluidine/ p-cresidine | 120-71-8 | 30 | N.D. | N.D. |
| 15 | 4,4'-methylene-bis-(2-chloroaniline)/ 2,2'-dichloro-4,4'-methylene-dianiline | 101-14-4 | 30 | N.D. | N.D. |
| 16 | 4,4'-oxydianiline | 101-80-4 | 30 | N.D. | N.D. |
| 17 | 4,4'-thiodianiline | 139-65-1 | 30 | N.D. | N.D. |
| 18 | o-toluidine/ 2-aminotoluene | 95-53-4 | 30 | N.D. | N.D. |
| 19 | 4-methyl-m-phenylenediamine/ 2,4-toluylendiamine | 95-80-7 | 30 | N.D. | N.D. |
| 20 | 2,4,5-trimethylaniline | 137-17-7 | 30 | N.D. | N.D. |
| 21 | o-anisidine / 2-methoxyaniline | 90-04-0 | 30 | N.D. | N.D. |
| 22◇ | 4-aminoazobenzene | 60-09-3 | 30 | N.D. | N.D. |
| 23 | 2,4-xylidine | 95-68-1 | 30 | N.D. | N.D. |

This test report is issued by the company subject to its General Conditions of Services printed overleaf or available on request and accessible at www.cttlab.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this report refer only to the sample(s) tested. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS, "s" means the item of subcontractor. This report is not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.



| | | | | | |
|-------------------|--------------|---------|----|------|------|
| 24 | 2,6-xylydine | 87-62-7 | 30 | N.D. | N.D. |
| Conclusion | | | | PASS | PASS |

| No. | Substances Name | CAS No. | Client's limit (mg/kg) | Result (mg/kg) | |
|-------------------|--|----------|------------------------|----------------|--|
| | | | | 3 | |
| 1 | biphenyl-4-ylamine/ 4-aminodiphenyl/ xenylamine | 92-67-1 | 30 | N.D. | |
| 2 | benzidine | 92-87-5 | 30 | N.D. | |
| 3 | 4-chloro-o-toluidine | 95-69-2 | 30 | N.D. | |
| 4 | 2-naphthylamine | 91-59-8 | 30 | N.D. | |
| 5△ | o-aminoazotoluene/ 4-o-tolylazo-o-toluidine/ 4-amino-2', 3-dimethylazobenzene | 97-56-3 | 30 | N.D. | |
| 6△ | 2-amino-4-nitrotoluene/ 5-nitro-o-toluidine | 99-55-8 | 30 | N.D. | |
| 7 | 4-chloroaniline | 106-47-8 | 30 | N.D. | |
| 8 | 4-methoxy-m-phenylenediamine | 615-05-4 | 30 | N.D. | |
| 9 | 4,4'-methylenedianiline/ 4,4'-diaminodiphenylmethane | 101-77-9 | 30 | N.D. | |
| 10 | 3,3'-dichlorobenzidine/ 3,3'-dichlorobiphenyl-4,4'-ylenediamine | 91-94-1 | 30 | N.D. | |
| 11 | 3,3'-dimethoxybenzidine/ o-dianisidine | 119-90-4 | 30 | N.D. | |
| 12 | 3,3'-dimethylbenzidine/ 4,4'-bi-o-toluidine | 119-93-7 | 30 | N.D. | |
| 13 | 4,4'-methylenedi-o-toluidine | 838-88-0 | 30 | N.D. | |
| 14 | 6-methoxy-m-toluidine/ p-cresidine | 120-71-8 | 30 | N.D. | |
| 15 | 4,4'-methylene-bis-(2-chloroaniline)/ 2,2'-dichloro-4,4'-methylene-dianiline | 101-14-4 | 30 | N.D. | |
| 16 | 4,4'-oxydianiline | 101-80-4 | 30 | N.D. | |
| 17 | 4,4'-thiodianiline | 139-65-1 | 30 | N.D. | |
| 18 | o-toluidine/ 2-aminotoluene | 95-53-4 | 30 | N.D. | |
| 19 | 4-methyl-m-phenylenediamine/ 2,4-toluylendiamine | 95-80-7 | 30 | N.D. | |
| 20 | 2,4,5-trimethylaniline | 137-17-7 | 30 | N.D. | |
| 21 | o-anisidine / 2-methoxyaniline | 90-04-0 | 30 | N.D. | |
| 22◇ | 4-aminoazobenzene | 60-09-3 | 30 | N.D. | |
| 23 | 2,4-xylydine | 95-68-1 | 30 | N.D. | |
| 24 | 2,6-xylydine | 87-62-7 | 30 | N.D. | |
| Conclusion | | | | PASS | |

This test report is issued by the company subject to its General Conditions of Services printed overleaf or available on request and accessible at www.cttlab.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this report refer only to the sample(s) tested. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS, "s" means the item of subcontractor. This report is not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.



- Note:**
1. mg/kg = part per million (ppm).
 2. N.D. = Not Detected (< RL).
 3. RL (Reporting Limit) = 5 mg/kg.
 4. "△" = The CAS No. 97-56-3 (No.5) and 99-55-8 (No.6) are further reduced to CAS No.95-53-4 (No.18) and 95-80-7(No.19).
 5. "◇" = Azo colorants that are able to form 4-aminoazobenzene(No.22), generate under the condition of this method aniline and 1, 4-phenylenediamine, therefore, the method of EN 14362-3:2012 was employed to verify the 4-aminoazobenzene.

Test Material List

The following materials apply only to the samples submitted for chemical testing

| Material No. | Description | Location |
|--------------|--------------------------|----------|
| 1 | Gray synthetic fiber | Fabric |
| 2 | Navy synthetic fiber | Fabric |
| 3 | Wine red synthetic fiber | Fabric |

This test report is issued by the company subject to its General Conditions of Services printed overleaf or available on request and accessible at www.cttlab.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this report refer only to the sample(s) tested. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS, "s" means the item of subcontractor. This report is not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.



Test Result(s):

Colorfastness to rubbingⁿ

Method: ISO 105-X12:2016, Size of rubbing finger: circular 16 mm diameter.

| Material No. | Description | Test Item | | Client's Requirement (Min. Grade) | Results (Grade) | Conclusion |
|--------------|-----------------|-----------|----------------------|-----------------------------------|-----------------|------------|
| 1 | Gray fabric | Warp | Dry (Color Staining) | 4 | 4-5 | PASS |
| | | | Wet (Color Staining) | 3 | 4-5 | |
| | | Weft | Dry (Color Staining) | 4 | 4-5 | |
| | | | Wet (Color Staining) | 3 | 4-5 | |
| 2 | Navy fabric | Warp | Dry (Color Staining) | 4 | 4-5 | PASS |
| | | | Wet (Color Staining) | 3 | 4-5 | |
| | | Weft | Dry (Color Staining) | 4 | 4-5 | |
| | | | Wet (Color Staining) | 3 | 4-5 | |
| 3 | Wine red fabric | Warp | Dry (Color Staining) | 4 | 4-5 | PASS |
| | | | Wet (Color Staining) | 3 | 4-5 | |
| | | Weft | Dry (Color Staining) | 4 | 4-5 | |
| | | | Wet (Color Staining) | 3 | 4-5 | |

Notes:

1. Explanation of Colorfastness Results:

- Grade 5 Negligible or no change or staining
- Grade 4 Slightly changed or stained
- Grade 3 Noticeably changed or stained
- Grade 2 Considerably changed or stained
- Grade 1 Much changed or heavily stained

2. CTT170432703ENR1 is replaced by this report.

This test report is issued by the company subject to its General Conditions of Services printed overleaf or available on request and accessible at www.cttlab.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this report refer only to the sample(s) tested. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS, "s" means the item of subcontractor. This report is not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.



The following picture(s) is supplied by client:



This test report is issued by the company subject to its General Conditions of Services printed overleaf or available on request and accessible at www.cttlab.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this report refer only to the sample(s) tested. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS, "s" means the item of subcontractor. This report is not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.

The following picture(s) is supplied by client:



End of Report

This test report is issued by the company subject to its General Conditions of Services printed overleaf or available on request and accessible at www.cttlab.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this report refer only to the sample(s) tested. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS, "s" means the item of subcontractor. This report is not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.