



TEST REPORT

Reference No	WTF17F1194847X1C
Vereience MO	VVIFI/FII9404/AIC

Applicant: Mid Ocean Brands B.V.

Address: Unit 201 2/F., Laford Centre, 838 Lai Chi Kok Road, Cheung Sha Wan,

Kowloon, Hong Kong.

Manufacturer..... : 104901

Sample Name : Plastic push type spinner pen

Model No. MO9344

Labelled Age Grading...... : 3+

Test Requested.....: For compliance with the European Standard on Safety of Toys:

- EN 71-1:2014 Mechanical and physical properties

- EN 71-2:2014 Flammability

- EN 71-3:2013+A1:2014 Migration of certain elements

Test Method Please refer to next page (s)

Test Conclusion : Please refer to next page (s)

Date of Receipt sample 2017-11-10

Date of Test...... 2017-11-10 to 2017-11-15

Date of Issue 2017-12-22

Test Result: Please refer to next page (s)

Note: This report is based on Waltek test report WTF17F1194847C for

revising, and replaced report WTF17F1194847C.

Remarks:

The results shown in this test report refer only to the sample(s) tested, this test report cannot be reproduced, except in full, without prior written permission of the company. The report would be invalid without specific stamp of test institute and the signatures of reporter and reviewer.

Prepared By:

Waltek Services (Foshan) Co., Ltd.

Address: No. 13-19, 2/F, 2nd Building, Sunlink International Machinery City, Chencun Town, Shunde District, Foshan, Guangdong, China

Tel: +86-757-23811398
Fax: +86-757-23811381

Compiled by:

Swing.Liang /Project Engineer

Approved

Lab Manager

Thang

Reference No.: WTF17F1194847X1C



Test Result:

1) Part 1: Mechanical and physical properties

Section	<u>Description</u>	Result
4	GENERAL REQUIREMENTS	inli - wali
4.1	Material cleanliness	Pass
4.7	Edges with the substitution of the substitutio	Pass
4.8	Points and metallic wires	Pass
7	Warnings, markings and instructions for use	+ et
JALLY .	General	in whi
7.1	Remark: Warnings on toys shall not be misleading or incorrect. Toys intended for children under 36 months shall comply with the requirements in Clause 5 of this standard. A warning on a toy or its <i>packaging</i> does not release the manufacturer or his authorized representative from the obligation to meet these requirements. The warnings shall be preceded by the words 'Warning' or 'Warnings', as appropriate.	Pass See Remark

2)Part 2: Flammability

Section	<u>Description</u>	LIFE BY THE WALL WALL W	Result
4	REQUIREMENTS		* - *
4.1	General	A TIER WILLER MULTER MULTER MULTER MULTER	Pass See Note

Note:

- 4.1 The following materials shall not be used in the manufacture of toys:
- Celluloid (cellulose nitrate), except when used in varnish, paint or glue, or in balls of the type used for table tennis or similar games, and materials with the same behaviour in fire as celluloid. Specific materials to which the test flame is applied in order to check compliance of the toy with requirements in 4.2 to 4.5 are considered to comply with this requirement if the toy meets its appropriate requirements in 4.2 to 4.5;
- Materials with a piled surface which produce surface flash on the approach of a flame. Piled surfaces showing no momentary area of flame over the area of the piled surface remote from the test flame are considered to meet this requirement;
- Highly flammable solids.

In addition, toys shall not contain flammable gases, highly flammable liquids, flammable liquids, flammable gels except as provided for below:

- Flammable liquids, flammable gels and preparations supplied in sealed containers having a maximum volume of 15 ml per container;
- Highly flammable liquids and flammable liquids being entirely retained within a porous material in capillary channels of writing instruments;
- Flammable liquids with a viscosity greater than 260 x 10⁻⁶m²/s corresponding to a flow time of more than 38 s when determined in accordance with EN ISO 2431 using cup No. 6;
- Highly flammable liquids contained in toys covered in EN 71-5.

NOTE: Different legal requirements may exist in non-EU countries.

Page 3 of 8

Reference No.: WTF17F1194847X1C



LABELING REQUIREMENT(WASHING/CLEANING INSTRUCTION, CE MARK, IMPORTER/ MANUFACTURER NAME AND ADDERSS, PRODUCT IDENTIFICATION) ACCORDING TO THE **DIRECTIVE 2009/48/EC-SAFETY OF TOYS**

Summary table:

Information	Observation Result	Location	
Washing/Cleaning instruction	Not applicable	TEX WIFEX WIFEX WAITER	
CE mark	Existing	Packaging	
Importer's Name	Existing	Packaging	
Importer's address	Existing	Packaging	
Manufacturer's Name	Absent	- TIEK MITEK WALTER	
Manufacturer's address	Absent	Tet Tet Tet State	
Product ID	Existing	Packaging	

Note:

- 1. According to Directive 2009/48/EC, a toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy must, to this end, be washable, except if it contains a mechanism that may be damaged if soak washed. The manufacturer should, if applicable, provide instructions on how the toy has to be cleaned.
- 2. CE marking should be visible from outside the packaging and its height must be at least 5mm.
- 3. Manufacturer's and Importer's name, registered trade name or registered trade mark and the address at which the manufacturer can be contacted must be indicated on the toy or, where that is not impossible, on its packaging or in a document accompanying the toy.
- 4. Manufacturers must ensure that their toys bear a type, batch, serial or model or other element allowing their identification, or where the size or nature of the toys does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

Page 4 of 8

Reference No.: WTF17F1194847X1C Pag



3) EN71-3:2013+A1:2014 Migration of Heavy Metal Test

Test method: As per European Standard on Safety of toys EN71-3:2013+A1:2014, determined by ICP-MS, GC-MS and IC-ICP-MS.

A. Category (III): Scraped-off toy material.

Fire war war	Result (mg/kg)				MDL	Upper Limit
Test Items	No.1	No.2	No.3	No.4	(mg/kg)	(mg/kg)
Sol. Aluminium (Al)	ND	ND	ND	ND	50	70000
Sol. Antimony(Sb)	-ND	ND	ND	ND	10	560
Sol. Arsenic(As)	ND	ND	ND	ND	5	47
Sol. Barium(Ba)	ND	ND	ND	ND	50	18750
Sol. Boron(B)	ND	ND	ND	ND	50	15000
Sol. Cadmium(Cd)	ND	ND <	ND	ND N	5	17
Sol. Chromium(III)(Cr(III))	ND M	12	ND	ND	5	460
Sol. Chromium(VI)(Cr(VI))	ND	→ ND	ND	ND	0.02	0.2
Sol. Cobalt(Co)	ND	ND	ND	ND	10	130
Sol. Copper(Cu)	2355	ND	ND	ND	50	7700
Sol. Lead(Pb)	ND	ND	ND	ND	10	160
Sol. Manganese(Mn)	ND	574	ND NO	ND	50	15000
Sol. Mercury(Hg)	ND	ND	ND	ND	10	94
Sol. Nickel(Ni)	48	ND	ND	ND	10	930
Sol. Selenium(Se)	ND	ND	ND	ND	10	460
Sol. Strontium(Sr)	ND	ND	ND	ND ND	50	56000
Sol. Tin(Sn)	ND	ND	ND ND	ND	4.9	180000
Sol. Organic Tin	ND	ND	ND	ND	4.9	12
Sol. Zinc(Zn)	ND	ND	ND	ND	50	46000
Conclusion	Pass	Pass	Pass	Pass	TE TUTE	in and

Reference No.: WTF17F1194847X1C



- If I'm wife and	Wer M	Result (mg/kg)	MDL	Upper Limit	
Test Items	No.6	No.7	No.8	(mg/kg)	(mg/kg)
Sol. Aluminium (Al)	ND ND	ND	ND	50	70000
Sol. Antimony(Sb)	ND	ND	ND	10	560
Sol. Arsenic(As)	ND	ND	ND	5	47
Sol. Barium(Ba)	ND	ND -	ND	50	18750
Sol. Boron(B)	ND	ND	ND	50	15000
Sol. Cadmium(Cd)	ND	ND	√ ND √	1 5 mil	17.00
Sol. Chromium(III)(Cr(III))	ND	ND	ND	5	460
Sol. Chromium(VI)(Cr(VI))	ND	ND	ND	0.02	0.2
Sol. Cobalt(Co)	ND	ND	ND	10	130
Sol. Copper(Cu)	ND	ND	ND	50	7700
Sol. Lead(Pb)	ND	ND	ND	10	160
Sol. Manganese(Mn)	ND	ND	52	50	15000
Sol. Mercury(Hg)	ND	ND	ND	10	94
Sol. Nickel(Ni)	ND	ND	ND ND	10 0	930
Sol. Selenium(Se)	ND	ND	ND	10	460
Sol. Strontium(Sr)	ND ND	ND	ND	50	56000
Sol. Tin(Sn)	ND	ND	ND	4.9	180000
Sol. Organic Tin	ND	ND	ND	4.9	12
Sol. Zinc(Zn)	ND P	ND	721	50	46000
Conclusion	Pass	Pass	Pass	10 - J	TIP NI



Reference No.: WTF17F1194847X1C



B. Category II: Liquid or sticky

- Life alife alife and an	Result (mg/kg)	MDL M	Upper Limit	
Test Items	No.5	(mg/kg)	(mg/kg)	
Sol. Aluminium (Al)	MUND NIND	50	1406	
Sol. Antimony(Sb)	ND 11th Life	5	11.3	
Sol. Arsenic(As)	MD ND	0.1	0.9	
Sol. Barium(Ba)	L ND A	10 m	375	
Sol. Boron(B)	nit in ND	10	300	
Sol. Cadmium(Cd)	ND + THE	0.1	0.3	
Sol. Chromium(III)(Cr(III))	IND W	5	9.4	
Sol. Chromium(VI)(Cr(VI))	ND 1	0.005	0.005	
Sol. Cobalt(Co)	ND WE W	0.5	2.6	
Sol. Copper(Cu)	14	10	156	
Sol. Lead(Pb)	ND ND	0.5	3.4	
Sol. Manganese(Mn)	ND of the		300	
Sol. Mercury(Hg)	ND ND	0.5	1.9	
Sol. Nickel(Ni)	ND	Tiel 5 Life	18.8	
Sol. Selenium(Se)	ND NP	5	9.4	
Sol. Strontium(Sr)	ND	50	1125	
Sol. Tin(Sn)	ND	4.9	3750	
Sol. Organic Tin	ND	0.2	0.2	
Sol. Zinc(Zn)	ND ND	10	938	
Conclusion	Pass	LET TEXT	الله المالية	

Note:

- (1) Sol. = Soluble
- (2) mg/kg = milligram per kilogram
- (3) MDL = Method Detection Limit
- (4) ND = Not Detected (lower than MDL)
- (5) Soluble chromium(III)=Soluble total chromium-Soluble chromium(VI)
- (6) Confirmation test of Soluble Chromium(III) & Chromium(VI) is not required in case Soluble Total Chromium is not detected (lower than MDL). Soluble Chromium(VI) is reported as Soluble Total Chromium.
- (7) Confirmation test of Soluble Organic Tin is not required in case Soluble Tin is not detected (lower than MDL). Soluble Organic Tin is reported as Soluble Tin.

Page 7 of 8

Reference No.: WTF17F1194847X1C



C. Categories of various toy materials:

Category I: Dry, brittle, powder like or pliable

Solid toy material from which powder-like material is released during playing and semi-solid materials that may also leave residues on the hands during play. The material can be ingested. Contamination of the hands with the material may contribute to the oral exposure of the material. (e.g. the cores of colouring pencils, chalk, crayons, modelling clays and plaster).

Category II: Liquid or sticky

Fluid or viscous toy material, which can be ingested or to which dermal exposure may occur during playing. (e.g. liquid paints, finger paints, liquid ink in pens, glue sticks, slimes, bubble solution).

Category III: Scraped-off

Solid toy material with or without a coating, which can be ingested as a result of biting, tooth scraping, sucking or licking. (e.g. coatings, lacquers, plastics, paper, textiles, glass, ceramic, metallic, wooden, bone, leather and other materials).

Specimen Description:

No.1: Black plastic cap with silvery plating

No.2: Silvery metal spring

No.3: Transparent plastic stopper

No.4: White plastic refill

No.5: Black ink

No.6: White plastic sheet

No.7: Red plastic shell


No.8: Silvery metal outer ring of bearing


Sample photo:



W

Photograph of parts tested:





===== End of Report =====